SAFETY DATA SHEET

according to UN-GHS (rev. 7)

Blaser.

Additive D31

Section 1. Identif	ficat	tion			
Product identifier	:	Additive D31			
Article No.	:	03150-01			
Relevant identified uses of	<u>f the s</u>	substance or mixture and uses adv	<u>ised against</u>		
Identified uses					
Industrial use only. Metal working fluids Additive					
Uses advised against					
Consumer use.					
Manufacturer	:	BLASER SWISSLUBE AG Winterseistrasse 22 CH-3415 Hasle-Rüegsau Switzerland Tel:+41 (0)34 460 01 01 E-Mail: contact@blaser.com			
Supplier's details	:	Blaser Swisslube Solutions Private L 1001, 10th Floor, Time Tower, Main MG Road, Sector IN-Gurgaon, Pin-122 002 Tel:+91 (0) 124-4994000 E-Mail: india@blaser.com			
e-mail address of person responsible for this SDS	:	reach@blaser.com			
Emergency telephone number (with hours of operation)	:	000 800 100 7479 (24h/7d)			
Section 2. Hazard	d id	entification			
Classification of the substance or mixture	:	ACUTE TOXICITY (oral) - Category SERIOUS EYE DAMAGE/ EYE IRRI SKIN SENSITIZATION - Category 1 AQUATIC HAZARD (ACUTE) - Cate AQUATIC HAZARD (LONG-TERM)	ITATION - Category 2A gory 2	۸.	
GHS label elements					
Hazard pictograms	:				
Signal word		Warning			
Hazard statements		H303 - May be harmful if swallowed. H317 - May cause an allergic skin re H319 - Causes serious eye irritation. H401 - Toxic to aquatic life. H412 - Harmful to aquatic life with lo	action.		
Date of issue/Date of revision		: 5. Nov. 2024 Date of previous issue	: 18. Oct. 2024	Version : 1.1	1/11 IN



Section 2. Hazard identification

Precautionary statements	
General	: Not applicable.
Prevention	 P280 - Wear protective gloves. Wear eye or face protection. P273 - Avoid release to the environment. P261 - Avoid breathing vapor. P264 + P265 - Wash hands thoroughly after handling. Do not touch eyes. P272 - Contaminated work clothing should not be allowed out of the workplace.
Response	 P301 + P317 - IF SWALLOWED: Get medical help. P302 + P352 - IF ON SKIN: Wash with plenty of water. P333 + P317 - If skin irritation or rash occurs: Get medical help. P362 + P364 - Take off contaminated clothing and wash it before reuse. P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P317 - If eye irritation persists: Get medical help.
Storage	: Not applicable.
Disposal	 P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.

Other hazards which do not : None known. result in classification

Section 3. Composition/information on ingredients

Substance/mixture

: Mixture

Ingredient name	%	Identifiers
Resin acids and Rosin acids, hydrogenated, Me esters	≥30 - ≤50	CAS: 8050-15-5 EC: 232-476-2
benzyl benzoate	≥10 - ≤15	CAS: 120-51-4 EC: 204-402-9
vanillin	≥10 - ≤25	CAS: 121-33-5 EC: 204-465-2
coumarin	≤5	CAS: 91-64-5 EC: 202-086-7
anisaldehyde	≤5	CAS: 123-11-5 EC: 204-602-6
linalool	≤5	CAS: 78-70-6 EC: 201-134-4
α-hexylcinnamaldehyde	≤4.5	CAS: 101-86-0 EC: 202-983-3
linalyl acetate	≤5	CAS: 115-95-7 EC: 204-116-4
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran	≤4.5	CAS: 1222-05-5 EC: 214-946-9
geranyl acetate	≤5	CAS: 105-87-3 EC: 203-341-5

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Date of issue/Date of revision : 5. Nov. 2024 Date of previous issue	: 18. Oct. 2024	Version : 1.1	2/11 IN
--	-----------------	---------------	---------



Section 4. First aid measures

Description of necessa	ry first aid measures
Eye contact	 Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
Inhalation	: Avoid breathing vapor or mist. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	: Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	: Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. If necessary, call a poison center or physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/effects, acute and delayed

wost important symptoms/e	<u>cis, acute and delayed</u>	
Potential acute health effe		
Eye contact	Causes serious eye irritation.	
Inhalation	No known significant effects or critical hazards.	
Skin contact	May cause an allergic skin reaction.	
Ingestion	May be harmful if swallowed.	
Over-exposure signs/symp	<u>ns</u>	
Eye contact	Adverse symptoms may include the following: pain or irritation watering redness	
Inhalation	No specific data.	
Skin contact	Adverse symptoms may include the following: irritation redness	
Ingestion	No specific data.	
Indication of immediate med	al attention and special treatment needed, if necessary	
Notes to physician	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.	
Specific treatments	No specific treatment.	
Protection of first-aiders	No action shall be taken involving any personal risk or without suitable training. may be dangerous to the person providing aid to give mouth-to-mouth resuscitat Wash contaminated clothing thoroughly with water before removing it, or wear gloves.	

See toxicological information (Section 11)

Date of issue/Date of revision	: 5. Nov. 2024 Date of previous issue	: 18. Oct. 2024	Version : 1.1	3/11 IN



Section 5. Fire-fighting measures

Extinguishing media		
Suitable extinguishing media	Use an extinguishing agent suitable for the surrounding fire.	
Unsuitable extinguishing media	None known.	
Specific hazards arising from the chemical	n a fire or if heated, a pressure increase will occur and the container may bu This material is toxic to aquatic life. This material is harmful to aquatic life wi asting effects. Fire water contaminated with this material must be contained prevented from being discharged to any waterway, sewer or drain.	ith long
Hazardous thermal decomposition products	Decomposition products may include the following materials: carbon dioxide carbon monoxide	
Special protective actions for fire-fighters	Promptly isolate the scene by removing all persons from the vicinity of the ind there is a fire. No action shall be taken involving any personal risk or without suitable training.	
Special protective equipment for fire-fighters	Fire-fighters should wear appropriate protective equipment and self-containe preathing apparatus (SCBA) with a full face-piece operated in positive pressumed and the pressum of the pres	

Section 6. Accidental release measures

Personal precautions, protect	iv	e equipment and emergency procedures
For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	:	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.

Methods and materials for containment and cleaning up

Small spill	: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	: Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.



Section 7. Handling and storage

Precautions for safe handling	
Protective measures :	Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. Avoid release to the environment. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general : occupational hygiene	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe : storage, including any incompatibilities	Store between the following temperatures: 0 to 40°C (32 to 104°F). Shelf life: 24 months. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Section 8. Exposure controls/personal protection

Control	parameters

Occupational exposure limits

None.

Biological exposure indices

No exposure indices known.

Appropriate engineering controls	Good general ventilation should be sufficient to control worker exposure to airborne contaminants.	
Environmental exposure controls	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.	;
Individual protection measu	<u>)S</u>	
Hygiene measures	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.	
Eye/face protection	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.	
Skin protection		



Section 8. Exposure controls/personal protection

•	· ·
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. Wear suitable gloves tested to EN374. Nitrile gloves. thickness 0.3 mm (minimum).
Body protection	 Personal protective equipment for the body should be selected based on the task being performed and the risks involved before handling this product.
Other skin protection	 Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved before handling this product.
Respiratory protection	: A respirator is not needed under normal and intended conditions of product use. If workers are exposed to concentrations above the exposure limit, they must use appropriate, certified respirators.

Section 9. Physical and chemical properties and safety characteristics

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

Appearance		
Physical state	:	Liquid.
Color	:	Colorless.
Odor	:	Almond-like.
Odor threshold	:	Not available.
рН	:	Not applicable.
Melting point/freezing point	:	Not available.
Boiling point or initial boiling point and boiling range	:	Not available.
Flash point	:	Open cup: >100°C (>212°F)
Flammability	1	Not available.
Lower and upper explosion limit/flammability limit	1	Not available.
Vapor pressure	:	Not available.
Relative vapor density	1	Not available.
Relative density	:	Not available.
Density	1	1.1 g/cm³ [20°C (68°F)]
Solubility in water	:	Not available.
Miscible with water	:	No.
Partition coefficient: n- octanol/water	:	Not applicable.
Auto-ignition temperature	:	Not available.
Decomposition temperature	1	Not available.
Viscosity	:	Dynamic (room temperature): Not available. Kinematic (room temperature): Not available. Kinematic (40°C (104°F)): 38 mm²/s (38 cSt)
Particle characteristics		
Median particle size	:	Not applicable.



Section 10. Stability and reactivity

No specific test data related to reactivity available for this product or its ingredient	3.
Shelf life: 24 months.	
Under normal conditions of storage and use, hazardous reactions will not occur.	
No specific data.	
No specific data.	
Under normal conditions of storage and use, hazardous decomposition products should not be produced.	
: : :	 No specific test data related to reactivity available for this product or its ingredients Shelf life: 24 months. Under normal conditions of storage and use, hazardous reactions will not occur. No specific data. No specific data. Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Info

Acute toxicity				
Product/ingredient name	Result	Species	Dose	Exposure
benzyl benzoate	LD50 Dermal	Rabbit	4 g/kg	-
vanillin	LD50 Dermal	Rabbit	>5010 mg/kg	-
	LD50 Oral	Rat	1580 mg/kg	-
coumarin	LD50 Oral	Rat	293 mg/kg	-
anisaldehyde	LD50 Dermal	Rabbit	>5000 mg/kg	-
-	LD50 Oral	Rat	1510 mg/kg	-
linalool	LD50 Dermal	Rat	5610 mg/kg	-
	LD50 Oral	Rat	2790 mg/kg	-
linalyl acetate	LD50 Dermal	Rabbit	>5000 mg/kg	-
-	LD50 Oral	Rat	13934 mg/kg	-
1,3,4,6,7,8-hexahydro-	LD50 Dermal	Rat	>5 g/kg	-
4,6,6,7,8,8-hexamethylinder	10			
[5,6-c]pyran				
geranyl acetate	LD50 Oral	Rat	6330 mg/kg	-

Irritation/Corrosion

Not available.

Respiratory or skin sensitization

Not available.

Mutagenicity

Not available.

Carcinogenicity

Not available.

Reproductive toxicity

Not available.

Teratogenicity

Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure) Not available.



Section 11. Toxicological information

Aspiration hazard

Not available.

Information on the likely routes of exposure	:	Not available.
Potential acute health effects	5	
Eye contact	:	Causes serious eye irritation.
Inhalation	1	No known significant effects or critical hazards.
Skin contact	:	May cause an allergic skin reaction.
Ingestion	:	May be harmful if swallowed.
Symptoms related to the phy	<u>sic</u>	cal, chemical and toxicological characteristics
Eye contact	:	Adverse symptoms may include the following: pain or irritation watering redness
Inhalation	1	No specific data.
Skin contact	:	Adverse symptoms may include the following: irritation redness
Ingestion	:	No specific data.
Delayed and immediate effect Short term exposure	<u>ts</u>	and also chronic effects from short and long term exposure
Potential immediate effects	:	Not available.
Potential delayed effects Long term exposure	:	Not available.
Potential immediate effects	:	Not available.
Potential delayed effects	1	Not available.
Potential chronic health effe Not available.	<u>ect</u>	<u>s</u>
General	:	Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.
Carcinogenicity	:	No known significant effects or critical hazards.
Mutagenicity	:	No known significant effects or critical hazards.
Reproductive toxicity	:	No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Product/ingredient name		Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapors) (mg/l)	Inhalation (dusts and mists) (mg/l)
ate of issue/Date of revision	: 5. Nov. 2024 Date	of previous issue	: 18. (Dct. 2024	Version : 1.1	<i>8/11</i> IN



Section 11. Toxicological information

Additive D31	2501.3	N/A	N/A	N/A	N/A
benzyl benzoate	500	N/A	N/A	N/A	N/A
coumarin	500	N/A	N/A	N/A	N/A
linalool	N/A	5610	N/A	N/A	N/A
linalyl acetate	13934	N/A	N/A	N/A	N/A
geranyl acetate	6330	N/A	N/A	N/A	N/A

Section 12. Ecological information

Toxicity

Not available.

Persistence and degradability

Not available.

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
benzyl benzoate	3.97	-	Low
vanillin	1.21	-	Low
coumarin	1.39	-	Low
anisaldehyde	1.76	-	Low
linalool	2.84	-	Low
linalyl acetate	3.9	-	Low
1,3,4,6,7,8-hexahydro-	5.3	-	High
4,6,6,7,8,8-hexamethylindeno			
[5,6-c]pyran			
geranyl acetate	4.04	-	High

Mobility in soil

Soil/water partition : coefficient (Koc)

: Not available.

Other adverse effects

: No known significant effects or critical hazards.

Section 13. Disposal considerations

 Disposal methods
 The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.



Section 14. Transport information

	UN	IMDG	ΙΑΤΑ
UN number	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-
Transport hazard class(es)	-	-	-
Packing group	-	-	-
Environmental hazards	No.	No.	No.

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according : Not available. to IMO instruments

Section 15. Regulatory information

15.1 International regulations

Stockholm Convention on Persistent Organic Pollutants Not listed.

15.2 Other regulations

Chemical Safety	: No Chemical Safety Assessment has been carried out.
Assessment	

Section 16. Other information

History

Date of printing	: 5. Nov. 2024
Date of issue/Date of revision	: 5. Nov. 2024
Date of previous issue	: 18. Oct. 2024
Version	: 1.1
Prepared by	: Product Stewardship Blaser Swisslube AG
Key to abbreviations	: ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor EC50 = Half maximal effective concentration GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IMDG = International Maritime Dangerous Goods LC50 = Median lethal concentration LD50 = Median lethal dose LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) N/A = Not available UN = United Nations

Section 16. Other information

Procedure used to derive the classification

Classification	Justification
ACUTE TOXICITY (oral) - Category 5	Calculation method
SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2A	Calculation method
SKIN SENSITIZATION - Category 1	Calculation method
AQUATIC HAZARD (ACUTE) - Category 2	Calculation method
AQUATIC HAZARD (LONG-TERM) - Category 3	Expert judgment
· · · · · · · · · · · · · · · · ·	

SSLUBE

IN

References

: Not available.

Indicates information that has changed from previously issued version.

Other EU regulations :

REACH:

Herewith, we confirm that all our products fulfill all the requirements of REACH regulation. All of the raw materials used in our products are either REACH registered or exempt from registration.

ROHS:

BLASER Swisslube products are fully compliant with Annex II of DIRECTIVE 2015/863/EU (RoHS 3) and do not contain the following substances above their respective limitations:

Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE), Bis(2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP), chromium Cr⁶+-compounds, Heavy metals (Lead or it's compounds, cadmium or it's compounds, mercury or it's compounds).

SVHC:

Herewith we confirm that, with the exceptions of Additive A38 (art.-no. 29182-02), our cutting and grinding fluids do not contain any Substances of Very High Concern (SVHC) above the regulatory cut-off limit of 0.1%.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.