# SAFETY DATA SHEET

# according to UN-GHS (rev. 7)



Additive P51

# Section 1. Identification

**Product identifier** : Additive P51 Article No. : 03140-01

### Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** 

Industrial use only. Metal working fluids

Additive

**Uses advised against** 

Consumer use.

**Manufacturer** : BLASER SWISSLUBE AG

> Winterseistrasse 22 CH-3415 Hasle-Rüegsau

Switzerland

Tel:+41 (0)34 460 01 01 E-Mail: contact@blaser.com

: Blaser Swisslube Solutions Private Limited Supplier's details

1001, 10th Floor,

Time Tower, Main MG Road, Sector 28

IN-Gurgaon, Pin-122 002 Tel:+91 (0) 124-4994000 E-Mail: india@blaser.com

e-mail address of person responsible for this SDS

**Emergency telephone** 

number (with hours of

operation)

: reach@blaser.com

: 000 800 100 7479 (24h/7d)

# Section 2. Hazard identification

Classification of the substance or mixture : Not classified.

**GHS** label elements

Signal word : No signal word.

**Hazard statements** : No known significant effects or critical hazards.

**Precautionary statements** 

**Prevention** : Not applicable. Response : Not applicable. **Storage** : Not applicable. **Disposal** : Not applicable.

Other hazards which do not : None known.

result in classification

Date of issue/Date of revision : 7. Aug. 2025 Version: 1.1 1/9 IN : 8. Sep. 2025 Date of previous issue



# Section 3. Composition/information on ingredients

Substance/mixture : Mixture

Ingredient name	%	Identifiers
reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate	≤5	CAS: 125643-61-0 EC: 406-040-9
1,3,4-Thiadiazolidine-2,5-dithione, reaction products with hydrogen peroxide and tert-nonanethiol	≤3	CAS: 91648-65-6 EC: 293-927-7

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

# Section 4. First aid measures

### Description of necessary first aid measures

**Eye contact**: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower

eyelids. Continue to rinse for at least 10 minutes. Check for and remove any

contact lenses. Get medical attention if irritation occurs.

Inhalation : Avoid breathing vapor or mist. Get medical attention if symptoms occur. Remove

victim to fresh air and keep at rest in a position comfortable for breathing.

**Skin contact**: Flush contaminated skin with plenty of water. Remove contaminated clothing and

shoes. Get medical attention if symptoms occur.

**Ingestion**: Wash out mouth with water. If material has been swallowed and the exposed

person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms

occur.

# Most important symptoms/effects, acute and delayed

### Potential acute health effects

Eye contact
 Inhalation
 No known significant effects or critical hazards.
 Skin contact
 No known significant effects or critical hazards.
 Ingestion
 No known significant effects or critical hazards.
 No known significant effects or critical hazards.

#### Over-exposure signs/symptoms

Eye contact : No specific data.
Inhalation : No specific data.
Skin contact : No specific data.
Ingestion : No specific data.

#### Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if large

quantities have been ingested or inhaled.

**Specific treatments**: No specific treatment.

Protection of first-aiders : No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

Date of issue/Date of revision : 8. Sep. 2025 Date of previous issue : 7. Aug. 2025 Version : 1.1 2/9 IN



# Section 5. Fire-fighting measures

### **Extinguishing media**

Suitable extinguishing

media

**Unsuitable extinguishing** media

: Use an extinguishing agent suitable for the surrounding fire.

: None known.

Specific hazards arising from the chemical

**Hazardous thermal** decomposition products : In a fire or if heated, a pressure increase will occur and the container may burst.

: No specific data.

Special protective actions for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

**Special protective** equipment for fire-fighters Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

# Section 6. Accidental release measures

# Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

For emergency responders: If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

**Environmental precautions** 

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

#### Methods and materials for containment and cleaning up

**Small spill** 

Stop leak if without risk. Move containers from spill area. Absorb with an inert material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Large spill

: Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Dispose of via a licensed waste disposal contractor. Contain and collect spillage with non-combustible, absorbent material e. g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

# Section 7. Handling and storage

#### Precautions for safe handling

**Protective measures** Advice on general occupational hygiene

- : Put on appropriate personal protective equipment (see Section 8).
- : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.



# Section 7. Handling and storage

Conditions for safe storage, including any incompatibilities

Store between the following temperatures: 0 to 40°C (32 to 104°F). Shelf life: 24 months. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

# Section 8. Exposure controls/personal protection

### **Control parameters**

Occupational exposure limits

None.

# **Biological exposure indices**

No exposure indices known.

Appropriate engineering controls

sure

: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

**Environmental exposure** controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

### **Individual protection measures**

**Hygiene measures** 

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.

Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

**Eye/face protection** 

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

**Skin protection** 

**Hand protection** 

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

**Body protection** 

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved before handling this product.

Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved before handling this product.

**Respiratory protection** 

: A respirator is not needed under normal and intended conditions of product use. If workers are exposed to concentrations above the exposure limit, they must use appropriate, certified respirators.

# Section 9. Physical and chemical properties and safety characteristics

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

### **Appearance**

Physical state : Liquid.

Date of issue/Date of revision : 8. Sep. 2025 Date of previous issue : 7. Aug. 2025 Version : 1.1 4/9 IN



# Section 9. Physical and chemical properties and safety characteristics

Color : Brown. Odor : Faint odor. **Odor threshold** Not available. Ha Not applicable. **Melting point/freezing point** : Not available.

boiling point and boiling

**Boiling point or initial** 

range

: Open cup: 184°C (363.2°F) Flash point

**Evaporation rate** : Not available. : Not available. **Flammability** Lower and upper explosion Not available.

limit/flammability limit

: Not available. Vapor pressure : Not available. Relative vapor density Not available. Relative density

1.02 g/cm3 [20°C (68°F)] **Density** 

: Not available. Solubility in water

Miscible with water

Partition coefficient: n-

octanol/water

: Not applicable.

: Not available.

: Not available. **Auto-ignition temperature Decomposition temperature** Not available.

**Viscosity** Dynamic (room temperature): Not available.

> Kinematic (room temperature): Not available. Kinematic (40°C (104°F)): 75 mm<sup>2</sup>/s (75 cSt)

**Particle characteristics** 

Median particle size : Not applicable.

# Section 10. Stability and reactivity

Reactivity : No specific test data related to reactivity available for this product or its ingredients.

: Shelf life: 24 months. **Chemical stability** 

Possibility of hazardous

reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

**Conditions to avoid** : No specific data.

Incompatible materials : No specific data.

**Hazardous decomposition** 

products

: Under normal conditions of storage and use, hazardous decomposition products

should not be produced.

Date of issue/Date of revision : 7. Aug. 2025 Version: 1.1 5/9 : 8. Sep. 2025 Date of previous issue



# **Section 11. Toxicological information**

### Information on toxicological effects

# **Acute toxicity**

**Product/ingredient name** 

reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate

Result

**Rat - Dermal - LD50** >2000 mg/kg **Rat - Oral - LD50** >2000 mg/kg

**Conclusion/Summary [Product]**: Not available.

**Skin corrosion/irritation** 

Not available.

**Conclusion/Summary [Product]**: Not available.

Serious eye damage/eye irritation

Not available.

**Conclusion/Summary [Product]**: Not available.

**Respiratory corrosion/irritation** 

Not available.

**Conclusion/Summary [Product]** : Not available.

**Respiratory or skin sensitization** 

Not available.

Skin

**Conclusion/Summary [Product]**: Not available.

Respiratory

**Conclusion/Summary [Product]** : Not available.

Germ cell mutagenicity

Not available.

**Conclusion/Summary [Product]**: Not available.

**Carcinogenicity** 

Not available.

Conclusion/Summary [Product] : Not available.

**Reproductive toxicity** 

Not available.

Date of issue/Date of revision : 8. Sep. 2025 Date of previous issue : 7. Aug. 2025 Version : 1.1 6/9 IN



# **Section 11. Toxicological information**

**Conclusion/Summary [Product]**: Not available.

# **Specific target organ toxicity (single exposure)**

Not available.

# Specific target organ toxicity (repeated exposure)

Not available.

### **Aspiration hazard**

Not available.

# Information on the likely routes of exposure

Not available.

# Potential acute health effects

Eye contact
 Inhalation
 No known significant effects or critical hazards.
 Skin contact
 No known significant effects or critical hazards.
 Ingestion
 No known significant effects or critical hazards.

# Symptoms related to the physical, chemical and toxicological characteristics

**Eye contact** : No specific data.

# **Section 12. Ecological information**

### **Toxicity**

### **Product/ingredient name**

reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate

Result

Acute - LC50

Fish

>74 mg/l [96 hours] **Acute - EC50** 

Algae

>3 mg/l [72 hours]

**Conclusion/Summary [Product]** : Not available.

# Persistence and degradability

Not available.

**Conclusion/Summary [Product]** : Not available.

# **Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert- butyl-4-hydroxyphenyl) propionate	9.2	-	High

## **Mobility in soil**



# Section 12. Ecological information

Soil/Water partition coefficient

: Not available.

#### Other adverse effects

No known significant effects or critical hazards.

# Section 13. Disposal considerations

### **Disposal methods**

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

# **Section 14. Transport information**

	UN	IMDG	IATA
UN number	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-
Transport hazard class(es)	-	-	-
Packing group	-	-	-
Environmental hazards	No.	No.	No.

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according : Not available.

to IMO instruments

# Section 15. Regulatory information

### 15.1 International regulations

**Stockholm Convention on Persistent Organic Pollutants** 

Not listed.

# 15.2 Other regulations

**Chemical Safety Assessment** 

: No Chemical Safety Assessment has been carried out.

Date of issue/Date of revision Version: 1.1 : 8. Sep. 2025 Date of previous issue : 7. Aug. 2025 8/9 IN



# Section 16. Other information

### **History**

Date of printing : 8. Sep. 2025

Date of issue/Date of : 8. Sep. 2025

revision

Date of previous issue : 7. Aug. 2025

Version : 1.1

Prepared by : Product Stewardship Blaser Swisslube AG

**Key to abbreviations** : ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

EC50 = Half maximal effective concentration

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association IMDG = International Maritime Dangerous Goods

LC50 = Median lethal concentration

LD50 = Median lethal dose

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships,

1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

N/A = Not available UN = United Nations

### Procedure used to derive the classification

Not classified.

References : Not available.

✓ Indicates information that has changed from previously issued version.

# Other EU regulations:

#### **REACH:**

Herewith, we confirm that all our products fulfill all the requirements of REACH regulation. All of the raw materials used in our products are either REACH registered or exempt from registration.

#### ROHS:

BLASER Swisslube products are fully compliant with Annex II of DIRECTIVE 2015/863/EU (RoHS 3) and do not contain the following substances above their respective limitations:

Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE), Bis(2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP), chromium Cr<sup>6</sup>+-compounds, Heavy metals (Lead or it's compounds, cadmium or it's compounds, mercury or it's compounds).

## **SVHC**:

Herewith we confirm that, with the exceptions of Additive A38 (art.-no. 29182-02), our cutting and grinding fluids do not contain any Substances of Very High Concern (SVHC) above the regulatory cut-off limit of 0.1%.

### **Notice to reader**

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.