# **SAFETY DATA SHEET**

## according to UN-GHS (rev. 7)

Additive V54

: Additive V54
: 03196-01
he substance or mixture and uses advised against
: BLASER SWISSLUBE AG Winterseistrasse 22 CH-3415 Hasle-Rüegsau Switzerland Tel:+41 (0)34 460 01 01 E-Mail: contact@blaser.com
: Blaser Swisslube Solutions Private Limited 1001, 10th Floor, Time Tower, Main MG Road, Sector 28 IN-Gurgaon, Pin-122 002 Tel:+91 (0) 124-4994000 E-Mail: india@blaser.com
: reach@blaser.com
: 000 800 100 7479 (24h/7d)
identification
: SKIN SENSITIZATION - Category 1
: Warning
: H317 - May cause an allergic skin reaction.
: Not applicable.
<ul> <li>P280 - Wear protective gloves.</li> <li>P261 - Avoid breathing vapor.</li> <li>P272 - Contaminated work clothing should not be allowed out of the workplace.</li> </ul>

Date of issue/Date of revision: 5. Nov. 2024Date of previous issue: 18. Oct. 2024Version: 1.081/10IN



# Section 2. Hazard identification

Response	:	P302 + P352 - IF ON SKIN: Wash with plenty of water. P333 + P317 - If skin irritation or rash occurs: Get medical help. P362 + P364 - Take off contaminated clothing and wash it before reuse.
Storage	:	Not applicable.
Disposal	-	P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.
Other hazards which do not	:	None known.

result in classification

# Section 3. Composition/information on ingredients

Substance/mixture

: Mixture

Ingredient name	%	Identifiers
Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics	≥10 - ≤25	EC: 920-107-4
triisobutyl phosphate		CAS: 126-71-6 EC: 204-798-3

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

# Section 4. First aid measures

Description of necessary first	aid measures
Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.
Inhalation	: Avoid breathing vapor or mist. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	: Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	: Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Most important symptoms/eff	ects, acute and delayed
Potential acute health effects	<u>&gt;</u>
Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.

Date of issue/Date of revision

21.

WISSLUBE



Skin contact	: May cause an allergic skin reaction.		
Ingestion	: No known significant effects or critical hazards.		
Over-exposure signs/symp	<u>toms</u>		
Eye contact	: No specific data.		
Inhalation	: No specific data.		
Skin contact	: Adverse symptoms may include the following: irritation redness		
Ingestion	: No specific data.		
Indication of immediate medical attention and special treatment needed, if necessary			
Notes to physician	<ul> <li>Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.</li> </ul>		
Specific treatments	: No specific treatment.		
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.		

## See toxicological information (Section 11)

#### Section 5. Fire-fighting measures Extinguishing media Suitable extinguishing : Use an extinguishing agent suitable for the surrounding fire. media Unsuitable extinguishing : None known. media Specific hazards arising : In a fire or if heated, a pressure increase will occur and the container may burst. from the chemical **Hazardous thermal** : Decomposition products may include the following materials: carbon dioxide decomposition products carbon monoxide phosphorus oxides **Special protective actions** : Promptly isolate the scene by removing all persons from the vicinity of the incident if for fire-fighters there is a fire. No action shall be taken involving any personal risk or without suitable training. Fire-fighters should wear appropriate protective equipment and self-contained **Special protective** ÷. equipment for fire-fighters breathing apparatus (SCBA) with a full face-piece operated in positive pressure

# Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

mode.

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	:	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

VISSLUBE



# Section 6. Accidental release measures

Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for co	ont	ainment and cleaning up
Small spill	:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

# Section 7. Handling and storage

## Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	: Storage temperature: 0 to 40°C (32 to 104°F). Shelf life: 24 months. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

# Section 8. Exposure controls/personal protection

## Control parameters

Occupational exposure limit	<u>'S</u>
None.	
Biological exposure indices	
No exposure indices known.	
Appropriate engineering controls	: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

	Emissions from ventilation or work process equipment should be checked to ensure
controls	they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.



# Section 8. Exposure controls/personal protection

Individual protection meas	<u>sures</u>
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. Wear suitable gloves tested to EN374. Nitrile gloves. thickness 0.3 mm (minimum).
Body protection	<ul> <li>Personal protective equipment for the body should be selected based on the task being performed and the risks involved before handling this product.</li> </ul>
Other skin protection	<ul> <li>Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved before handling this product.</li> </ul>
Respiratory protection	: A respirator is not needed under normal and intended conditions of product use. If workers are exposed to concentrations above the exposure limit, they must use appropriate, certified respirators.

# Section 9. Physical and chemical properties and safety characteristics

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

## Appearance

Physical state	: Liquid.		
Color	: Brown.		
Odor	: Characteristic.		
Odor threshold	: Not available.		
рН	: Not applicable.		
Melting point/freezing point	: Not available.		
Boiling point or initial boiling point and boiling range	: Not available.		
Flash point	: Open cup: 135°C (275°F)		
Flammability	: Not available.		
Lower and upper explosion limit/flammability limit	: Not available.		
Vapor pressure	: Not available.		
Relative vapor density	: Not available.		
Relative density	: Not available.		
Density	: 1.1 g/cm³ [20°C (68°F)]		
Solubility in water	: Not available.		
Date of issue/Date of revision	: 5. Nov. 2024 Date of previous issue	: 18. Oct. 2024	V



# Section 9. Physical and chemical properties and safety characteristics

Miscible with water	: No.	
Partition coefficient: n- octanol/water	: Not applicable.	
Auto-ignition temperature	: Not available.	
<b>Decomposition temperature</b>	: Not available.	
Viscosity	: Dynamic (room temperature): Not available. Kinematic (room temperature): Not available. Kinematic (40°C (104°F)): 37 mm²/s (37 cSt)	
Particle characteristics		
Median particle size	: Not applicable.	
Section 10. Stability and reactivity		
Reactivity	: No specific test data related to reactivity available for this product or its ingredients.	

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: Shelf life: 24 months.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: No specific data.
Incompatible materials	: No specific data.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# Section 11. Toxicological information

## Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
triisobutyl phosphate	LD50 Dermal LD50 Oral	Rabbit Rat	>5 g/kg 4180 mg/kg	-

Irritation/Corrosion

Not available.

Respiratory or skin sensitization

Not available.

**Mutagenicity** 

Not available.

## **Carcinogenicity**

Not available.

**Reproductive toxicity** 

Not available.

**Teratogenicity** 

Not available.

## Specific target organ toxicity (single exposure)

Not available.

Date of issue/Date of revision



# Section 11. Toxicological information

## Specific target organ toxicity (repeated exposure)

#### Not available.

Product/ingredient name			Result	
Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics		nes, isoalkanes, cyclics, < 2%	ASPIRATION HAZARD - Category 1	
Information on the likely routes of exposure	:	Not available.		
Potential acute health effect	<u>s</u>			
Eye contact	:	No known significant effects or critical	hazards.	
Inhalation	:	No known significant effects or critical hazards.		
Skin contact	:	May cause an allergic skin reaction.		
Ingestion	:	No known significant effects or critical hazards.		
Symptoms related to the phy	<u>ysic</u>	al, chemical and toxicological chara	<u>acteristics</u>	
Eye contact	:	No specific data.		
Inhalation	1	No specific data.		
Skin contact	:	Adverse symptoms may include the for irritation redness	bllowing:	
Ingestion	:	No specific data.		
Delayed and immediate effe	cts a	and also chronic effects from short	and long term exposure	
Short term exposure				
Potential immediate effects	:	Not available.		
Potential delayed effects	:	Not available.		
Long term exposure				
Potential immediate	:	Not available.		
effects				
	:	Not available.		
effects				
effects Potential delayed effects				
effects Potential delayed effects Potential chronic health eff	fects	<u>2</u>	ction may occur when subsequently expose	
effects Potential delayed effects Potential chronic health eff Not available.	f <mark>ects</mark> :	once sensitized, a severe allergic rea	ction may occur when subsequently expose hazards.	
effects Potential delayed effects <u>Potential chronic health eff</u> Not available. General	f <mark>ects</mark> : :	Once sensitized, a severe allergic rea to very low levels.	hazards.	

## Numerical measures of toxicity

## Acute toxicity estimates

N/A



# Section 12. Ecological information

#### **Toxicity**

Not available.

## Persistence and degradability

Not available.

## **Bioaccumulative potential**

Not available.

## **Mobility in soil**

Soil/water partition : Not available. coefficient (Koc)

Other adverse effects : No known significant effects or critical hazards.

# Section 13. Disposal considerations

**Disposal methods** The generation of waste should be avoided or minimized wherever possible. 2 Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

# Section 14. Transport information

	UN	IMDG	ΙΑΤΑ		
UN number	Not regulated.	Not regulated.	Not regulated.		
UN proper shipping name	-	-	-		
Transport hazard class(es)	-	-	-		
Packing group	-	-	-		
Environmental hazards	No.	No.	No.		

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according : Not available. to IMO instruments



# Section 15. Regulatory information

## 15.1 International regulations

Stockholm Convention on Persistent Organic Pollutants Not listed.

## 15.2 Other regulations

Chemical Safety	
Assessment	

: No Chemical Safety Assessment has been carried out.

# Section 16. Other information

<u>History</u>	
Date of printing	: 5. Nov. 2024
Date of issue/Date of revision	: 5. Nov. 2024
Date of previous issue	: 18. Oct. 2024
Version	: 1.08
Prepared by	: Product Stewardship Blaser Swisslube AG
Key to abbreviations	: ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor EC50 = Half maximal effective concentration GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IMDG = International Maritime Dangerous Goods LC50 = Median lethal concentration LD50 = Median lethal dose LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) N/A = Not available UN = United Nations

## Procedure used to derive the classification

Classification	Justification
SKIN SENSITIZATION - Category 1	Calculation method

**References** 

: Not available.

## ✓ Indicates information that has changed from previously issued version.

## IP346:

The contained refined mineral oils are exempt of labelling. The content of polycyclic aromatic hydrocarbons (PCA) according to IP346 is < 3% (DMSO-extract).

## Other EU regulations :

## **REACH**:

Herewith, we confirm that all our products fulfill all the requirements of REACH regulation. All of the raw materials used in our products are either REACH registered or exempt from registration.

## **ROHS**:

BLASER Swisslube products are fully compliant with Annex II of DIRECTIVE 2015/863/EU (RoHS 3) and do not contain the following substances above their respective limitations:

Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE), Bis(2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP), chromium Cr<sup>6</sup>+-compounds, Heavy metals (Lead or it's compounds, cadmium or it's compounds, mercury or it's compounds).

## SVHC:

Herewith we confirm that, with the exceptions of Additive A38 (art.-no. 29182-02), our cutting and grinding fluids do not contain any Substances of Very High Concern (SVHC) above the regulatory cut-off limit of 0.1%.



#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

R

VISSLUBE

IN

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.