### SAFETY DATA SHEET

### according to UN-GHS (rev. 7)





### Section 1. Identification

**Product identifier** : Blaser TP 319 Article No. : 40319-01

### Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** 

Industrial use only. Metal working fluids

**Uses advised against** 

Consumer use.

**Manufacturer** : BLASER SWISSLUBE AG

> Winterseistrasse 22 CH-3415 Hasle-Rüegsau

Switzerland

Tel:+41 (0)34 460 01 01 E-Mail: contact@blaser.com

Supplier's details : Blaser Swisslube Solutions Private Limited

1001, 10th Floor,

Time Tower, Main MG Road, Sector 28

IN-Gurgaon, Pin-122 002 Tel:+91 (0) 124-4994000 E-Mail: india@blaser.com

e-mail address of person

responsible for this SDS

: reach@blaser.com

**Emergency telephone** number (with hours of

operation)

: 000 800 100 7479 (24h/7d)

### Section 2. Hazard identification

Classification of the substance or mixture SKIN CORROSION/IRRITATION - Category 2

SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2A

TOXIC TO REPRODUCTION - Category 2

**GHS** label elements

**Hazard pictograms** 





Signal word : Warning

**Hazard statements** : H315 - Causes skin irritation.

H319 - Causes serious eye irritation.

H361 - Suspected of damaging fertility or the unborn child.

**Precautionary statements** 

**General** : Not applicable.

Date of issue/Date of revision : 7. Aug. 2025 Version: 1.06 1/12 IN : 8. Sep. 2025 Date of previous issue



### Section 2. Hazard identification

**Prevention** : P203 - Obtain, read and follow all safety instructions before use.

P280 - Wear protective gloves, protective clothing, eye protection, face protection,

or hearing protection.

P264 + P265 - Wash hands thoroughly after handling. Do not touch eyes.

: P318 - IF exposed or concerned, get medical advice. Response

P302 + P352 - IF ON SKIN: Wash with plenty of water. P332 + P317 - If skin irritation occurs: Get medical help.

P362 + P364 - Take off contaminated clothing and wash it before reuse.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P317 - If eye irritation persists: Get medical help.

**Storage** : P405 - Store locked up.

: P501 - Dispose of contents and container in accordance with all local, regional, **Disposal** 

national and international regulations.

Other hazards which do not : None known.

result in classification

### Section 3. Composition/information on ingredients

Substance/mixture : Mixture

Ingredient name	%	Identifiers
1-aminopropan-2-ol	≥10 - ≤15	CAS: 78-96-6 EC: 201-162-7
Fatty acids, castor-oil, polymd.	≥10 - ≤15	CAS: 68604-47-7 EC: 614-641-4
Alcohols, C16-18, ethoxylated propoxylated	≤5	CAS: 68002-96-0 EC: 614-209-5
2,2',2"-nitrilotriethanol	≤5	CAS: 102-71-6 EC: 203-049-8
Alcohols, C8-18, ethoxylated propoxylated	≤5	CAS: 69013-18-9
Fatty acids, tall-oil, reaction products with acrylic acid	≤3	CAS: 53980-88-4 EC: 939-424-4
Phosphoric acid, C11-14-isoalkyl esters, C13-rich	≤1.5	CAS: 154518-38-4
Rosin, hydrogenated	≤1.5	CAS: 65997-06-0 EC: 266-041-3
1,2-benzisothiazol-3(2H)-one	≤0.3	CAS: 2634-33-5 EC: 220-120-9
pyridine-2-thiol 1-oxide, sodium salt	≤0.3	CAS: 3811-73-2 EC: 223-296-5

#### Additional information:

Neutralisation product: Equilibrium of Ionic Pairs according to REACH Annex V, 4.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.



### Section 4. First aid measures

### **Description of necessary first aid measures**

**Eye contact** 

: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Continue to rinse for at least 10 minutes. Check for and remove any

contact lenses. Get medical attention.

Inhalation Avoid breathing vapor or mist. If not breathing, if breathing is irregular or if

respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.

It may be dangerous to the person providing aid to give mouth-to-mouth

resuscitation. Get medical attention. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. Remove victim to fresh air and keep

at rest in a position comfortable for breathing.

Skin contact : Flush contaminated skin with plenty of water. Remove contaminated clothing and

shoes. Continue to rinse for at least 10 minutes. Get medical attention. Wash

clothing before reuse. Clean shoes thoroughly before reuse.

: Wash out mouth with water. Remove dentures if any. If material has been Ingestion

swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open

airway. Loosen tight clothing such as a collar, tie, belt or waistband.

### Most important symptoms/effects, acute and delayed

### Potential acute health effects

**Eye contact** : Causes serious eye irritation.

Inhalation : No known significant effects or critical hazards.

**Skin contact** : Causes skin irritation.

: No known significant effects or critical hazards. Ingestion

### Over-exposure signs/symptoms

**Eye contact** : Adverse symptoms may include the following:

pain or irritation

watering redness

Inhalation Adverse symptoms may include the following:

> reduced fetal weight increase in fetal deaths skeletal malformations

Skin contact : Adverse symptoms may include the following:

> irritation redness

reduced fetal weight increase in fetal deaths skeletal malformations

Ingestion : Adverse symptoms may include the following:

> reduced fetal weight increase in fetal deaths skeletal malformations

#### Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : In case of inhalation of decomposition products in a fire, symptoms may be delayed.

The exposed person may need to be kept under medical surveillance for 48 hours.

**Specific treatments** : No specific treatment.

Date of issue/Date of revision Version: 1.06 3/12 IN : 8. Sep. 2025 Date of previous issue : 7. Aug. 2025



### Section 4. First aid measures

Protection of first-aiders

No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

### Section 5. Fire-fighting measures

#### Extinguishing media

Suitable extinguishing media

: Use an extinguishing agent suitable for the surrounding fire.

**Unsuitable extinguishing** media

: None known.

Specific hazards arising from the chemical

: In a fire or if heated, a pressure increase will occur and the container may burst.

**Hazardous thermal** decomposition products : Decomposition products may include the following materials: carbon dioxide carbon monoxide

nitrogen oxides

**Special protective actions** for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

**Special protective** equipment for fire-fighters Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure

### Section 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders:

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

**Environmental precautions**: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

### Methods and materials for containment and cleaning up

**Small spill** 

Stop leak if without risk. Move containers from spill area. Absorb with an inert material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Large spill

Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Contain and collect spillage with noncombustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Date of issue/Date of revision Version: 1.06 4/12 IN : 8. Sep. 2025 Date of previous issue : 7. Aug. 2025



### Section 7. Handling and storage

### **Precautions for safe handling**

#### **Protective measures**

Put on appropriate personal protective equipment (see Section 8). Avoid exposure obtain special instructions before use. Avoid exposure during pregnancy. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

# Advice on general occupational hygiene

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

# Conditions for safe storage, including any incompatibilities

: Store between the following temperatures: 0 to 40°C (32 to 104°F). Shelf life: 24 months. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

### Section 8. Exposure controls/personal protection

#### **Control parameters**

Occupational exposure limits

None.

#### **Biological exposure indices**

No exposure indices known.

# Appropriate engineering controls

: If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

## **Environmental exposure** controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

#### **Individual protection measures**

#### **Hygiene measures**

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.

Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

#### **Eye/face protection**

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.

### **Skin protection**



### Section 8. Exposure controls/personal protection

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. Wear suitable gloves tested to EN374. Nitrile gloves. thickness 0.3 mm (minimum).

**Body protection** 

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved before handling this product.

Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved before handling this product.

Respiratory protection

A respirator is not needed under normal and intended conditions of product use. If workers are exposed to concentrations above the exposure limit, they must use appropriate, certified respirators.

### Section 9. Physical and chemical properties and safety characteristics

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

**Appearance** 

**Physical state** : Liquid. Color : Tan. Odor : Amine-like.

: Not available. **Odor threshold** 

pН : 8.8 to 9.6 [Conc. (% w/w): 5%]

**Melting point/freezing point** : Not available. **Pour point** : <0°C (<32°F) **Boiling point or initial** : Not available.

boiling point and boiling

range

: Open cup: Not applicable. Flash point

**Evaporation rate** Not available. **Flammability** : Not available. : Not available. Lower and upper explosion

limit/flammability limit

Vapor pressure : Not available. Relative vapor density : Not available. **Relative density** Not available.

**Density** : 0.97 g/cm³ [20°C (68°F)]

Solubility in water : Not available. Partition coefficient: n-: Not applicable.

octanol/water

: Not available. **Auto-ignition temperature Decomposition temperature** Not available.

**Viscosity** Dynamic (room temperature): Not available.

Kinematic (room temperature): Not available. Kinematic (40°C (104°F)): 174 mm<sup>2</sup>/s (174 cSt)

**Particle characteristics** 

Median particle size : Not applicable.

Date of issue/Date of revision Version: 1.06 6/12 : 8. Sep. 2025 Date of previous issue : 7. Aug. 2025



### Section 10. Stability and reactivity

Reactivity : No specific test data related to reactivity available for this product or its ingredients.

**Chemical stability** : Shelf life: 24 months.

Possibility of hazardous

reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid : No specific data.

Incompatible materials : No specific data.

**Hazardous decomposition** 

products

: Under normal conditions of storage and use, hazardous decomposition products

should not be produced.

### Section 11. Toxicological information

#### Information on toxicological effects

#### **Acute toxicity**

Product/ingredient name Result

1-aminopropan-2-ol Rat - Oral - LD50

2098 mg/kg

Rabbit - Dermal - LD50 1851 mg/kg

Rat - Oral - LD50

Fatty acids, castor-oil, polymd. >2000 mg/kg

Rat - Oral - LD50 Alcohols, C16-18, ethoxylated propoxylated

>2000 mg/kg

2,2',2"-nitrilotriethanol Rabbit - Dermal - LD50

> >2000 mg/kg Rat - Oral - LD50 6400 mg/kg

Alcohols, C8-18, ethoxylated propoxylated Rat - Oral - LD50

>2000 mg/kg

Fatty acids, tall-oil, reaction products with Rat - Oral - LD50

acrylic acid 6176 mg/kg

Toxic effects: Lung, Thorax, or Respiration - Dyspnea Gastrointestinal - Gastritis Gastrointestinal - Ulceration or

bleeding from small intestine

Rat - Oral - LD50 Phosphoric acid, C11-14-isoalkyl esters,

C13-rich >2000 mg/kg

Rat - Dermal - LD50

>2000 mg/kg

Rosin, hydrogenated Rat - Dermal - LD50

>2000 mg/kg

1,2-benzisothiazol-3(2H)-one Rat - Oral - LD50

1020 mg/kg

Rat - Dermal - LD50

>5000 mg/kg

Rabbit - Dermal - LD50 pyridine-2-thiol 1-oxide, sodium salt

1800 mg/kg

Rat - Female - Oral - LD50

1208 mg/kg

**Conclusion/Summary [Product]** : Not available.

Date of issue/Date of revision 7/12 : 8. Sep. 2025 Date of previous issue : 7. Aug. 2025 Version: 1.06



### **Section 11. Toxicological information**

### **Skin corrosion/irritation**

Not available.

**Conclusion/Summary [Product]** : pH value - Used for classification

Serious eye damage/eye irritation

Not available.

**Conclusion/Summary [Product]**: pH value - Used for classification

**Respiratory corrosion/irritation** 

Not available.

**Conclusion/Summary [Product]** : Not available.

Respiratory or skin sensitization

Not available.

Skin

Conclusion/Summary [Product] : Not available.

Respiratory

**Conclusion/Summary [Product]** : Not available.

**Germ cell mutagenicity** 

Not available.

**Conclusion/Summary [Product]** : Not available.

Carcinogenicity

Not available.

**Conclusion/Summary [Product]** : Not available.

Reproductive toxicity

Product/ingredient name Result

1-aminopropan-2-ol Mammal - species unspecified - Unreported

Fertility effects: Equivocal

**Conclusion/Summary [Product]** : Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Product/ingredient name Result

pyridine-2-thiol 1-oxide, sodium salt SPECIFIC TARGET ORGAN TOXICITY (REPEATED

EXPOSURE) (nervous system) - Category 1

Date of issue/Date of revision : 8. Sep. 2025 Date of previous issue : 7. Aug. 2025 Version : 1.06 8/12 IN



### **Section 11. Toxicological information**

#### **Aspiration hazard**

Not available.

### Information on the likely routes of exposure

Not available.

### Potential acute health effects

**Eve contact** : Causes serious eye irritation.

Inhalation : No known significant effects or critical hazards.

**Skin contact** : Causes skin irritation.

Ingestion : No known significant effects or critical hazards.

### Symptoms related to the physical, chemical and toxicological characteristics

**Eye contact** : Adverse symptoms may include the following:

> pain or irritation watering redness

### Section 12. Ecological information

#### **Toxicity**

Product/ingredient name Result

1-aminopropan-2-ol Acute - LC50 - Fresh water

Fish - Goldfish - Carassius auratus

Size: 6.2 cm; Weight: 3.3 g 210 mg/l [96 hours]

Effect: Mortality

Alcohols, C16-18, ethoxylated propoxylated **LC50** 

**OECD 203** 

Fish

>100 mg/l [96 hours]

2,2',2"-nitrilotriethanol **Chronic - NOEC - Fresh water** 

Daphnia - Water flea - Daphnia magna

16 mg/l [21 days] Effect: Behavior

Phosphoric acid, C11-14-isoalkyl esters,

C13-rich Algae - Algae

150 mg/l [72 hours]

**EC50** 

**EC50** 

Daphnia - Daphnia 6.3 mg/l [48 hours]

LC50 Fish

24 mg/l [96 hours]

NOEC Algae - Algae 110 mg/l

pyridine-2-thiol 1-oxide, sodium salt **EC50** 

Daphnia

0.0088 mg/l [48 hours]

**EC50** Algae

0.0012 mg/l [72 hours]

**Conclusion/Summary [Product]** : Not available.

Date of issue/Date of revision : 7. Aug. 2025 Version: 1.06 9/12 IN : 8. Sep. 2025 Date of previous issue



### **Section 12. Ecological information**

#### Persistence and degradability

Not available.

**Conclusion/Summary [Product]** : Not available.

### **Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
1-aminopropan-2-ol	-0.96		Low
2,2',2"-nitrilotriethanol	-1	***	Low
Rosin, hydrogenated	3.42	=	Low

### **Mobility in soil**

Soil/Water partition coefficient

: Not available.

#### Other adverse effects

No known significant effects or critical hazards.

### Section 13. Disposal considerations

### **Disposal methods**

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

### **Section 14. Transport information**

	UN	IMDG	IATA
UN number	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-
Transport hazard class(es)	-	-	-
Packing group	-	-	-
Environmental hazards	No.	No.	No.

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Date of issue/Date of revision 10/12 : 8. Sep. 2025 Date of previous issue : 7. Aug. 2025 Version: 1.06



### **Section 14. Transport information**

Transport in bulk according: Not available.

to IMO instruments

### Section 15. Regulatory information

### 15.1 International regulations

Stockholm Convention on Persistent Organic Pollutants

Not listed.

15.2 Other regulations

Chemical Safety : No Chemical Safety Assessment has been carried out.

**Assessment** 

### Section 16. Other information

**History** 

Date of printing : 8. Sep. 2025

Date of issue/Date of : 8. Sep. 2025

revision

Date of previous issue : 7. Aug. 2025

Version : 1.06

Prepared by : Product Stewardship Blaser Swisslube AG

**Key to abbreviations** : ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

EC50 = Half maximal effective concentration

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association IMDG = International Maritime Dangerous Goods

LC50 = Median lethal concentration

LD50 = Median lethal dose

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships,

1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

N/A = Not available UN = United Nations

#### Procedure used to derive the classification

Classification	Justification
SKIN CORROSION/IRRITATION - Category 2 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2A TOXIC TO REPRODUCTION - Category 2	Expert judgment Expert judgment Calculation method

**References** : Not available.

▼ Indicates information that has changed from previously issued version.

### Other EU regulations:

#### **REACH:**

Herewith, we confirm that all our products fulfill all the requirements of REACH regulation. All of the raw materials used in our products are either REACH registered or exempt from registration.

#### ROHS

BLASER Swisslube products are fully compliant with Annex II of DIRECTIVE 2015/863/EU (RoHS 3) and do not contain the following substances above their respective limitations:

Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE), Bis(2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP), chromium Cr<sup>6</sup>+-compounds, Heavy metals (Lead or it's compounds, cadmium or it's compounds, mercury or it's compounds).

#### **SVHC:**

Date of issue/Date of revision : 8. Sep. 2025 Date of previous issue : 7. Aug. 2025 Version : 1.06 11/12 IN



### Section 16. Other information

Herewith we confirm that, with the exceptions of Additive A38 (art.-no. 29182-02), our cutting and grinding fluids do not contain any Substances of Very High Concern (SVHC) above the regulatory cut-off limit of 0.1%.

### **Notice to reader**

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Version: 1.06