

# SAFETY DATA SHEET

Blasomill HC 15

## 1. Product and company identification

**Product name** : Blasomill HC 15  
**Product code** : 03323-12  
**Date of issue/ Date of revision** : 2026年04月16日  
**Version** : 1

### Relevant identified uses of the substance or mixture and uses advised against

|                             |
|-----------------------------|
| <b>Identified uses</b>      |
| Not available.              |
| <b>Uses advised against</b> |
| Consumer use.               |

**Manufacturer** : BLASER SWISSLUBE AG  
Winterseistrasse 22  
CH-3415 Hasle-Rüegsau  
Switzerland  
Tel: +41 (0)34 460 01 01  
E-Mail: contact@blaser.com

**Supplier's details** : Blaser Swissslube Japan Co.Ltd  
BPR Place Hisaya Odori 10F,  
3-20-3 Marunouchi Naka-ku 460-0002 Nagoya Aichi  
Tel: +81 52-750-7560  
E-Mail: info-japan@blaser.com

**e-mail address of person responsible for this SDS** : reach@blaser.com

**Emergency telephone number (with hours of operation)** : +81 50 5057 7850 (24時間/7日)

## 2. Hazards identification

**GHS Classification** : SKIN SENSITIZATION - Category 1  
ASPIRATION HAZARD - Category 1

### GHS label elements

**Hazard pictograms** :



**Signal word** : Danger

**Hazard statements** : H304 - May be fatal if swallowed and enters airways.  
H317 - May cause an allergic skin reaction.

### Precautionary statements

**General** : Not applicable.

**Prevention** : P280 - Wear protective gloves.  
P261 - Avoid breathing vapor.  
P272 - Contaminated work clothing should not be allowed out of the workplace.

## 2. Hazards identification

**Response** : P301 + P310 + P331 - IF SWALLOWED: Immediately call a POISON CENTER or doctor. Do NOT induce vomiting.  
P302 + P352 - IF ON SKIN: Wash with plenty of water.  
P333 + P313 - If skin irritation or rash occurs: Get medical advice or attention.  
P362 + P364 - Take off contaminated clothing and wash it before reuse.

**Storage** : P405 - Store locked up.

**Disposal** : P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.

**Supplemental label elements** : Avoid contact with skin and clothing. Wash thoroughly after handling.

**Other hazards which do not result in classification** : Prolonged or repeated contact may dry skin and cause irritation.

## 3. Composition/information on ingredients

**Substance/mixture** : Mixture

| Ingredient name                                                      | Identifiers     | CSCL     | %         |
|----------------------------------------------------------------------|-----------------|----------|-----------|
| Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based | CAS: -          | 9-1692   | ≥30 - ≤50 |
| Distillates (petroleum), hydrotreated light paraffinic               | CAS: -          | (9)-1700 | ≥30 - ≤50 |
| Polysulfides, di-tert-dodecyl                                        | CAS: 68425-15-0 | 2-473    | ≤10       |

## 4. First aid measures

**Inhalation** : Avoid breathing vapor or mist. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. Remove victim to fresh air and keep at rest in a position comfortable for breathing.

**Skin contact** : Wash skin thoroughly with soap and water or use recognized skin cleanser. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.

**Eye contact** : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Continue to rinse for at least 10 minutes. Check for and remove any contact lenses. Get medical attention.

**Ingestion** : Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Aspiration hazard if swallowed. Can enter lungs and cause damage. Do not induce vomiting. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

### Most important symptoms/effects, acute and delayed

#### Potential acute health effects

**Skin contact** : Defatting to the skin. May cause skin dryness and irritation. May cause an allergic skin reaction.

## 4. First aid measures

**Ingestion** : May be fatal if swallowed and enters airways.

### Over-exposure signs/symptoms

**Skin contact** : Adverse symptoms may include the following:  
irritation  
redness  
dryness  
cracking

**Ingestion** : Adverse symptoms may include the following:  
nausea or vomiting

**Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

**Notes to physician** : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

## 5. Fire-fighting measures

**Suitable extinguishing media** : Use an extinguishing agent suitable for the surrounding fire.

**Unsuitable extinguishing media** : None known.

**Specific hazards arising from the chemical** : In a fire or if heated, a pressure increase will occur and the container may burst.

**Special protective actions for fire-fighters** : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

**Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

**For non-emergency personnel** : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

**For emergency responders** : If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

**Environmental precautions** : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

### Methods and materials for containment and cleaning up

**Small spill** : Stop leak if without risk. Move containers from spill area. Absorb with an inert material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

## 6. Accidental release measures

- Large spill** : Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

## 7. Handling and storage

### Handling

- Protective measures** : Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not swallow. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
- Advice on general occupational hygiene** : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

### Storage

- Conditions for safe storage** : Storage temperature: -20 to 40°C (-4 to 104°F). Shelf life: 36 (minimum) months. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

## 8. Exposure controls/personal protection

- Appropriate engineering controls** : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

### Occupational exposure limits

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based

**Japan Society for Occupational Health (Japan, 5/2023) [Oil mist, mineral]**

OEL-M 8 hours: 3 mg/m<sup>3</sup>. Form: Mist.

Distillates (petroleum), hydrotreated light paraffinic

**Japan Society for Occupational Health (Japan, 5/2024) [Oil mist, mineral]**

OEL-M 8 hours: 3 mg/m<sup>3</sup>. Form: Mist.

### Biological exposure indices

No exposure indices known.

### Individual protection measures

- Respiratory protection** : A respirator is not needed under normal and intended conditions of product use. If workers are exposed to concentrations above the exposure limit, they must use appropriate, certified respirators.

## 8. Exposure controls/personal protection

- Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. Wear suitable gloves tested to EN374. Nitrile gloves. thickness 0.3 mm (minimum) .
- Eye protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
- Skin protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved before handling this product.  
Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved before handling this product.

## 9. Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

- Physical state** : Liquid.
- Color** : Colorless.
- Odor** : Faint odor.
- pH** : Not applicable.
- Melting point/freezing point** : Not available.
- Softening point** : Not available.
- Pour point** : -27°C
- Boiling point or initial boiling point and boiling range** : Not available.
- Flash point** : Open cup: 185°C
- Flammability** : Not available.
- Lower and upper explosion limit/flammability limit** : Not available.
- Vapor pressure** : Not available.
- Relative vapor density** : Not available.
- Relative density** : Not available.
- Density** : 0.85 g/cm<sup>3</sup>
- Solubility in water** : Not available.
- Miscible with water** : No.
- Partition coefficient: n-octanol/water** : Not applicable.
- Auto-ignition temperature** : Not available.
- Decomposition temperature** : Not available.
- Viscosity** : Kinematic (40°C): 15 mm<sup>2</sup>/s (15 cSt)
- Particle characteristics**
- Median particle size** : Not applicable.

## 10. Stability and reactivity

**Reactivity** : No specific test data related to reactivity available for this product or its ingredients.

**Chemical stability** : Shelf life: 36 (minimum) (minimum)months.

**Possibility of hazardous reactions** : Under normal conditions of storage and use, hazardous reactions will not occur.

**Conditions to avoid** : No specific data.

**Incompatible materials** : No specific data.

**Hazardous decomposition products** : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## 11. Toxicological information

### Acute toxicity

| Product/ingredient name                                              | Result                                       |
|----------------------------------------------------------------------|----------------------------------------------|
| Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based | <b>Rat - Oral - LD50</b><br>>5000 mg/kg      |
| -                                                                    | <b>Rabbit - Dermal - LD50</b><br>>2000 mg/kg |
| Distillates (petroleum), hydrotreated light paraffinic               | <b>Rat - Oral - LD50</b><br>>5000 mg/kg      |
| -                                                                    | <b>Rabbit - Dermal - LD50</b><br>>3000 mg/kg |
| Polysulfides, di-tert-dodecyl                                        | <b>Rat - Oral - LD50</b><br>>2000 mg/kg      |
| -                                                                    | <b>Rat - Dermal - LD50</b><br>>2000 mg/kg    |

### Acute toxicity estimates

| Product/ingredient name                                              | Oral (mg/kg) | Dermal (mg/kg) | Inhalation (gases) (ppm) | Inhalation (vapors) (mg/l) | Inhalation (dusts and mists) (mg/l) |
|----------------------------------------------------------------------|--------------|----------------|--------------------------|----------------------------|-------------------------------------|
| Blasomill HC 15                                                      | N/A          | >2000          | N/A                      | N/A                        | N/A                                 |
| Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based | N/A          | 2500           | N/A                      | N/A                        | N/A                                 |
| Distillates (petroleum), hydrotreated light paraffinic               | N/A          | 2500           | N/A                      | N/A                        | N/A                                 |
| Polysulfides, di-tert-dodecyl                                        | 2500         | 2500           | N/A                      | N/A                        | N/A                                 |

**Conclusion/Summary [Product]** : Not available.

### Skin corrosion/irritation

Not available.

**Conclusion/Summary [Product]** : Not available.

### Serious eye damage/eye irritation

Not available.

**Conclusion/Summary [Product]** : Not available.

## 11. Toxicological information

### Respiratory corrosion/irritation

Not available.

**Conclusion/Summary [Product]** : Not available.

### Respiratory or skin sensitization

Not available.

#### **Skin**

**Conclusion/Summary [Product]** : Not available.

#### **Respiratory**

**Conclusion/Summary [Product]** : Not available.

### Germ cell mutagenicity

Not available.

**Conclusion/Summary [Product]** : Not available.

### Carcinogenicity

Not available.

**Conclusion/Summary [Product]** : Not available.

### Reproductive toxicity

Not available.

**Conclusion/Summary [Product]** : Not available.

### Specific target organ toxicity (single exposure)

Not available.

### Specific target organ toxicity (repeated exposure)

Not available.

### Aspiration hazard

#### **Product/ingredient name**

Lubricating oils (petroleum), C15-30,  
hydrotreated neutral oil-based  
Distillates (petroleum), hydrotreated light  
paraffinic

#### **Result**

ASPIRATION HAZARD - Category 1

ASPIRATION HAZARD - Category 1

## 12. Ecological information

### Ecotoxicity

Not available.

**Conclusion/Summary [Product]** : Not available.

## 12. Ecological information

### Persistence and degradability

Not available.

**Conclusion/Summary [Product]** : Not available.

### Bioaccumulative potential

| Product/ingredient name       | LogP <sub>ow</sub> | BCF | Potential |
|-------------------------------|--------------------|-----|-----------|
| Polysulfides, di-tert-dodecyl | >6.2               | -   | High      |

### Mobility in soil

**Soil/Water partition coefficient** : Not available.

### Hazardous to the ozone layer

Not applicable.

### Other adverse effects

No known significant effects or critical hazards.

## 13. Disposal considerations

**Disposal methods** : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

## 14. Transport information

|                            | UN             | IMDG           | IATA           |
|----------------------------|----------------|----------------|----------------|
| UN number                  | Not regulated. | Not regulated. | Not regulated. |
| UN proper shipping name    | -              | -              | -              |
| Transport hazard class(es) | -              | -              | -              |
| Packing group              | -              | -              | -              |
| Environmental hazards      | No.            | No.            | No.            |

**Special precautions for user** : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

## 14. Transport information

Transport in bulk according to IMO instruments : Not available.

## 15. Regulatory information

### Fire Service Law

| Class       | Product name/Property |
|-------------|-----------------------|
| Category IV | Class III petroleum   |

### Substance(s) requiring labelling

| Ingredient name                                                      | %         | Status | Reference number |   |
|----------------------------------------------------------------------|-----------|--------|------------------|---|
| Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based | ≥30 - ≤50 | Listed | 581              | * |
| Distillates (petroleum), hydrotreated light paraffinic               | ≥30 - ≤50 | Listed | 581              | * |
| White mineral oil (petroleum)                                        | ≤0.30     | Listed | 581              | * |

\* Any concentration shown as a range is to protect confidentiality.

### Chemicals requiring notification

| Ingredient name                                                      | %         | Status | Reference number |   |
|----------------------------------------------------------------------|-----------|--------|------------------|---|
| Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based | ≥30 - ≤50 | Listed | 581              | * |
| Distillates (petroleum), hydrotreated light paraffinic               | ≥30 - ≤50 | Listed | 581              | * |
| White mineral oil (petroleum)                                        | ≤0.30     | Listed | 581              | * |

\* Any concentration shown as a range is to protect confidentiality.

Chemical substances that cause skin disorders, etc. and other chemical substances that must be handled with impermeable protective equipment etc. based on special chemical regulations. (Article 594-2 Paragraph 1 of Ordinance on ISH)

None of the components are listed.

ISHL Enforcement Order : Not applicable.  
Appendix 1 - Dangerous Substances

### Pollutant Release and Transfer Registers (PRTR)

| Ingredient name                                             | % | Date of revision | Class | Reference number |
|-------------------------------------------------------------|---|------------------|-------|------------------|
| None of the components are listed above the relevant limit. |   |                  |       |                  |

## 16. Other information

### History

Date of printing : 2026年04月16日  
Date of revision : 2026年04月16日  
Date of previous issue : No previous validation  
Version : 1  
Prepared by : Product Stewardship Blaser Swissslube AG

Key to abbreviations : ATE = Acute Toxicity Estimate  
BCF = Bioconcentration Factor  
GHS = Globally Harmonized System of Classification and Labelling of Chemicals  
IATA = International Air Transport Association  
IBC = Intermediate Bulk Container  
IMDG = International Maritime Dangerous Goods  
LogPow = logarithm of the octanol/water partition coefficient

## 16. Other information

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

N/A = Not available

SGG = Segregation Group

UN = United Nations

### Procedure used to derive the classification

| Classification                  | Justification      |
|---------------------------------|--------------------|
| SKIN SENSITIZATION - Category 1 | Calculation method |
| ASPIRATION HAZARD - Category 1  | Calculation method |

### IP346:

The contained refined mineral oils are exempt of labelling. The content of polycyclic aromatic hydrocarbons (PCA) according to IP346 is < 3% (DMSO-extract).

Indicates information that has changed from previously issued version.

### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.