

Printing date 26.11.2020 Version number 1 Revision: 26.11.2020

1 Identification

Product identifier

Trade name: Blasocut MC 110 HDD

Article number: 07110-01

Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the preparation:

For industrial use only

Metalworking fluid concentrate

Details of the supplier of the safety data sheet

Manufacturer / Supplier: BLASER SWISSLUBE AG Winterseistrasse 22 CH-3415 Hasle-Rüegsau

Switzerland

Tel.: +41 (0)34 460 01 01 E-mail: contact@blaser.com

KAMOGAWA Laguna Phils., Inc.

Unit C, Metrococo Compound, Bldg 1 Lot 3F/3G, American Road

Greenfield Autopark, Sta. Rosa City, Laguna 4026

Philippines

TEL: +63-49-508-3912/+63-49-544-1107

FAX +63-49-508-3199

Further information obtainable from:

Product Safety Department E-mail: sds@blaser.com

Emergency telephone number:

For advice on chemical emergencies, spillages, fires or exposures: +63 2 8231 2149 (24h/7d)

2 Hazard identification

Classification of the substance or mixture:

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

Label elements

GHS label elements The product is classified and labelled according to the Globally Harmonised System (GHS). **Hazard pictograms**



GHS07

Signal word Warning

Hazard-determining components of labelling:

Dicyclohexylamine*

Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

Precautionary statements

P264 Wash thoroughly after handling.

P280 Wear protective gloves / eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P362+P364 Take off contaminated clothing and wash it before reuse.

(Contd. on page 2)



Printing date 26.11.2020 Version number 1 Revision: 26.11.2020

Trade name: Blasocut MC 110 HDD

P337+P313 If eye irritation persists: Get medical advice/attention.

(Contd. of page 1)

<0.1%

Other hazards None

Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

3 Composition / information on ingredients

Chemical characterisation: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Declarable, or hazardous components: CAS-no. Carboxylic acids, neutralized with alkanolamines* >5-<15% STOT RE 2, H373; Skin Irrit. 2, H315; Eye Irrit. 2A, H319 Phosphoric acid esters, neutralized with alkanolamines* <2% STOT RE 2, H373; Skin Irrit. 2, H315; Eye Irrit. 2A, H319 Hydrotreated light petroleum distillates CAS: 64742-47-8 >10-<20% EC number: 920-107-4 Asp. Tox. 1, H304 CAS: 770-35-4 1-Phenoxypropan-2-ol >1-4.9% EINECS: 212-222-7 Eye Irrit. 2A, H319 Dicyclohexylamine* <2% Acute Tox. 3, H301; Acute Tox. 3, H311; Aquatic Acute 1, H400; Aquatic Chronic

Skin Corr. 1B, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=10); Aquatic

Additional information:

CAS: 4299-07-4

ELINCS: 420-590-7

N-Butyl-1,2-benzisothiazolin-3-one

1, H410; Skin Irrit. 2, H315; Eye Irrit. 2A, H319

Chronic 1, H410 (M=1); Skin Sens. 1, H317

For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

Description of first aid measures

General information: Immediately remove any clothing soiled by the product.

After inhalation:

In case of unconsciousness place patient stably in side position for transportation.

Not applicable, as the concentrate is not volatile.

After skin contact: Immediately wash with water and soap and rinse thoroughly.

After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing: If symptoms persist consult doctor.

Information for doctor:

Most important symptoms and effects, both acute and delayed No further relevant information available.

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents: CO₂, powder or water spray. Fight larger fires with water spray.

For safety reasons unsuitable extinguishing agents: Water with full jet

Special hazards arising from the substance or mixture No further relevant information available.

Advice for firefighters

Protective equipment: No special measures required.

(Contd. on page 3)

^{*} Neutralisation product: Equilibrium of Ionic Pairs according to REACH Annex V, 4.



Printing date 26.11.2020 Version number 1 Revision: 26.11.2020

Trade name: Blasocut MC 110 HDD

Additional information Cool endangered receptacles with water spray.

(Contd. of page 2)

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Not required.

Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

Handling:

Precautions for safe handling

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials. Observe the general safety regulations when handling chemicals.

Information about fire - and explosion protection: No special measures required.

Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: Store only in the original receptacle.

Information about storage in one common storage facility:

Do not store together with oxidising and acidic materials.

Further information about storage conditions:

Protect from heat and direct sunlight.

Optimal storage temperature between 0°C and 40°C.

Minimum shelf life: In closed original container, at least 24 months.

Specific end use(s) No further relevant information available.

8 Exposure controls / personal protection

Additional information about design of technical facilities: No further data; see item 7.

Control parameters

Ingredients with limit values at the workplace:

General indication value for metalworking fluids (without obligation): 10 mg/m³.

Additional information: The lists valid during the making were used as basis.

Exposure controls

Personal protective equipment:

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Respiratory protection: Not required.

Protection of hands:



(Contd. on page 4)



Printing date 26.11.2020 Version number 1 Revision: 26.11.2020

Trade name: Blasocut MC 110 HDD

(Contd. of page 3)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation **Material of gloves**

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the resultant standard EN 374.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

The break through, among others, depending on material density and the type of glove and therefore must be determined in each individual case.

Gloves must be inspected prior to use. Replace when worn!

Impervious gloves: nitrile rubber, minimum thickness of 0.3 mm.

Penetration time of glove material

Solubility in / Miscibility with

Partition coefficient: n-octanol/water: Not determined.

water:

The exact breaktrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection: Eye protector with side protection (framed eyeglasses) EN 166.

Body protection: Protective work clothing

9 Physical and chemical properties				
Information on basic physical and chemical properties General Information				
Appearance: Form:	Fluid			
Colour:	Yellowish			
Odour:	Mild			
Odour threshold:	Not determined.			
pH-value:	8.4 - 9.1 @ 50 g/l H ₂ O (DIN 51369 / ASTM D1287)			
Change in condition: Melting point/freezing point: Initial boiling point and boiling range: Drip point:	Undetermined. >100 °C (DIN 51751 / ASTM D86)			
Pour point:	Not determined			
Flash point:	128 °C (ISO 2592 / ASTM D92)			
Flammability (solid, gas): Ignition temperature:	Not applicable. >300 °C (DIN 51794 / ASTM E659)			
Decomposition temperature:	Not determined.			
Auto-ignition temperature:	Product is not selfigniting.			
Explosive properties:	Product does not present an explosion hazard.			
Explosion limits (@1013 mbar): Lower: Upper: Oxidising properties	Not determined. Not determined. Not applicable.			
Density at 20 °C: Vapour density Evaporation rate	0.93 g/cm³ (DIN 51757 / ASTM D1217) Not applicable. Not determined. Not determined.			

Emulsifiable.

(Contd. on page 5)



Printing date 26.11.2020 Version number 1 Revision: 26.11.2020

Trade name: Blasocut MC 110 HDD

(Contd. of page 4)

Viscosity:

Kinematic at 40 °C: 29.4 mm²/s (ISO 3104 / ASTM D445)

Other information: safety relevant data, which has to be considered as product specifications.

10 Stability and reactivity

Reactivity None known if used as directed.

Chemical stability Stable under recommended storage conditions.

Possibility of hazardous reactions Reacts with strong acids and oxidising agents.

Conditions to avoid No further relevant information available.

Incompatible materials: No further relevant information available.

Hazardous decomposition products: Carbon monoxide and carbon dioxide

11 Toxicological information

Information on toxicological effects

Acute toxicity

LD/LC50 values relevant for classification:

* pure substance

ATE (Acut	ATE (Acute Toxicity Estimates)			
Oral	LD50	>4,558 mg/kg		
Dermal	LD50	>6,352-8,283 mg/kg		
Inhalative	LD50	>70 mg/L (rat)		

64742-47-8 Hydrotreated light petroleum distillates			
Oral	LD50 >5,000 mg/kg (rat)		

Dermal LD50 >5,000 mg/kg (rabbit)

Carboxylic acids, neutralized with alkanolamines*

Oral LD50 >2,000 mg/kg
Dermal LD50 mg/kg

Dicyclohexylamine*

Oral LD50 200 mg/kg (rat)
Dermal LD50 200-316 mg/kg (rabbit)
Inhalative LD50 >1.4 mg/L (rat)

Phosphoric acid ester, neutralized with alkanolamines*

Oral LD50 >3,623 mg/kg

Dermal LD50 mg/kg

Primary irritant effect:

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/irritation Irritating effect.

Respiratory or skin sensitisation No sensitising effects known.

Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Irritant

(Contd. on page 6)



Printing date 26.11.2020 Version number 1 Revision: 26.11.2020

Trade name: Blasocut MC 110 HDD

(Contd. of page 5)

12 Ecological information

Toxicity

Aquatic toxicity:

* pure substance

Dicyclohexylamine*

LC50/96h 62 mg/l (Danio rerio)

12 mg/l (Oryzias latipes)

EC50/48h | 201 mg/L (Bak)

8 mg/L (Daphnia magna)

Persistence and degradability No further relevant information available.

Behaviour in environmental systems:

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

Additional ecological information:

General notes:

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

Recommended cleansing agents: Water, if necessary together with cleansing agents.

14 Transport information

UN-Number ADR, IMDG, IATA	Not regulated	
UN proper shipping name ADR, IMDG, IATA	Not regulated	
Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	Not regulated	
Packing group		
ADR, IMDG, IATA	Not regulated	
Environmental hazards:	Not applicable.	

(Contd. on page 7)



Printing date 26.11.2020 Version number 1 Revision: 26.11.2020

Trade name: Blasocut MC 110 HDD

	(Contd. of page 6
Special precautions for user	Not applicable.
Transport in bulk according to Annex II of the IBC Code	Marpol and Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications.
IATA	IATA Dangerous Goods Regulation (DGR): latest edition
UN "Model Regulation":	Not regulated

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Philippines Inventory of Chemicals and Chemical Substances (PICCS): (Substances not listed)

All ingredients are listed.

GHS label elements CLP/GHS label elements are issued under section 2.

National regulations:

The product is subject to be labeled according with the prevailing version of the regulations on hazardous substances.

Other regulations, limitations and prohibitive regulations

Substances of very high concern (SVHC) according to REACH, Article 57

This preparation does not contain any SVHC ("Substances of Very High Concern")

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Regulations / approvals / listings:

Information on REACH registration numbers in section 3:

If no REACH registration numbers on substances in section 3 are mentioned, then they are exempt from the REACH registration requirements (e.g. polymers).

RoHS:

The product is compliant with European Directives 2015/863/EC, 2011/65/EC, 2002/95/EC, WEEE 2002/96/EC, 2003/11/EC, 2005/53/EC and RoHS.

The following substances ARE NOT contained:

Pentabromodiphenylether, Octabromodiphenylether, polybrominated diphenylether (PBDE) and / or polybrominated biphenyls (PBB), Bis(2-ethylhexyl)phthalate (DEHP), Benzylbutylphthalate (BBP), Dibutylphthalate (DBP), Disobutylphthalate (DIBP);

lead or it's compounds, cadmium or it's compounds, mercury or it's compounds, chromium Cr⁶+-compounds.

Relevant phrases

H301 Toxic if swallowed.

H304 May be fatal if swallowed and enters airways.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Department issuing SDS: Product Stewardship

(Contd. on page 8)



Version number 1 Revision: 26.11.2020 Printing date 26.11.2020

Trade name: Blasocut MC 110 HDD

Contact: Mrs. Wilson + Mr. Feller

(Contd. of page 7)

Editor's notice:

The above mentioned data correspond to our present state of knowledge and experience. The safety data sheet serves as description of the products in regard to necessary safety measures. The indications have not the meaning of guarantees on properties.

Abbreviations and acronyms:

RoHS: Restriction of Hazardous Substances

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International

Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU) ISO: International Organisation for Standardisation DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit ATE: Acute Toxicity Estimate

Acute Tox. 3: Acute toxicity - oral - Category 3 Skin Corr. 1B: Skin corrosion/irritation - Category 1B Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A

Skin Sens. 1: Skin sensitisation - Category 1

STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2

Asp. Tox. 1: Aspiration hazard - Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

* Data compared to the previous version altered.

The asterisk (*) on the left side indicate the respective changes from the previous version.