ISSLUBE

Version number 8 Revision: 24.01.2019 Printing date 24.01.2019

1 Identification

Product identifier

Trade name: DWS Defoamer 950

Article number: 17950-01

Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the preparation:

For industrial use only

Metalworking fluid concentrate Defoamers, Anti-foaming agent

Details of the supplier of the safety data sheet

Manufacturer / Supplier: **BLASER SWISSLUBE AG** Winterseistrasse 22

CH-3415 Hasle-Rüegsau

Switzerland

Tel.: +41 (0)34 460 01 01 Fax: +41 (0)34 460 01 00 E-mail: blaser@blaser.com

Blaser Swisslube (S) Pte. Ltd. No. 1 Yishun Industrial Street 1

A'Posh Bizhub 05-08 Singapore 768 160 Phone: +65 (0) 6339 6881 Fax: +65 (0) 6339 6151 E-mail: singapore@blaser.com

Further information obtainable from:

Product Safety Department E-mail: sds@blaser.com

Emergency telephone number:

For advice on chemical emergencies, spillages, fires or exposures: +65 3158 1074 (24h/7d)

2 Hazards identification

Classification of the substance or mixture:

Acute Tox. 4 H302 Harmful if swallowed.

Label elements

GHS label elements The product is classified and labelled according to the Globally Harmonised System (GHS). Hazard pictograms



GHS07

Signal word Warning

Hazard-determining components of labelling:

Propylene glycol

Hazard statements

H302 Harmful if swallowed.

Precautionary statements

Wash thoroughly after handling. P264

P270 Do not eat, drink or smoke when using this product.

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P330 Rinse mouth.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

Blaser. SWISSLUBE

Printing date 24.01.2019 Version number 8 Revision: 24.01.2019

Trade name: DWS Defoamer 950

(Contd. of page 1)

Other hazards None

Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

3 Composition/information on ingredients

Chemical characterisation: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Declarable, or haza CAS-no.	rdous components:		
CAS: 25322-69-4 NLP: 500-039-8	Propylene glycol	Acute Tox. 4, H302	>20-<50%
CAS: 126-86-3 EINECS: 204-809-1	2,4,7,9-tetramethyldec-5-yne-4,7-diol	Eye Dam. 1, H318; Skin Sens. 1, H317	<1%

Additional information:

Not mentioned CAS-, EINECS- or registration numbers are to be regarded as Proprietary/Confidential.

For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

Description of first aid measures

General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

After inhalation: Not applicable, as the concentrate is not volatile. **After skin contact:** Generally the product does not irritate the skin.

After eye contact: Rinse opened eye for several minutes under running water.

After swallowing: Call for a doctor immediately.

Information for doctor:

Most important symptoms and effects, both acute and delayed No further relevant information available.

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents: CO₂, powder or water spray. Fight larger fires with water spray.

For safety reasons unsuitable extinguishing agents: Water with full jet

Special hazards arising from the substance or mixture No further relevant information available.

Advice for firefighters

Protective equipment: No special measures required.

Additional information Cool endangered receptacles with water spray.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Not required.

Environmental precautions: Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling.

(Contd. on page 3)

Blaser. SWISSLUBE

Printing date 24.01.2019 Version number 8 Revision: 24.01.2019

Trade name: DWS Defoamer 950

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

(Contd. of page 2)

7 Handling and storage

Handling:

Precautions for safe handling

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials. Observe the general safety regulations when handling chemicals.

Information about fire - and explosion protection: No special measures required.

Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: Store only in the original receptacle.

Information about storage in one common storage facility:

Do not store together with oxidising and acidic materials.

Further information about storage conditions:

Protect from heat and direct sunlight.

Optimal storage temperature between 0°C and 40°C.

Minimum shelf life: In closed original container, at least 24 months.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical facilities: No further data; see item 7.

Control parameters

Ingredients with limit values at the workplace:

General indication value for metalworking fluids (without obligation): 10 mg/m³.

Additional information: The lists valid during the making were used as basis.

Exposure controls

Personal protective equipment:

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Respiratory protection: Not required.

Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the resultant standard EN 374.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

The break through, among others, depending on material density and the type of glove and therefore must be determined in each individual case.

Gloves must be inspected prior to use. Replace when worn!

Impervious gloves: nitrile rubber, minimum thickness of 0.3 mm.

Penetration time of glove material

The exact breaktrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection: Eye protector with side protection (framed eyeglasses) EN 166.

Body protection: Protective work clothing

— SG/GB

(Contd. on page 4)



Printing date 24.01.2019 Version number 8 Revision: 24.01.2019

Trade name: DWS Defoamer 950

(Contd. of page 3)

9 Physical and chemical properties

Information on basic physical and chemical properties

General Information

Appearance:

Form: Liquid
Colour: Yellowish
Odour: Characteristic
Odour threshold: Not determined.

pH-value at 20 °C: 8 (DIN 19268 / ASTM E70)

7.0 - 9.0 @ 50 g/I H₂O (DIN 51369 / ASTM D1287)

Change in condition:

Melting point/freezing point: Not applicable

Initial boiling point and boiling range: >100 °C (DIN 51751 / ASTM D86)

Drip point:Pour point:
Not applicable
Not determined

Flash point: >200 °C (ISO 2592 / ASTM D92)

Not applicable (contains water).

Flammability (solid, gas):
Ignition temperature:

Not applicable
Not applicable
not determined

Decomposition temperature: Not determined.

Auto-ignition temperature: Product is not selfigniting.

Explosive properties: Product does not present an explosion hazard.

Explosion limits (@1013 mbar):

Lower:Not determined.Upper:Not determined.Oxidising propertiesNot applicable.

Density at 20 °C: 1.04 g/cm³ (DIN 51757 / ASTM D1217)

Vapour densityNot applicable.Not determined.Evaporation rateNot determined.

Solubility in / Miscibility with

water: Soluble.

Partition coefficient: n-octanol/water: Not determined.

Viscosity:

Kinematic: Not determined.

Other information: safety relevant data, which has to be considered as product specifications.

10 Stability and reactivity

Reactivity None known if used as directed.

Chemical stability Stable under recommended storage conditions.

Possibility of hazardous reactions Reacts with strong acids and oxidising agents.

Conditions to avoid No further relevant information available.

Incompatible materials: No further relevant information available.

Hazardous decomposition products: Carbon monoxide and carbon dioxide

- SG/GB

Blaser. SWISSLUBE

Printing date 24.01.2019 Version number 8 Revision: 24.01.2019

Trade name: DWS Defoamer 950

(Contd. of page 4)

11 Toxicological information

Information on toxicological effects

Acute toxicity

LD/LC5	LD/LC50 values relevant for classification:	
ATE (A	cute Toxicity Estimates)	
Oral	LD50 >580-4,080 mg/kg (rat)	

Dermal LD50 >380-4,080 filg/kg (rabbit)

25322-69-4 Propylene glycol

Oral LD50 300-2,000 mg/kg (rat)
Dermal LD50 >10,000 mg/kg (rabbit)

107-21-1 ethanediol

Oral LD50 500 mg/kg (rat)
Dermal LD50 9,530 mg/kg (rabbit)

Primary irritant effect:

Skin corrosion/irritation No irritant effect.

Serious eye damage/irritation No irritating effect.

Respiratory or skin sensitisation No sensitising effects known.

Additional toxicological information: Harmful

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

May be fatal if swallowed and enters airways.

12 Ecological information

Toxicity

Aquatic toxicity: No further relevant information available.

Persistence and degradability Easily biodegradable

Other information:

Biodegradation according OECD 301 B; after 28 days: > 70%.

The product is easily biodegradable according to the OECD 301 and 302 guidelines.

Behaviour in environmental systems:

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

Additional ecological information:

General notes: Do not allow product to reach ground water, water course or sewage system.

Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 6)



Printing date 24.01.2019 Version number 8 Revision: 24.01.2019

Trade name: DWS Defoamer 950

(Contd. of page 5)

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

Recommended cleansing agents: Water, if necessary together with cleansing agents.

Transport information	
UN-Number ADR, ADN, IMDG, IATA	Not regulated
UN proper shipping name ADR, ADN, IMDG, IATA	Not regulated
Transport hazard class(es)	
ADR, ADN, IMDG, IATA Class	Not regulated
Packing group ADR, IMDG, IATA	Not regulated
Environmental hazards: Marine pollutant:	No
Special precautions for user	Not applicable.
Transport in bulk according to Annex II of M the IBC Code	larpol and Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications.
IATA	IATA Dangerous Goods Regulation (DGR): latest edition
UN "Model Regulation":	Not regulated

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Poisons Act - Schedule 1

None of the ingredients are listed.

Poisons Act - Schedule 2, Group II

None of the ingredients are listed.

Health Products Act - First Schedule - Psychotropic Substances

None of the ingredients are listed.

GHS label elements CLP/GHS label elements are issued under section 2.

National regulations:

The product is subject to be labeled according with the prevailing version of the regulations on hazardous substances.

Other regulations, limitations and prohibitive regulations

Substances of very high concern (SVHC) according to REACH, Article 57

This preparation does not contain any SVHC ("Substances of Very High Concern")

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 7)



Version number 8 Revision: 24.01.2019 Printing date 24.01.2019

Trade name: DWS Defoamer 950

(Contd. of page 6)

Regulations / approvals / listings:

Information on REACH registration numbers in section 3:

If no REACH registration numbers on substances in section 3 are mentioned, then they are exempt from the REACH registration requirements (e.g. polymers).

The product is compliant with European Directives 2015/863/EC, 2011/65/EC, 2002/95/EC, WEEE 2002/96/EC, 2003/11/EC. 2005/53/EC and RoHS.

The following substances ARE NOT contained:

Pentabromodiphenylether, Octabromodiphenylether, polybrominated diphenylether (PDBE) and / or polybrominated biphenyls (PBB), Bis(2-ethylhexyl)phthalate (DEHP), Benzylbutylphthalate (BBP), Dibutylphthalate (DBP), Diisobutylphthalate (DIBP);

lead or it's compounds, cadmium or it's compounds, mercury or it's compounds, chromium Cr6+-compounds.

Relevant phrases

H302 Harmful if swallowed.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

Department issuing SDS: Product Stewardship

Contact: Mrs. Wilson + Mr. Feller

Editor's notice:

The above mentioned data correspond to our present state of knowledge and experience. The safety data sheet serves as description of the products in regard to necessary safety measures. The indications have not the meaning of guarantees on properties.

Abbreviations and acronyms:

RoHS: Restriction of Hazardous Substances

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID. Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU)

ISO: International Organisation for Standardisation

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

ATE: Acute Toxicity Estimate

Acute Tox. 4: Acute toxicity - Category 4

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Skin Sens. 1: Skin sensitisation - Category 1

* Data compared to the previous version altered.

The asterisk (*) on the left side indicate the respective changes from the previous version.

SG/GB