

1 Identification**Product identifier****Trade name:** Additive M29**Article number:** 29181-01**Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

Application of the substance / the preparation:

For industrial use only

Corrosion inhibitors

Anticorrosion agent

Additive

Details of the supplier of the safety data sheet**Manufacturer / Supplier:**

BLASER SWISSLUBE AG

Winterseistrasse 22

CH-3415 Hasle-Rüegsau

Switzerland

Tel.: +41 (0)34 460 01 01

E-mail: contact@blaser.com

Blaser Swissslube (S) Pte. Ltd.

No. 1 Yishun Industrial Street 1

A'Posh Bizhub 05-08

Singapore 768 160

Phone: +65 (0) 6339 6881

Fax: +65 (0) 6339 6151

E-mail: singapore@blaser.com**Further information obtainable from:**

Product Safety Department

E-mail: sds@blaser.com**Emergency telephone number:**

For advice on chemical emergencies, spillages, fires or exposures: +65 3158 1074 (24h/7d)

2 Hazards identification**Classification of the substance or mixture:**

Acute Tox. 4 H332 Harmful if inhaled.

Skin Corr. 1 H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

Label elements**GHS label elements** The product is classified and labelled according to the Globally Harmonised System (GHS).**Hazard pictograms**

GHS05 GHS07

Signal word Danger**Hazard-determining components of labelling:**

Disodium silicate pentahydrate

Hazard statements

H332 Harmful if inhaled.

H314 Causes severe skin burns and eye damage.

Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

(Contd. on page 2)

SG/GB

Trade name: Additive M29

(Contd. of page 1)

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P310 Immediately call a POISON CENTER/doctor.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards None**Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.**3 Composition/information on ingredients****Chemical characterisation: Mixtures****Description:** Mixture of substances listed below with nonhazardous additions.**Declarable, or hazardous components:****CAS-no.**

CAS: 56-81-5 EINECS: 200-289-5	glycerol	>80-<99%
CAS: 6834-92-0 EINECS: 229-912-9	Disodium silicate pentahydrate Met. Corr. 1, H290; Skin Corr. 1, H314; Eye Dam. 1, H318; STOT SE 3, H335	>5-<15%

Additional information: For the wording of the listed hazard phrases refer to section 16.**4 First-aid measures****Description of first aid measures****General information:**

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

Not applicable, as the concentrate is not volatile.

After skin contact: Immediately wash with water and soap and rinse thoroughly.**After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.**After swallowing:** Drink plenty of water and provide fresh air. Call for a doctor immediately.**Information for doctor:****Most important symptoms and effects, both acute and delayed** No further relevant information available.**Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

5 Fire-fighting measures**Extinguishing media****Suitable extinguishing agents:** CO₂, powder or water spray. Fight larger fires with water spray.**For safety reasons unsuitable extinguishing agents:** Water with full jet**Special hazards arising from the substance or mixture**

During heating or in case of fire poisonous gases are produced.

Advice for firefighters**Protective equipment:** Mouth respiratory protective device.

(Contd. on page 3)

SG/GB

Trade name: Additive M29
Additional information Cool endangered receptacles with water spray.

(Contd. of page 2)

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

Environmental precautions: Do not allow to enter sewers/ surface or ground water.
Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralising agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

Handling:
Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

Observe the general safety regulations when handling chemicals.

Information about fire - and explosion protection: Keep respiratory protective device available.
Conditions for safe storage, including any incompatibilities
Storage:
Requirements to be met by storerooms and receptacles: Store only in the original receptacle.**Information about storage in one common storage facility:** Store away from oxidising agents.
Further information about storage conditions:

Protect from heat and direct sunlight.

Protect from frost.

Keep container tightly sealed.

Optimal storage temperature between 0°C and 40°C.

Duration of storage: In original container, at least 2 years.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical facilities: No further data; see item 7.
Control parameters
Ingredients with limit values at the workplace:
56-81-5 glycerol
WSH (Singapore) Long-term value: 10 mg/m³**Additional information:** The lists valid during the making were used as basis.
Exposure controls
Personal protective equipment:
General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

(Contd. on page 4)

SG/GB

Trade name: Additive M29

(Contd. of page 3)

Avoid contact with the eyes and skin.
Respiratory protection: Not required.
Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
 Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the resultant standard EN 374.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

The break through, among others, depending on material density and the type of glove and therefore must be determined in each individual case.

Gloves must be inspected prior to use. Replace when worn!

Impervious gloves: nitrile rubber, minimum thickness of 0.3 mm.

Penetration time of glove material

The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection: Eye protector with side protection (framed eyeglasses) EN 166.

Body protection: Protective work clothing

9 Physical and chemical properties

Information on basic physical and chemical properties

General Information

Appearance:

Form:	Fluid
Colour:	Colourless
Odour:	Odourless
Odour threshold:	Not determined.

pH-value at 20 °C: 12.8 (DIN 19268 / ASTM E70)

Change in condition:

Melting point/freezing point:	Not applicable
Initial boiling point and boiling range:	>250 °C (DIN 51751)
Drip point:	Not applicable
Pour point:	Not determined

Flash point: >180 °C (ISO 2592)

Flammability (solid, gas): Not applicable.
Ignition temperature: 400 °C (DIN 51794 / ASTM E659)

Decomposition temperature: Not determined.

Auto-ignition temperature: Product is not selfigniting.

Explosive properties: Product does not present an explosion hazard.

Explosion limits (@1013 mbar):

Lower:	2.6 Vol %
Upper:	11.3 Vol %

Oxidising properties Not applicable.

Density at 20 °C: 1.27 g/cm³ (DIN 51757)

(Contd. on page 5)

SG/GB

Trade name: Additive M29

(Contd. of page 4)

Vapour density	Not applicable. Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with water:	Fully miscible.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity: Kinematic:	Not determined.
Other information:	safety relevant data, which has to be considered as product specifications.

10 Stability and reactivity

Reactivity None known if used as directed.
Chemical stability Stable under recommended storage conditions.
Possibility of hazardous reactions Reacts with strong oxidising agents.
Conditions to avoid No further relevant information available.
Incompatible materials: No further relevant information available.
Hazardous decomposition products: Carbon monoxide and carbon dioxide

11 Toxicological information

Information on toxicological effects

Acute toxicity

LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Oral	LD50	>10,971 mg/kg (rat)
Inhalative	LD50	>19.6 mg/L (rat)

6834-92-0 Disodium silicate pentahydrate

Oral	LD50	>1,152 mg/kg (rat)
Dermal	LD50	>5,000 mg/kg (rat)
Inhalative	LD50	>2.06 mg/L (rat)

Primary irritant effect:

Skin corrosion/irritation Strong caustic effect on skin and mucous membranes.

Serious eye damage/irritation

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

Respiratory or skin sensitisation No sensitising effects known.

Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Harmful

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

(Contd. on page 6)

SG/GB

Trade name: Additive M29

Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. of page 5)

12 Ecological information

Toxicity

Aquatic toxicity:

6834-92-0 Disodium silicate pentahydrate

LC50/96h 210 mg/l (Brachydanio rerio)

EC50/48h 1,700 mg/L (Daphnia magna)

Persistence and degradability No further relevant information available.

Behaviour in environmental systems:

Bioaccumulative potential No further relevant information available.**Mobility in soil** No further relevant information available.

Additional ecological information:

General notes:

Do not allow product to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Results of PBT and vPvB assessment

PBT: Not applicable.**vPvB:** Not applicable.**Other adverse effects** No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.**Recommended cleansing agents:** Water, if necessary together with cleansing agents.

14 Transport information

UN-Number

ADR, ADN, IMDG, IATA

Not regulated

UN proper shipping name

ADR, ADN, IMDG, IATA

Not regulated

Transport hazard class(es)

ADR, ADN, IMDG, IATA

Class

Not regulated

Packing group

ADR, IMDG, IATA

Not regulated

Environmental hazards:

Marine pollutant:

No

Special precautions for user

Not applicable.

Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable.

Transport/Additional information:

Not dangerous according to the above specifications.

(Contd. on page 7)

SG/GB

Trade name: Additive M29

(Contd. of page 6)

IATA

IATA Dangerous Goods Regulation (DGR): latest edition

UN "Model Regulation":

Not regulated

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Poisons Act - Schedule 1

None of the ingredients are listed.

Poisons Act - Schedule 2, Group II

None of the ingredients are listed.

Health Products Act - First Schedule - Psychotropic Substances

None of the ingredients are listed.

GHS label elements CLP/GHS label elements are issued under section 2.

National regulations:

The product is subject to be labeled according with the prevailing version of the regulations on hazardous substances.

Other regulations, limitations and prohibitive regulations
Substances of very high concern (SVHC) according to REACH, Article 57

This preparation does not contain any SVHC ("Substances of Very High Concern")

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Regulations / approvals / listings:

Information on REACH registration numbers in section 3:

If no REACH registration numbers on substances in section 3 are mentioned, then they are exempt from the REACH registration requirements (e.g. polymers).

RoHS:

The product is compliant with European Directives 2015/863/EC, 2011/65/EC, 2002/95/EC, WEEE 2002/96/EC, 2003/11/EC, 2005/53/EC and RoHS.

The following substances ARE NOT contained:

Pentabromodiphenylether, Octabromodiphenylether, polybrominated diphenylether (PBDE) and / or polybrominated biphenyls (PBB), Bis(2-ethylhexyl)phthalate (DEHP), Benzylbutylphthalate (BBP), Dibutylphthalate (DBP), Diisobutylphthalate (DIBP);

lead or it's compounds, cadmium or it's compounds, mercury or it's compounds, chromium Cr⁶⁺-compounds.

Relevant phrases

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

Department issuing SDS: Product Stewardship

Contact: Mrs. Wilson + Mr. Feller

Editor's notice:

The above mentioned data correspond to our present state of knowledge and experience. The safety data sheet serves as description of the products in regard to necessary safety measures. The indications have not the meaning of guarantees on properties.

Abbreviations and acronyms:

RoHS: Restriction of Hazardous Substances

(Contd. on page 8)

SG/GB

Safety Data Sheet

according SS 586 : Part 3

Printing date 04.09.2020

Version number 3

Revision: 04.09.2020

Trade name: Additive M29

(Contd. of page 7)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
VOC: Volatile Organic Compounds (USA, EU)
ISO: International Organisation for Standardisation
DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
ATE: Acute Toxicity Estimate
Met. Corr. 1: Corrosive to metals – Category 1
Acute Tox. 4: Acute toxicity - inhalation – Category 4
Skin Corr. 1: Skin corrosion/irritation – Category 1
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

*** Data compared to the previous version altered.**

The asterisk (*) on the left side indicate the respective changes from the previous version.

SG/GB