

**1 Identification****Product identifier****Trade name:** Blasocut® BC 40 NF**Article number:** 01401-04**Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

**Application of the substance / the preparation:**

For industrial use only

Metalworking fluid concentrate

**Details of the supplier of the safety data sheet****Manufacturer / Supplier:**

BLASER SWISSLUBE, Inc.

31 Hatfield Lane

Goshen, NY 10924

USA

Phone: +1 (0) 845 294 32 00

Fax : +1 (0) 845 294 31 02

Mailto: mailboxusa@blaser.com

**Information department:**

Product Safety Department

E-mail: sds@blaser.com

**Emergency telephone number:**

For advice on chemical emergencies, spillages, fires or exposures: +1 866 928 0789 (Toll free)

**2 Hazard identification****Classification of the substance or mixture**

Causes serious eye irritation.

**Label elements****GHS label elements** acc. to Hazardous Products Regulations (HPR)**Hazard pictograms****Signal word** Warning**Hazard statements**

H319 Causes serious eye irritation.

**Precautionary statements**

P264 Wash thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

**Other hazards** None**Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.**3 Composition/Information on ingredients****Chemical characterization: Mixtures****Description:** Mixture of the substances listed below with nonhazardous additions.

(Contd. on page 2)

CA

# Safety Data Sheet

according to HPR, Schedule 1

Issued on 21.08.2020

Edition number 2

Reviewed on 21.08.2020

Trade name: Blasocut® BC 40 NF

(Contd. of page 1)

**Declarable components:****CAS no.**

64742-52-5	Mineral oil, severely hydrotreated, naphthenic	45-70% w/w *
68608-26-4	Sodium petroleum sulfonate	5-10% w/w *
770-35-4	1-Phenoxypropan-2-ol	3-7% w/w *
	Carboxylic acids, alkali salts*	1-5% w/w *

\* Actual concentration ranges are withheld as a trade secret.

**Additional information:** \* Neutralization product: equilibrium of ion pairs.

## 4 First aid measures

**Description of first aid measures****After inhalation:** Not applicable, as the concentrate is not volatile.**After skin contact:** Generally the product does not irritate the skin.**After eye contact:** Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.**After swallowing:** If symptoms persist consult doctor.**Information for doctor:****Most important symptoms and effects, both acute and delayed** No further relevant information available.**Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

## 5 Firefighting measures

**Extinguishing media****Suitable extinguishing agents:** CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray.**For safety reasons unsuitable extinguishing agents:** Water with full jet**Special hazards arising from the substance or mixture** No further relevant information available.**Advice for firefighters****Protective equipment:** The use of SCBA is recommended.**Additional information** Cool endangered receptacles with water spray.

## 6 Accidental release measures

**Personal precautions, protective equipment and emergency procedures** Not required.**Environmental precautions:** Do not allow to enter sewers/ surface or ground water.**Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

**Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

**Handling:****Precautions for safe handling**

The product has been classified and marked in accordance with directives on hazardous materials.

Observe the general safety regulations when handling chemicals.

**Information about protection against explosions and fires:** No special measures required.**Conditions for safe storage, including any incompatibilities****Storage:****Requirements to be met by storerooms and receptacles:** Store only in the original receptacle.

(Contd. on page 3)

**Trade name: Blasocut® BC 40 NF**

(Contd. of page 2)

**Information about storage in one common storage facility:**

Do not store together with oxidizing and acidic materials.

**Further information about storage conditions:**

Protect from heat and direct sunlight.

Protect from frost.

Optimal storage temperature between -94°F and +104°F

Optimal storage temperature between -70°C and +40°C.

Minimum shelf life: In closed, original container, at least 24 months.

**Specific end use(s)** No further relevant information available.

## 8 Exposure controls/ Personal protection

**Additional information about design of technical systems:** No further data; see item 7.

**Control parameters**
**Components with limit values at the workplace:**
General indication value for metalworking fluids (without obligation): 10 mg/m<sup>3</sup>.
**Additional information:** The lists that were valid during the creation were used as basis.

**Exposure controls**
**Personal protective equipment:**
**General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

**Respiratory Protection:** Not required.

**Protection of hands:**


Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

**Material of gloves (recommended):** Suitable protective gloves: Nitrile gloves, minimum thickness of 0.3 mm.

**Breakthrough time of glove material:**

The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

**Eye protection (recommended):** Eye protector with side protection (framed eyeglasses) ANSI Z87.1 – 2010

**Body protection (recommended):** Protective work clothing

## 9 Physical and chemical properties

**Information on basic physical and chemical properties**
**General Information**
**Appearance:**

<b>Form:</b>	Liquid
<b>Color:</b>	Brown
<b>Odor:</b>	Specific type
<b>Odor threshold:</b>	Not determined.

**pH-value:** 8.6-9.3 @ 5% in H<sub>2</sub>O (DIN 51369 / ASTM D1287)

**Change in condition:**
**Melting point/Melting range:** Undetermined.

(Contd. on page 4)

# Safety Data Sheet

## according to HPR, Schedule 1

Issued on 21.08.2020

Edition number 2

Reviewed on 21.08.2020

Trade name: Blasocut® BC 40 NF

(Contd. of page 3)

<b>Boiling point/Boiling range:</b>	>300 °C (>572 °F) (DIN 51751 / ASTM D86)
<b>Flash point:</b>	158 °C (316.4 °F) (ISO 2592 / ASTM D92)
<b>Flammability (solid, gaseous):</b>	Not applicable.
<b>Ignition temperature:</b>	Not applicable Not determined
<b>Decomposition temperature:</b>	Not determined.
<b>Auto igniting:</b>	Product is not selfigniting.
<b>Danger of explosion:</b>	Product does not present an explosion hazard.
<b>Explosion limits (@1013 mbar):</b>	general values for mineral oil, therefore not product specific
<b>Lower:</b>	0.6 Vol %
<b>Upper:</b>	6.5 Vol %
<b>Oxidizing properties</b>	Not applicable.
<b>Density at 20 °C (68 °F):</b>	0.97 g/cm <sup>3</sup> (8.09 lbs/gal) (DIN 51757 / ASTM D1217)
<b>Relative density</b>	0.97 @ 68°F (20°C) (DIN 51757 / ASTM D1217)
<b>Vapor density</b>	Not applicable.
<b>Evaporation rate</b>	Not determined.
<b>Solubility in / Miscibility with Water:</b>	Emulsifiable.
<b>Partition coefficient (n-octanol/water):</b>	Not determined.
<b>Viscosity</b>	
<b>Kinematic at 40 °C (104 °F):</b>	64 mm <sup>2</sup> /s (ISO 3104 / ASTM D445)
<b>Other information:</b>	none No further relevant information available.

## 10 Stability and reactivity

**Reactivity** None known if used as directed.

**Chemical stability** Stable under recommended storage conditions.

**Possibility of hazardous reactions** Reacts with strong acids and oxidizing agents.

**Conditions to avoid** No further relevant information available.

**Incompatible materials:** No further relevant information available.

**Hazardous decomposition products**

**(in case of fire or oxidation):**

Carbon monoxide and carbon dioxide

Nitrogen oxides (NO<sub>x</sub>)

Sulfur oxides (SO<sub>x</sub>)

## 11 Toxicological information

**Information on toxicological effects**

**Acute toxicity:**

**LD/LC50 values that are relevant for classification:**

\* pure substance

**ATE (Acute Toxicity Estimate)**

Oral	LD50	37,747 mg/kg (rat)
Dermal	LD50	>21,741 mg/kg

(Contd. on page 5)

CA

# Safety Data Sheet

according to HPR, Schedule 1

Issued on 21.08.2020

Edition number 2

Reviewed on 21.08.2020

Trade name: Blasocut® BC 40 NF

(Contd. of page 4)

**64742-52-5 Mineral oil, severely hydrotreated, naphthenic**

Oral LD50 &gt;5,000 mg/kg (rat)

Dermal LD50 &gt;5,000 mg/kg (rat)

**Primary irritant effect:****on the skin:** No irritant effect.**on the eye:** Irritating effect.**Sensitization:** No sensitizing effects known.**Additional toxicological information:**The product shows the following dangers according to internally approved calculation methods for preparations:  
Irritant**IARC (International Agency for Research on Cancer)**

None of the ingredients is listed in groups 1, 2A, or 2B.

**NTP (National Toxicology Program)**

None of the ingredients are listed.

**OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients are listed.

**12 Ecological information****Toxicity****Aquatic toxicity:****64742-52-5 Mineral oil, severely hydrotreated, naphthenic**

EC50/96h &gt;1,000 mg/L (Brachydanio rerio)

**Persistence and degradability** No further relevant information available.**Behavior in environmental systems:****Bioaccumulative potential** No further relevant information available.**Mobility in soil** No further relevant information available.**Additional ecological information:****General notes:**

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

**Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.**Other adverse effects** No further relevant information available.**13 Disposal considerations****Waste treatment methods****Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

**Used containers****Recommendation:** Disposal must be made according to official regulations.**Recommended cleansing agent:** Water, if necessary with cleansing agents.**14 Transport information****UN-Number**

DOT/TDG, ADR, IMDG, IATA

Not regulated

DOT/TDG, ADR, IMDG, IATA

Not regulated

(Contd. on page 6)

CA

# Safety Data Sheet

according to HPR, Schedule 1

Issued on 21.08.2020

Edition number 2

Reviewed on 21.08.2020

Trade name: Blasocut® BC 40 NF

(Contd. of page 5)

**DOT, IMDG, IATA****Hazard Classification:**

Not regulated

**DOT/TDG, ADR, IMDG, IATA**

Not regulated

**Environmental hazards****Marine pollutant (according to IMDG):**

No

**Special precautions for user**

Not applicable.

**Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

Not applicable.

**Transport/Additional information:**

Not hazardous according to the above specifications.

**IATA**

IATA Dangerous Goods Regulation (DGR): latest edition

**UN "Model Regulation":**

Not regulated

## 15 Regulatory information

**Safety, health and environmental regulations/legislation specific for the substance or mixture:****TSCA (Toxic Substances Control Act):**

All ingredients are listed on the U.S. TSCA inventory or exempt from premanufacture notice requirements.

**Canadian substance listings:****Canadian Domestic Substances List (DSL): (Substances not listed.)**

All ingredients are listed.

**Canadian Non Domestic Substances List (NDSL)**

None of the ingredients is listed.

**Canadian Environmental Protection Act (CEPA), Schedule 1:**Chlorinated paraffins (C<sub>18</sub>-C<sub>20</sub>)**National Pollutant Release Inventory (NPRI)**

None of the ingredients are listed.

**GHS label elements** GHS label elements are issued under section 2.**National regulations:**

The product is subject to be labeled according with the prevailing version of the regulations on hazardous substances.

**Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

**H.R.2420 (RoHS):**

This product fulfill the H.R.2420 requirements in that the EDEE Act regulated materials are absent or their concentrations are significantly below regulatory thresholds.

**IP346:**

The mineral oil used in this product passes IP346 for DMSO extractable PAH's (Polycyclic aromatic hydrocarbons).

**BSE/TSE:**

Materials and/or synthetically modified materials which are of animal origin from bovine, ovine, goats, cats, dogs, deer, elk and/or mink, are NOT included in this product.

**Department issuing SDS:** Product Stewardship

(Contd. on page 7)

CA

# Safety Data Sheet

according to HPR, Schedule 1

Issued on 21.08.2020

Edition number 2

Reviewed on 21.08.2020

**Trade name: Blasocut® BC 40 NF**

(Contd. of page 6)

**Editor's notice:**

The above mentioned data correspond to our present state of knowledge and experience. The safety data sheet serves as description of the products in regard to necessary safety measures. The indications have not the meaning of guarantees on properties.

**Abbreviations and acronyms:**

ICAO: International Civil Aviation Organisation

RoHS: Restriction of Hazardous Substances

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

ISO: International Organisation for Standardisation

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

SVHC: Substance of Very High Concern (REACH)

DMSO: Dimethyl sulphoxide extract

IP 346: Institute of Petroleum and related for testing methods for petroleum and fuel products.

CLP: Classification, Labeling and Packaging (European GHS)

PBT: Persistent, Bioaccumulative and Toxic chemicals

vPvB: very Persistent and very Bioaccumulative chemicals

ATE: Acute Toxicity Estimate

**\* Data compared to the previous version altered.**

The asterisk (\*) on the left side indicate the respective changes from the previous version.

CA