Edition number 2



Reviewed on 18.01.2021

Issued on 18.01.2021

1 Identification

Product identifier

Trade name: Blasospark GT 250

Article number: 03128-01 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. Application of the substance / the preparation: For industrial use only Metal working fluid

Details of the supplier of the safety data sheet Manufacturer / Supplier: BLASER SWISSLUBE AG

Winterseistrasse 22 CH-3415 Hasle-Rüegsau Switzerland Tel.: +41 (0)34 460 01 01 E-mail: blaser@blaser.com

BLASER SWISSLUBE, Inc. 31 Hatfield Lane Goshen, NY 10924 USA Phone: +1 (0) 845 294 32 00 Fax .: +1 (0) 845 294 31 02 Mailto: mailboxusa@blaser.com

Information department:

Product Safety Department E-mail: sds@blaser.com

Emergency telephone number: For advice on chemical emergencies, spillages, fires or exposures: +1 866 928 0789 (Toll free)

2 Hazard identification

Classification of the substance or mixture

May be fatal if swallowed and enters airways.

Label elements GHS label elements acc. to Hazardous Products Regulations (HPR) Hazard pictograms



Signal word Danger

 Hazard-determining components of labeling:

 Hydrocarbons C14-C16, n-alkanes, isoalkanes, <2% aromatics</td>

 Hazard statements

 H304 May be fatal if swallowed and enters airways.

 Precautionary statements

 P301+P310 If swallowed: Immediately call a poison center/doctor.

 P331
 Do NOT induce vomiting.

 P405
 Store locked up.

 P501
 Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards None Results of PBT and vPvB assessment PBT: Not applicable.

(Contd. on page 2)

Edition number 2



Reviewed on 18.01.2021

Trade name: Blasospark GT 250

Issued on 18.01.2021

vPvB: Not applicable.

(Contd. of page 1)

80-100% w/w *

3 Composition/Information on ingredients

Chemical characterization: Mixtures

Description: Mixture of the substances listed below with nonhazardous additions.

Declarable components:

CAS no.

- 1174918-46-7 Hydrocarbons C14-C16, n-alkanes, isoalkanes, <2% aromatics
- * Actual concentration ranges are withheld as a trade secret.

4 First aid measures

Description of first aid measures
After inhalation: Not applicable, as the concentrate is not volatile.
After skin contact: Generally the product does not irritate the skin.
After eye contact: Rinse opened eye for several minutes under running water.
After swallowing:
Do not induce vomiting; immediately call for medical help.
A person vomiting while lying on their back should be turned onto their side.
Information for doctor:
Most important symptoms and effects, both acute and delayed Nausea / vomiting Indication of any immediate medical attention and special treatment needed
If swallowed or in case of vomiting, danger of entering the lungs.
Medical supervision for at least 48 hours.

5 Firefighting measures

Extinguishing media

Suitable extinguishing agents: CO₂, extinguishing powder or water spray. Fight larger fires with water spray. **For safety reasons unsuitable extinguishing agents:** Water with full jet

- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters

Protective equipment: No special measures required.

Additional information Cool endangered receptacles with water spray.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Not required. Environmental precautions: Do not allow to enter sewers/ surface or ground water. Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

Handling:

Precautions for safe handling

The product has been classified and marked in accordance with directives on hazardous materials. Observe the general safety regulations when handling chemicals.

(Contd. on page 3)

*

Flash point:

Flammability (solid, gaseous):

Safety Data Sheet according to HPR, Schedule 1



Reviewed on 18.01.2021

Issued on 18.01.2021

Edition number 2

Trade name: Blasospark GT 250

Information about protection agains	(Contd. of page ct explosions and fires: No special measures required.
Conditions for safe storage, includin	
Storage:	ing any incompationnes
Requirements to be met by storeroo Information about storage in one co Further information about storage c Protect from heat and direct sunlight. Optimal storage temperature between	-20°C and 40°C.
Optimal storage temperature between	
Minimum shelf life: In closed, original c Specific end use(s) No further relevant	
3 Exposure controls/ Personal pro	tection
Additional information about design	of technical systems: No further data; see item 7.
Control parameters	
Components with limit values at the	
	ing fluids (without obligation): 10 mg/m ³ .
Additional information: The lists that	were valid during the creation were used as basis.
Exposure controls	
Personal protective equipment:	
General protective and hygienic me	
Keep away from foodstuffs, beverages	
Wash hands before breaks and at the	
Respiratory Protection: Not required. Protection of hands:	
	able and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendati	ion to the glove material can be given for the product/ the preparation.
chemical mixture	on to the give matchar bar be given for the product the propulation, the
chemical mixture. Selection of the glove material on cons	sideration of the penetration times, rates of diffusion and the degradation
Selection of the glove material on cons Material of gloves (recommended):	sideration of the penetration times, rates of diffusion and the degradation Suitable protective gloves: Nitrile gloves, minimum thickness of 0.3 mm.
Selection of the glove material on cons Material of gloves (recommended): Breakthrough time of glove material	sideration of the penetration times, rates of diffusion and the degradation Suitable protective gloves: Nitrile gloves, minimum thickness of 0.3 mm.
Selection of the glove material on cons Material of gloves (recommended): S Breakthrough time of glove material The exact breakthrough time has to be Eye protection (recommended): Eye	sideration of the penetration times, rates of diffusion and the degradation Suitable protective gloves: Nitrile gloves, minimum thickness of 0.3 mm. I: a found out by the manufacturer of the protective gloves and has to be observe protector with side protection (framed eyeglasses) ANSI Z87.1 – 2010
Selection of the glove material on cons Material of gloves (recommended): Breakthrough time of glove material The exact breakthrough time has to be	sideration of the penetration times, rates of diffusion and the degradation Suitable protective gloves: Nitrile gloves, minimum thickness of 0.3 mm. I: a found out by the manufacturer of the protective gloves and has to be observe protector with side protection (framed eyeglasses) ANSI Z87.1 – 2010
Selection of the glove material on cons Material of gloves (recommended): 3 Breakthrough time of glove material The exact breakthrough time has to be Eye protection (recommended): Eye Body protection (recommended): Pr	sideration of the penetration times, rates of diffusion and the degradation Suitable protective gloves: Nitrile gloves, minimum thickness of 0.3 mm. I: e found out by the manufacturer of the protective gloves and has to be observed protector with side protection (framed eyeglasses) ANSI Z87.1 – 2010 rotective work clothing
Selection of the glove material on cons Material of gloves (recommended): 3 Breakthrough time of glove material The exact breakthrough time has to be Eye protection (recommended): Eye Body protection (recommended): Pr 9 Physical and chemical properties	sideration of the penetration times, rates of diffusion and the degradation Suitable protective gloves: Nitrile gloves, minimum thickness of 0.3 mm. found out by the manufacturer of the protective gloves and has to be observed protector with side protection (framed eyeglasses) ANSI Z87.1 – 2010 rotective work clothing
Selection of the glove material on cons Material of gloves (recommended): 3 Breakthrough time of glove material The exact breakthrough time has to be Eye protection (recommended): Eye Body protection (recommended): Pr 9 Physical and chemical properties Information on basic physical and c General Information	sideration of the penetration times, rates of diffusion and the degradation Suitable protective gloves: Nitrile gloves, minimum thickness of 0.3 mm. found out by the manufacturer of the protective gloves and has to be observed protector with side protection (framed eyeglasses) ANSI Z87.1 – 2010 rotective work clothing
Selection of the glove material on cons Material of gloves (recommended): S Breakthrough time of glove material The exact breakthrough time has to be Eye protection (recommended): Eye Body protection (recommended): Pr 9 Physical and chemical properties Information on basic physical and c General Information Appearance:	sideration of the penetration times, rates of diffusion and the degradation Suitable protective gloves: Nitrile gloves, minimum thickness of 0.3 mm. I: a found out by the manufacturer of the protective gloves and has to be observed protector with side protection (framed eyeglasses) ANSI Z87.1 – 2010 rotective work clothing
Selection of the glove material on cons Material of gloves (recommended): S Breakthrough time of glove material The exact breakthrough time has to be Eye protection (recommended): Eye Body protection (recommended): Pr 9 Physical and chemical properties Information on basic physical and c General Information Appearance: Form:	sideration of the penetration times, rates of diffusion and the degradation Suitable protective gloves: Nitrile gloves, minimum thickness of 0.3 mm. In the found out by the manufacturer of the protective gloves and has to be observed protector with side protection (framed eyeglasses) ANSI Z87.1 – 2010 rotective work clothing
Selection of the glove material on cons Material of gloves (recommended): S Breakthrough time of glove material The exact breakthrough time has to be Eye protection (recommended): Eye Body protection (recommended): Pr 9 Physical and chemical properties Information on basic physical and c General Information Appearance:	sideration of the penetration times, rates of diffusion and the degradation Suitable protective gloves: Nitrile gloves, minimum thickness of 0.3 mm. I: a found out by the manufacturer of the protective gloves and has to be observed protector with side protection (framed eyeglasses) ANSI Z87.1 – 2010 rotective work clothing
Selection of the glove material on cons Material of gloves (recommended): S Breakthrough time of glove material The exact breakthrough time has to be Eye protection (recommended): Eye Body protection (recommended): Pr 9 Physical and chemical properties Information on basic physical and c General Information Appearance: Form: Color:	sideration of the penetration times, rates of diffusion and the degradation Suitable protective gloves: Nitrile gloves, minimum thickness of 0.3 mm. I: e found out by the manufacturer of the protective gloves and has to be observe protector with side protection (framed eyeglasses) ANSI Z87.1 – 2010 rotective work clothing s hemical properties Fluid Colorless
Selection of the glove material on cons Material of gloves (recommended): 3 Breakthrough time of glove material The exact breakthrough time has to be Eye protection (recommended): Eye Body protection (recommended): Pr 9 Physical and chemical properties Information on basic physical and c General Information Appearance: Form: Color: Odor:	sideration of the penetration times, rates of diffusion and the degradation Suitable protective gloves: Nitrile gloves, minimum thickness of 0.3 mm. I: found out by the manufacturer of the protective gloves and has to be observe protector with side protection (framed eyeglasses) ANSI Z87.1 – 2010 rotective work clothing s hemical properties Fluid Colorless neutral
Selection of the glove material on cons Material of gloves (recommended): 3 Breakthrough time of glove material The exact breakthrough time has to be Eye protection (recommended): Eye Body protection (recommended): Pr 9 Physical and chemical properties Information on basic physical and c General Information Appearance: Form: Color: Odor threshold:	sideration of the penetration times, rates of diffusion and the degradation Suitable protective gloves: Nitrile gloves, minimum thickness of 0.3 mm. found out by the manufacturer of the protective gloves and has to be observed protector with side protection (framed eyeglasses) ANSI Z87.1 – 2010 rotective work clothing s hemical properties Fluid Colorless neutral Not determined.
Selection of the glove material on cons Material of gloves (recommended): 3 Breakthrough time of glove material The exact breakthrough time has to be Eye protection (recommended): Eye Body protection (recommended): Pr Physical and chemical properties Information on basic physical and c General Information Appearance: Form: Color: Odor: Odor threshold: pH-value:	sideration of the penetration times, rates of diffusion and the degradation Suitable protective gloves: Nitrile gloves, minimum thickness of 0.3 mm. found out by the manufacturer of the protective gloves and has to be observed protector with side protection (framed eyeglasses) ANSI Z87.1 – 2010 rotective work clothing s hemical properties Fluid Colorless neutral Not determined.

110 °C (230 °F) (ISO 2592 / ASTM D92)

Not applicable.

(Contd. on page 4)



Reviewed on 18.01.2021

Issued on 18.01.2021

Edition number 2

Trade name: Blasospark GT 250

		(Contd. of page
Ignition temperature:	Not applicable	
	Not determined	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits (@1013 mbar):		
Lower:	Not determined.	
Upper:	Not determined.	
Oxidizing properties	Not applicable.	
Density:		
Relative density	0.75 @ 68°F (20°C) (DIN 51757 / ASTM D1217)	
Vapor density	Not applicable.	
	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Insoluble.	
Partition coefficient (n-octanol/wa	ter): Not determined.	
Viscosity		
Kinematic at 40 °C (104 °F):	2.5 mm²/s (ISO 3104 / ASTM D445)	
Other information:	none	
	No further relevant information available.	

10 Stability and reactivity

Reactivity None known if used as directed. Chemical stability Stable under recommended storage conditions. Possibility of hazardous reactions Reacts with strong oxidizing agents. Conditions to avoid No further relevant information available. Incompatible materials: No further relevant information available. Hazardous decomposition products (in case of fire or oxidation): Carbon monoxide and carbon dioxide

11 Toxicological information

Information on toxicological effects Acute toxicity:

LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Dermal LD50 >2,020-2,500 mg/kg (rabbit)

1174918-46-7 Hydrocarbons C14-C16, n-alkanes, isoalkanes, <2% aromatics

Oral LD50 >5,000 mg/kg (rat)

Dermal LD50 >2,000 mg/kg (rabbit)

Primary irritant effect:

on the skin: Contact may degrease the skin and cause skin inflammation (dermatitis).

on the eye: No irritating effect.

Sensitization: No sensitizing effects known.

Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

(Contd. on page 5)

Edition number 2



Reviewed on 18.01.2021

(Contd. of page 4)

Trade name: Blasospark GT 250

Issued on 18.01.2021

IARC (International Agency for Research on Cancer)

None of the ingredients is listed in groups 1, 2A, or 2B.

NTP (National Toxicology Program)

None of the ingredients are listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

Aspiration hazard May be fatal if swallowed and enters airways.

12 Ecological information

Toxicity

Aquatic toxicity: No further relevant information available. Persistence and degradability No further relevant information available. Behavior in environmental systems: Bioaccumulative potential No further relevant information available. Mobility in soil No further relevant information available. Additional ecological information: General notes: Do not allow product to reach ground water, water course or sewage system. Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Used containers

Recommendation: Disposal must be made according to official regulations.

JN-Number		
DOT/TDG, ADR, IMDG, IATA	Not regulated	
DOT/TDG, ADR, IMDG, IATA	Not regulated	
DOT, IMDG, IATA		
Hazard Classification:	Not regulated	
DOT/TDG, ADR, IMDG, IATA	Not regulated	
Environmental hazards	Not applicable.	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex	ll of	
MARPOL73/78 and the IBC Code	Not applicable.	
Transport/Additional information:	Not hazardous according to the above specifications.	
ΙΑΤΑ	IATA Dangerous Goods Regulation (DGR): latest edition	
UN "Model Regulation":	Not regulated	

(Contd. on page 6)

Edition number 2

Blaser.

Reviewed on 18.01.2021

(Contd. of page 5)

Trade name: Blasospark GT 250

Issued on 18.01.2021

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture:

TSCA (Toxic Substances Control Act):

All ingredients are listed on the U.S. TSCA inventory or exempt from premanufacture notice requirements.

Canadian substance listings:

Canadian Domestic Substances List (DSL): (Substances not listed.)

All ingredients are listed.

Canadian Non Domestic Substances List (NDSL)

None of the ingredients is listed.

Canadian Environmental Protection Act (CEPA), Schedule 1:

None of the ingredients is listed.

National Pollutant Release Inventory (NPRI)

None of the ingredients are listed.

GHS label elements GHS label elements are issued under section 2.

National regulations:

The product is subject to be labeled according with the prevailing version of the regulations on hazardous substances.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

H.R.2420 (RoHS):

This product fulfill the H.R.2420 requirements in that the EDEE Act regulated materials are absent or their concentrations are significantly below regulatory thresholds.

IP346:

The mineral oil used in this product passes IP346 for DMSO extractable PAH's (Polycyclic aromatic hydrocarbons).

Department issuing SDS: Product Stewardship

Editor's notice:

The above mentioned data correspond to our present state of knowledge and experience. The safety data sheet serves as description of the products in regard to necessary safety measures. The indications have not the meaning of guarantees on properties.

Abbreviations and acronyms:

RoHS: Restriction of Hazardous Substances ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) ISO: International Organisation for Standardisation DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent SVHC: Substance of Very High Concern (REACH) DMSO: Dimethyl sulphoxide extract IP 346: Institute of Petroleum and related for testing methods for petroleum and fuel products. CLP: Classification, Labeling and Packaging (European GHS)

CA -

Edition number 2



Reviewed on 18.01.2021

(Contd. of page 6)

Issued on 18.01.2021

Trade name: Blasospark GT 250

PBT: Persistent, Bioaccumulative and Toxic chemicals vPvB: very Persistent and very Bioaccumulative chemicals ATE: Acute Toxicity Estimate * **Data compared to the previous version altered.** The asterisk (*) on the left side indicate the respective changes from the previous version.

CA