

Issued on 07/29/2020 Edition number 1 Reviewed on 07/29/2020

1 Identification

Product identifier

Trade name: Additive C41
Article number: 29117-01

Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the preparation:

For industrial use only Corrosion inhibitors Stabilizer/ Inhibitor

Details of the supplier of the safety data sheet

Manufacturer / Supplier: BLASER SWISSLUBE, Inc.

31 Hatfield Lane Goshen, NY 10924

USA

Phone: +1 (0) 845 294 32 00 Fax .: +1 (0) 845 294 31 02 Mailto: mailboxusa@blaser.com

Information department: Product Safety Department E-mail: sds@blaser.com

Emergency telephone number:

For advice on chemical emergencies, spillages, fires or exposures: +1 866 928 0789 (Toll free).

2 Hazard(s) identification

OSHA/HCS status

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Classification of the substance or mixture

Combustible liquid.

Causes skin irritation.

Causes serious eye damage.

Label elements

GHS label elements The product is classified and labeled according to 29 CFR 1910.1200 (OSHA Hazcom 2012). **Hazard pictograms**



Signal word Danger

Hazard statements

H227 Combustible liquid.

H315 Causes skin irritation.

H318 Causes serious eye damage.

Precautionary statements

P210 Keep away from flames and hot surfaces. No smoking.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P310 Immediately call a poison center/doctor.

P362+P364 Take off contaminated clothing and wash it before reuse. P332+P313 If skin irritation occurs: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)



Issued on 07/29/2020 Edition number 1 Reviewed on 07/29/2020

Trade name: Additive C41

(Contd. of page 1)

Other hazards None

3 Composition/information on ingredients

Chemical characterization: Mixtures

Description: Mixture of the substances listed below with nonhazardous additions.

Declarable components:

CAS no.

124-68-5 | 2-amino-2-methylpropanol | >80-<99% | 27646-80-6 | 2-Methylamino-2-methyl-1-propanol | >5-9.9% |

Additional information:

The specific chemical identity and/or exact percentage concentration of proprietary components is withheld as a trade secret.

4 First-aid measures

Description of first aid measures

General information: Immediately remove any clothing soiled by the product.

After inhalation:

In case of unconsciousness place patient stably in side position for transportation.

Not applicable, as the concentrate is not volatile.

After skin contact: Immediately wash with water and soap and rinse thoroughly.

After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing: If symptoms persist consult doctor.

Information for doctor:

Most important symptoms and effects, both acute and delayed No further relevant information available.

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents: CO₂, extinguishing powder or water spray. Fight larger fires with water spray.

For safety reasons unsuitable extinguishing agents: Water with full jet

Special hazards arising from the substance or mixture No further relevant information available.

Advice for firefighters

Protective equipment: No special measures required.

Additional information Cool endangered receptacles with water spray.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep people at a distance and stay upwind.

Ensure adequate ventilation

Wear protective equipment. Keep unprotected persons away.

Environmental precautions: Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 3)



Issued on 07/29/2020 Edition number 1 Reviewed on 07/29/2020

Trade name: Additive C41

See Section 13 for disposal information.

(Contd. of page 2)

7 Handling and storage

Handling:

Precautions for safe handling

The product has been classified and marked in accordance with directives on hazardous materials.

Observe the general safety regulations when handling chemicals.

Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.

Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: Store only in the original receptacle.

Information about storage in one common storage facility:

Do not store together with oxidizing and acidic materials.

Further information about storage conditions:

Protect from heat and direct sunlight.

Keep receptacle tightly sealed.

Optimal storage temperature between 5°F and 104°F

Minimum shelf life: In closed, original container, at least 24 months.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems: No further data; see item 7.

Control parameters

Components with limit values at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information: The lists that were valid during the creation were used as basis.

Exposure controls

Personal protective equipment:

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes and skin. **Respiratory Protection:** Not required.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation **Material of gloves (recommended):** Suitable protective gloves: Nitrile gloves, minimum thickness of 0.3 mm.

Breakthrough time of glove material:

The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed. **Eve protection (recommended):**

Eye protector with side protection (framed eyeglasses) ANSI Z87.1 – 2010

Use of tight fitting goggles

(Contd. on page 4)



Issued on 07/29/2020 Edition number 1 Reviewed on 07/29/2020

Trade name: Additive C41

Body protection (recommended): Protective work clothing

(Contd. of page 3)

9 Physical and chemical properties

Information on basic physical and chemical properties

General Information

Appearance:

Form: Liquid
Color: Colorless
Odor: Amine-like
Odor threshold: Not determined.

pH-value at 20 °C (68 °F): 11.3 (DIN 19268 / ASTM E70)

Change in condition:

Melting point/Melting range: Not applicable

Boiling point/Boiling range: 100-165 °C (212-329 °F) (DIN 51751 / ASTM D86)

Flash point: 81 °C (177.8 °F) (ISO 2592 / ASTM D92)

Evaporation rate Not determined.

Flammability (solid, gaseous): Not applicable.

Explosion limits (@1013 mbar):

Lower:Not determined.Upper:Not determined.Oxidizing propertiesNot applicable.

Relative density 0.97 @ 68°F (20°C) (DIN 51757 / ASTM D1217)

Vapor densityNot applicable.Not determined.Evaporation rateNot determined.

Solubility in / Miscibility with

Water: Soluble.

Partition coefficient (n-octanol/water): -0.63 (Shake flask (OECD 107 Test))

Auto-ignition temperature: Product is not selfigniting.

Decomposition temperature: Not determined.

Viscosity

Dynamic at 20 °C (68 °F): 147 mPas (ISO 3104 / ASTM D445)

Kinematic: Not determined.

VOC content: Not determined.

Tot determine

Other information: none

No further relevant information available.

10 Stability and reactivity

Reactivity None known if used as directed.

Chemical stability Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

Possibility of hazardous reactions Reacts with strong acids and oxidizing agents.

Conditions to avoid No further relevant information available.

Incompatible materials: No further relevant information available.

(Contd. on page 5)



Issued on 07/29/2020 Edition number 1 Reviewed on 07/29/2020

Trade name: Additive C41

Hazardous decomposition products

(in case of fire or oxidation):

Carbon monoxide and carbon dioxide

(Contd. of page 4)

11 Toxicological information

Information on toxicological effects

Acute toxicity:

LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Oral LD50 >2,248 mg/kg
Dermal LD50 >2,103 mg/kg

124-68-5 2-amino-2-methylpropanol

Oral LD50 2,150 mg/kg (Mouse) Dermal LD50 >2,000 mg/kg (rabbit)

Primary irritant effect:

on the skin: Causes skin irritation.

on the eye: Strong irritant with the danger of severe eye injury.

Sensitization: No sensitizing effects known. **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

IARC (International Agency for Research on Cancer)

None of the ingredients is listed in groups 1, 2A, or 2B.

NTP (National Toxicology Program)

None of the ingredients are listed.

12 Ecological information

Toxicity

Aquatic toxicity:

124-68-5 2-amino-2-methylpropanol

LC50/48h 193 mg/l (Daphnia magna)

Persistence and degradability Easily biodegradable

Other information:

Biodegradation according OECD 301 B; after 28 days: > 80%.

The product is easily biodegradable according to the OECD 301 and 302 guidelines.

Behavior in environmental systems:

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

Ecotoxical effects:

Behavior in sewage processing plants:

Fish-Toxicity

EC50/96h: >100 mg/l OECD 203 Species: Poecilia reticulata (Guppy)

Daphnien-Toxizität

EC50/48h: >100 mg/l OECD 202 Spezien: Daphnia magna

Toxicity to algae

EC50/72h: >100 mg/l OECD 201 Species: Pseudokirchneriella subcapitata

Additional ecological information:

COD-value (DIN 38 414 - S9): 2.41 mgO₂/mg BOD₅-value (SN EN 1899-1): 2.69 mgO₂/mg

(Contd. on page 6)



Issued on 07/29/2020 Edition number 1 Reviewed on 07/29/2020

Trade name: Additive C41

(Contd. of page 5)

General notes:

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Do not allow product to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even extremely small quantities leak into the ground.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Used containers

Recommendation: Disposal must be made according to official regulations.

					ati	

UN-N	lum	ber
------	-----	-----

DOT NA1993
IMDG, IATA Not regulated

DOT COMBUSTIBLE LIQUID, N.O.S

IMDG, IATA Not regulated

DOT

Hazard Classification: CBL Label CBL

IMDG, IATA

Hazard Classification: Not regulated

DOT

IMDG, IATA Not regulated

Environmental hazards

Marine pollutant (according to IMDG): No

Special precautions for user Not applicable.

Transport/Additional information: Not hazardous according to the above specifications.

IMDG

Remarks: contains terpenes

IATA Dangerous Goods Regulation (DGR): latest edition

UN "Model Regulation": Not regulated

— US

(Contd. on page 7)



Issued on 07/29/2020 Edition number 1 Reviewed on 07/29/2020

Trade name: Additive C41

(Contd. of page 6)

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture:

SARA (Superfund Amendments and Reauthorization)

Section 355 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

This product does not contain a chemical that are listed in Section 313.

TSCA (Toxic Substances Control Act):

All ingredients are listed on the U.S. TSCA inventory or exempt from premanufacture notice requirements.

California Proposition 65

This product contains one or more chemicals listed under California Proposition 65. Such chemicals are not used as raw materials in the product formulation but rather are typical impurities.

Carcinogenic categories:

EPA (Environmental Protection Agency)

None of the ingredients are listed.

NIOSH-Carcinogen list

None of the ingredients are listed.

California SCAQMD Rule 1144: Not applicable.

GHS label elements GHS label elements are issued under section 2.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

H.R.2420 (RoHS):

This product fulfill the H.R.2420 requirements in that the EDEE Act regulated materials are absent or their concentrations are significantly below regulatory thresholds.

BSE/TSE:

Materials and/or synthetically modified materials which are of animal origin from bovine, ovine, goats, cats, dogs, deer, elk and/or mink, are NOT included in this product.

NFPA ratings (scale 0-4)



Health = 3 Fire = 2 Reactivity = 1

Department issuing SDS: Product Stewardship

Editor's notice:

The above mentioned data correspond to our present state of knowledge and experience. The safety data sheet serves as description of the products in regard to necessary safety measures. The indications have not the meaning of guarantees on properties.

Abbreviations and acronyms:

RoHS: Restriction of Hazardous Substances

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU) ISO: International Organisation for Standardisation

(Contd. on page 8)

Page 8/8

Safety Data Sheet acc. to 29 CFR 1910.1200 (OSHA Hazcom 2012)



Edition number 1 Issued on 07/29/2020 Reviewed on 07/29/2020

Trade name: Additive C41

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic chemicals vPvB: very Persistent and very Bioaccumulative chemicals NIOSH: National Institute for Occupational Safety and Health OSHA: Occupational Safety and Health Administration

ATE: Acute Toxicity Estimate
Flam. Liq. 4: Flammable liquids – Category 4
Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

* Data compared to the previous version altered.

The asterisk (*) on the left side indicate the respective changes from the previous version.

(Contd. of page 7)

USA