

Reviewed on 03/14/2020

Issued on 03/14/2020

Edition number 3

1 Identification

Product identifier

Trade name: <u>Additive D32</u>

Article number: 29138-01 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. Application of the substance / the preparation: For industrial use only Additive

Details of the supplier of the safety data sheet Manufacturer / Supplier:

BLASER SWISSLUBE, Inc. 31 Hatfield Lane Goshen, NY 10924 USA Phone: +1 (0) 845 294 32 00 Fax .: +1 (0) 845 294 31 02 Mailto: mailboxusa@blaser.com

Information department:

Product Safety Department E-mail: sds@blaser.com

Emergency telephone number:

For advice on chemical emergencies, spillages, fires or exposures: +1 866 928 0789 (Toll free).

2 Hazard(s) identification

OSHA/HCS status

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). Classification of the substance or mixture

Combustible liquid.

Causes skin irritation.

Causes serious eye irritation.

May cause an allergic skin reaction.

May be fatal if swallowed and enters airways.

Label elements

GHS label elements The product is classified and labeled according to 29 CFR 1910.1200 (OSHA Hazcom 2012). **Hazard pictograms**



Signal word Danger **Hazard statements** H227 Combustible liquid. H315 Causes skin irritation. H319 Causes serious eye irritation. H317 May cause an allergic skin reaction. H304 May be fatal if swallowed and enters airways. Precautionary statements P210 Keep away from flames and hot surfaces. - No smoking. P280 Wear protective gloves/protective clothing/eye protection/face protection. P301+P310 If swallowed: Immediately call a poison center/doctor. P331 Do NOT induce vomiting. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P362+P364 Take off contaminated clothing and wash it before reuse.



Reviewed on 03/14/2020

>25-<50%

>25-<50%

Issued on 03/14/2020

Edition number 3

Trade name: Additive D32

	(Contd. of page 1)
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards None

3 Composition/information on ingredients

Chemical characterization: Mixtures

Description:

Mixture of the substances listed below with nonhazardous additions.

Solvent mixture with additives

Declarable components:

CAS no.

770-35-4 1-Phenoxypropan-2-ol

5989-27-5 D-limonene

Additional information:

The specific chemical identity and/or exact percentage concentration of proprietary components is withheld as a trade secret.

4 First-aid measures

Description of first aid measures

General information: Immediately remove any clothing soiled by the product.

After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

Not applicable, as the concentrate is not volatile.

After skin contact: Immediately wash with water and soap and rinse thoroughly.

After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. After swallowing: Do not induce vomiting; immediately call for medical help.

After swanowing. Do not induce vorniting, inimediately call for med

Information for doctor:

Most important symptoms and effects, both acute and delayed No further relevant information available. Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents: CO₂, extinguishing powder or water spray. Fight larger fires with water spray. For safety reasons unsuitable extinguishing agents: Water with full jet

Special hazards arising from the substance or mixture No further relevant information available.

Advice for firefighters

Protective equipment: No special measures required.

Additional information Cool endangered receptacles with water spray.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures
Wear protective equipment. Keep unprotected persons away.
Environmental precautions: Do not allow to enter sewers/ surface or ground water.
Methods and material for containment and cleaning up:
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to item 13.

(Contd. on page 3)

Edition number 3



Reviewed on 03/14/2020

Issued on 03/14/2020

Trade name: Additive D32

Ensure adequate ventilation.

Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

Handling:

Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

The product has been classified and marked in accordance with directives on hazardous materials. Observe the general safety regulations when handling chemicals.

Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.

Conditions for safe storage, including any incompatibilities Storage: Requirements to be met by storerooms and receptacles: Store only in the original receptacle. Information about storage in one common storage facility: Do not store together with oxidizing and acidic materials. Further information about storage conditions: Protect from heat and direct sunlight. Keep receptacle tightly sealed. Optimal storage temperature between 5°F and 104°F

Minimum shelf life: In closed, original container, at least 24 months. Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems: No further data; see item 7.

Control parameters

Components with limit values at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information: The lists that were valid during the creation were used as basis.

Exposure controls Personal protective equipment: General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Respiratory Protection: Not required. Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation **Material of gloves (recommended):** Suitable protective gloves: Nitrile gloves, minimum thickness of 0.3 mm. **Breakthrough time of glove material:**

The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Edition number 3



Reviewed on 03/14/2020

Issued on 03/14/2020

Trade name: Additive D32

Eye protection (recommended): Eye protector with side protection (framed eyeglasses) ANSI Z87.1 – 2010 Use of tight fitting goggles **Body protection (recommended):** Protective work clothing

9 Physical and chemical properties

Information on basic physical and che General Information	emical properties
Appearance: Form: Color: Odor: Odor threshold:	Liquid Light yellow like oranges Not determined.
pH-value:	Not applicable.
Change in condition: Melting point/Melting range: Boiling point/Boiling range:	Not applicable >150 °C (>302 °F) (DIN 51751 / ASTM D86)
Flash point: Evaporation rate	66 °C (150.8 °F) (ISO 2592 / ASTM D92) Not determined.
Flammability (solid, gaseous):	Not applicable.
Explosion limits (@1013 mbar): Lower: Upper: Oxidizing properties Relative density Vapor density Evaporation rate	0.7 Vol % 6.4 Vol % Not applicable. 0.94 @ 68°F (20°C) (DIN 51757 / ASTM D1217) Not applicable. Not determined. Not determined.
Solubility in / Miscibility with Water:	Insoluble.
Partition coefficient (n-octanol/water) Auto-ignition temperature: Decomposition temperature:	: Not determined. Product is not selfigniting. Not determined.
Viscosity Dynamic: Kinematic at 40 °C (104 °F):	Not determined. 3 mm²/s (ISO 3104 / ASTM D445)
VOC content:	Not determined.
Other information:	none No further relevant information available.

10 Stability and reactivity

Reactivity None known if used as directed.

Chemical stability Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

Possibility of hazardous reactions Reacts with strong acids and oxidizing agents.

Conditions to avoid No further relevant information available.

Incompatible materials: No further relevant information available.

(Contd. of page 3)

Edition number 3



Reviewed on 03/14/2020

Issued on 03/14/2020

Trade name: Additive D32

Hazardous decomposition products (in case of fire or oxidation): Carbon monoxide and carbon dioxide

11 Toxicological information

Information on toxicological effects Acute toxicity:

LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)OralLD503,445 mg/kg (rat)DermalLD50>4,000 mg/kg (rat)

770-35-4 1-Phenoxypropan-2-ol

Oral LD50 2,830 mg/kg (rat) (Acute Oral Toxicity)

Dermal LD50 >2,000 mg/kg (rat) (Acute Dermal Toxicity)

5989-27-5 D-limonene

Oral LD50 4,400 mg/kg (rat)

Dermal LD50 >5,000 mg/kg (rabbit)

Primary irritant effect:

on the skin: Causes skin irritation.

on the eye: Irritating effect.

Sensitization: Sensitization possible through skin contact.

Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

IARC (International Agency for Research on Cancer)

None of the ingredients is listed in groups 1, 2A, or 2B.

NTP (National Toxicology Program)

None of the ingredients are listed.

12 Ecological information

Toxicity	
Aquatic to	oxicity:
770-35-4 1	-Phenoxypropan-2-ol
LC50/48h	370 mg/l (Daphnia magna) (OECD 202)
LC50/96h	280 mg/l (Pimephales promelas) (OECD 203)
EC50/96h	>100 mg/L (Algae)
	220-460 mg/L (Brachydanio rerio)
EC50/48h	>100 mg/L (Daphnia magna)
EC50/72h	>100 mg/L (Desmodesmus subspicatus) (OECD 201)
5989-27-5	D-limonene
LC50/96h	0.72 mg/l (Pimephales promelas)
EC50/48h	0.36 mg/L (Daphnia magna)
EC50/72h	8 mg/L (Desmodesmus subspicatus)
Behavior i Bioaccum	ce and degradability No further relevant information available. in environmental systems: ulative potential No further relevant information available. In soil No further relevant information available.

(Contd. of page 4)



Reviewed on 03/14/2020

(Contd. of page 5)

Issued on 03/14/2020

Edition number 3

Trade name: Additive D32

Additional ecological information: General notes: Do not allow product to reach ground water, water course or sewage system. Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Used containers

Recommendation: Disposal must be made according to official regulations.

4 Transport information		
UN-Number DOT IMDG, IATA DOT IMDG IATA	Not regulated UN3082 Not regulated ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (D- limonene), MARINE POLLUTANT ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (D- limonene)	
DOT Hazard Classification:	Not regulated	
Hazard Classification: Label DOT IMDG, IATA	9 Miscellaneous dangerous substances and articles 9 Not regulated III	
Environmental hazards Marine pollutant (according to IMDG): Special marking (IATA):	Product contains environmentally hazardous substances: D-limonene Yes Symbol (fish and tree) Symbol (fish and tree)	
Special precautions for user EMS Number: Stowage Category	Warning: Miscellaneous dangerous substances and articles F-A,S-F A	
Transport/Additional information: Excepted quantities (EQ)	Not hazardous according to the above specifications. Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml	
IMDG Limited quantities (LQ)	5L	
	(Contd. on page 7)	



Reviewed on 03/14/2020

Issued on 03/14/2020

Edition number 3

Trade name: Additive D32

	(Contd. of page 6)
Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
IATAIATA Dangerous Goods Regulation (DGR): latest editionRemarks:contains terpenes	
UN "Model Regulation":	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (D-LIMONENE), 9, III

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture:

SARA (Superfund Amendments and Reauthorization)

Section 355 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

This product does not contain a chemical that are listed in Section 313.

TSCA (Toxic Substances Control Act):

All ingredients are listed on the U.S. TSCA inventory or exempt from premanufacture notice requirements.

California Proposition 65

This product contains one or more chemicals listed under California Proposition 65. Such chemicals are not used as raw materials in the product formulation but rather are typical impurities.

Carcinogenic categories:

EPA (Environmental Protection Agency)

None of the ingredients are listed.

NIOSH-Carcinogen list

None of the ingredients are listed.

California SCAQMD Rule 1144: Not applicable.

GHS label elements GHS label elements are issued under section 2.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

H.R.2420 (RoHS):

This product fulfill the H.R.2420 requirements in that the EDEE Act regulated materials are absent or their concentrations are significantly below regulatory thresholds.

BSE/TSE:

Materials and/or synthetically modified materials which are of animal origin from bovine, ovine, goats, cats, dogs, deer, elk and/or mink, are NOT included in this product.

NFPA ratings (scale 0-4)





Department issuing SDS: Product Stewardship

Editor's notice:

The above mentioned data correspond to our present state of knowledge and experience. The safety data sheet serves as description of the products in regard to necessary safety measures. The indications have not the meaning of guarantees on properties.



Reviewed on 03/14/2020

Issued on 03/14/2020

Edition number 3

Trade name: Additive D32

	(Contd. of page
Abbreviations and acronyms:	
ICAO: International Civil Aviation Organisation	
RHS: Restriction of Hazardous Substances	
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement cor	cerning the International Carriage
Dangerous Goods by Road)	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
GHS: Globally Harmonised System of Classification and Labelling of Chemicals	
ACGIH: American Conference of Governmental Industrial Hygienists	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
VOC: Volatile Organic Compounds (USA, EU)	
ISO: International Organisation for Standardisation	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic chemicals	
vPvB: very Persistent and very Bioaccumulative chemicals	
NIOSH: National Institute for Occupational Safety and Health	
OSHA: Occupational Safety and Health Administration	
ATE: Acute Toxicity Estimate	
Flam. Liq. 4: Flammable liquids – Category 4	
Skin Irrit. 2: Skin corrosion/irritation – Category 2	
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A	
Skin Sens. 1: Skin sensitisation – Category 1	
Asp. Tox. 1: Aspiration hazard – Category 1	
* Data compared to the previous version altered.	
The asterisk (*) on the left side indicate the respective changes from the previous version	on.