

1 Identification

Product identifier**Trade name:** Additive M29**Article number:** 29181-01**Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

Application of the substance / the preparation:

For industrial use only

Additive

Details of the supplier of the safety data sheet**Manufacturer / Supplier:**

BLASER SWISSLUBE, Inc.

31 Hatfield Lane

Goshen, NY 10924

USA

Phone: +1 (0) 845 294 32 00

Fax : +1 (0) 845 294 31 02

Mailto: mailboxusa@blaser.com

Information department:

Product Safety Department

E-mail: sds@blaser.com

Emergency telephone number:

For advice on chemical emergencies, spillages, fires or exposures: +1 866 928 0789 (Toll free).

2 Hazard(s) identification

OSHA/HCS status

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Classification of the substance or mixture

Harmful if inhaled.

Causes severe skin burns and eye damage.

Causes serious eye damage.

Label elements**GHS label elements** The product is classified and labeled according to 29 CFR 1910.1200 (OSHA Hazcom 2012).**Hazard pictograms****Signal word** Danger**Hazard-determining components of labeling:**

Disodium metasilicate

Hazard statements

H332 Harmful if inhaled.

H314 Causes severe skin burns and eye damage.

Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P310 Immediately call a poison center/doctor.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

Safety Data Sheet

acc. to 29 CFR 1910.1200 (OSHA Hazcom 2012)

Issued on 02/27/2020

Edition number 1

Reviewed on 02/27/2020

Trade name: Additive M29

(Contd. of page 1)

Other hazards None

3 Composition/information on ingredients

Chemical characterization: Mixtures**Description:** Mixture of the substances listed below with nonhazardous additions.**Declarable components:****CAS no.**

56-81-5	glycerol	>50-<80%
6834-92-0	Disodium metasilicate	>5-<15%

Additional information:

The specific chemical identity and/or exact percentage concentration of proprietary components is withheld as a trade secret.

4 First-aid measures

Description of first aid measures**General information:**

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

Not applicable, as the concentrate is not volatile.

After skin contact: Immediately wash with water and soap and rinse thoroughly.

After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.

Information for doctor:

Most important symptoms and effects, both acute and delayed No further relevant information available.

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents: CO₂, extinguishing powder or water spray. Fight larger fires with water spray.

For safety reasons unsuitable extinguishing agents: Water with full jet

Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

Advice for firefighters

Protective equipment: Mouth respiratory protective device.

Additional information Cool endangered receptacles with water spray.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

Environmental precautions: Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

(Contd. on page 3)

Safety Data Sheet

acc. to 29 CFR 1910.1200 (OSHA Hazcom 2012)

Issued on 02/27/2020

Edition number 1

Reviewed on 02/27/2020

Trade name: Additive M29

(Contd. of page 2)

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

Handling:**Precautions for safe handling**

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

The product has been classified and marked in accordance with directives on hazardous materials.

Observe the general safety regulations when handling chemicals.

Information about protection against explosions and fires: Keep respiratory protective device available.**Conditions for safe storage, including any incompatibilities****Storage:****Requirements to be met by storerooms and receptacles:** Store only in the original receptacle.**Information about storage in one common storage facility:**

Do not store together with oxidizing and acidic materials.

Further information about storage conditions:

Protect from heat and direct sunlight.

Protect from frost.

Keep receptacle tightly sealed.

Optimal storage temperature between 32°F and 104°F

Minimum shelf life: In closed, original container, at least 24 months.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems: No further data; see item 7.**Control parameters****Components with limit values at the workplace:****56-81-5 glycerol**

EL (Canada)	Long-term value: 10* 3** mg/m ³ *mist, total; **mist, respirable
EV (Canada)	Long-term value: 10 mg/m ³
PEL (USA)	Long-term value: 15* 5** mg/m ³ mist; *total dust **respirable fraction
TLV (USA)	TLV withdrawn-insufficient data human occup. exp.

Additional information: The lists that were valid during the creation were used as basis.**Exposure controls****Personal protective equipment:****General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Respiratory Protection: Not required.

(Contd. on page 4)

USA

Trade name: Additive M29

(Contd. of page 3)

Protection of hands:

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves (recommended): Suitable protective gloves: Nitrile gloves, minimum thickness of 0.3 mm.

Breakthrough time of glove material:

The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection (recommended):

Eye protector with side protection (framed eyeglasses) ANSI Z87.1 – 2010

Use of tight fitting goggles

Body protection (recommended): Protective work clothing

9 Physical and chemical properties

Information on basic physical and chemical properties

General Information

Appearance:

Form:	Fluid
Color:	Colorless
Odor:	Odorless
Odor threshold:	Not determined.

pH-value: 7.5 @ 5% in H₂O (DIN 51369 / ASTM D1287)

Change in condition:

Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	>250 °C (>482 °F) (DIN 51751 / ASTM D86)

Flash point: >180 °C (>356 °F) (ISO 2592 / ASTM D92)

Evaporation rate Not determined.

Flammability (solid, gaseous): Not applicable.

Explosion limits (@1013 mbar):

Lower:	Not determined.
Upper:	Not determined.

Oxidizing properties Not applicable.

Relative density 1.27 @ 68°F (20°C) (DIN 51757 / ASTM D1217)

Not determined.

Vapor density Not applicable.

Not determined.

Evaporation rate Not determined.

Solubility in / Miscibility with

Water:	Soluble.
--------	----------

Partition coefficient (n-octanol/water): Not determined.

Auto-ignition temperature: Product is not selfigniting.

Decomposition temperature: Not determined.

Viscosity

Kinematic:	Not determined.
------------	-----------------

VOC content: Not determined.

(Contd. on page 5)

USA

Safety Data Sheet

acc. to 29 CFR 1910.1200 (OSHA Hazcom 2012)

Issued on 02/27/2020

Edition number 1

Reviewed on 02/27/2020

Trade name: Additive M29

(Contd. of page 4)

Other information: none
No further relevant information available.

10 Stability and reactivity

Reactivity None known if used as directed.

Chemical stability Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

Possibility of hazardous reactions Reacts with strong acids and oxidizing agents.

Conditions to avoid No further relevant information available.

Incompatible materials: No further relevant information available.

Hazardous decomposition products

(in case of fire or oxidation):

Carbon monoxide and carbon dioxide

11 Toxicological information

Information on toxicological effects

Acute toxicity:

LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Oral	LD50	>10,971 mg/kg (rat)
Inhalative	LD50	>19.6 mg/L (rat)

6834-92-0 Disodium metasilicate

Oral	LD50	>1,152 mg/kg (rat)
Dermal	LD50	>5,000 mg/kg (rat)
Inhalative	LD50	>2.06 mg/L (rat)

Primary irritant effect:

on the skin:

Strong caustic effect on skin and mucous membranes.

Caustic effect on skin and mucous membranes.

on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

Sensitization: No sensitizing effects known.

Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

IARC (International Agency for Research on Cancer)

None of the ingredients is listed in groups 1, 2A, or 2B.

NTP (National Toxicology Program)

None of the ingredients are listed.

USA

(Contd. on page 6)

Safety Data Sheet

acc. to 29 CFR 1910.1200 (OSHA Hazcom 2012)

Issued on 02/27/2020

Edition number 1

Reviewed on 02/27/2020

Trade name: Additive M29

(Contd. of page 5)

12 Ecological information

Toxicity

Aquatic toxicity:

6834-92-0 Disodium metasilicate

LC50/96h 210 mg/l (Brachydanio rerio)

EC50/48h 1,700 mg/L (Daphnia magna)

Persistence and degradability No further relevant information available.**Behavior in environmental systems:****Bioaccumulative potential** No further relevant information available.**Mobility in soil** No further relevant information available.**Additional ecological information:**

General notes:

Do not allow product to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Results of PBT and vPvB assessment

PBT: Not applicable.**vPvB:** Not applicable.**Other adverse effects** No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Used containers

Recommendation: Disposal must be made according to official regulations.

14 Transport information

UN-Number

DOT, IMDG, IATA

Not regulated

DOT, IMDG, IATA

Not regulated

DOT, IMDG, IATA

Hazard Classification:

Not regulated

DOT, IMDG, IATA

Not regulated

Environmental hazards

Not applicable.

Special precautions for user

Not applicable.

Transport/Additional information: Not hazardous according to the above specifications.

IATA

IATA Dangerous Goods Regulation (DGR): latest edition

UN "Model Regulation":

Not regulated

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture:

SARA (Superfund Amendments and Reauthorization)

Section 355 (extremely hazardous substances):

None of the ingredients are listed.

(Contd. on page 7)

USA

Safety Data Sheet

acc. to 29 CFR 1910.1200 (OSHA Hazcom 2012)

Issued on 02/27/2020

Edition number 1

Reviewed on 02/27/2020

Trade name: Additive M29

(Contd. of page 6)

Section 313 (Specific toxic chemical listings):

This product does not contain a chemical that are listed in Section 313.

TSCA (Toxic Substances Control Act):

All ingredients are listed on the U.S. TSCA inventory or exempt from premanufacture notice requirements.

California Proposition 65

This product contains one or more chemicals listed under California Proposition 65. Such chemicals are not used as raw materials in the product formulation but rather are typical impurities.

Carcinogenic categories:**EPA (Environmental Protection Agency)**

None of the ingredients are listed.

NIOSH-Carcinogen list

None of the ingredients are listed.

California SCAQMD Rule 1144: Not applicable.**GHS label elements** GHS label elements are issued under section 2.**16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

H.R.2420 (RoHS):

This product fulfill the H.R.2420 requirements in that the EDEE Act regulated materials are absent or their concentrations are significantly below regulatory thresholds.

BSE/TSE:

Materials and/or synthetically modified materials which are of animal origin from bovine, ovine, goats, cats, dogs, deer, elk and/or mink, are NOT included in this product.

NFPA ratings (scale 0-4)

Health = 1
 Fire = 1
 Reactivity = 0

Department issuing SDS: Product Stewardship**Editor's notice:**

The above mentioned data correspond to our present state of knowledge and experience. The safety data sheet serves as description of the products in regard to necessary safety measures. The indications have not the meaning of guarantees on properties.

Abbreviations and acronyms:

RoHS: Restriction of Hazardous Substances

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

ISO: International Organisation for Standardisation

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic chemicals

vPvB: very Persistent and very Bioaccumulative chemicals

NIOSH: National Institute for Occupational Safety and Health

OSHA: Occupational Safety and Health Administration

ATE: Acute Toxicity Estimate

Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

(Contd. on page 8)

Safety Data Sheet
acc. to 29 CFR 1910.1200 (OSHA Hazcom 2012)

Issued on 02/27/2020

Edition number 1

Reviewed on 02/27/2020

Trade name: Additive M29

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

(Contd. of page 7)

*** Data compared to the previous version altered.**

The asterisk (*) on the left side indicate the respective changes from the previous version.

— USA —