

Reviewed on 08/21/2020

Issued on 08/21/2020

Edition number 1

1 Identification

Product identifier

Trade name: Rinse Oil

Article number: 03155-01 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. Application of the substance / the preparation: For industrial use only Metal working fluid

Details of the supplier of the safety data sheet Manufacturer / Supplier:

Manufacturer / Supplier: BLASER SWISSLUBE, Inc. 31 Hatfield Lane Goshen, NY 10924 USA Phone: +1 (0) 845 294 32 00 Fax .: +1 (0) 845 294 31 02 Mailto: mailboxusa@blaser.com

Information department:

Product Safety Department E-mail: sds@blaser.com

Emergency telephone number:

For advice on chemical emergencies, spillages, fires or exposures: +1 866 928 0789 (Toll free).

2 Hazard(s) identification

OSHA/HCS status

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). Classification of the substance or mixture

May be fatal if swallowed and enters airways.

Label elements

GHS label elements The product is classified and labeled according to 29 CFR 1910.1200 (OSHA Hazcom 2012). **Hazard pictograms**



```
Signal word Danger

Hazard statements

H304 May be fatal if swallowed and enters airways.

Precautionary statements

P301+P310 If swallowed: Immediately call a poison center/doctor.

P331
Do NOT induce vomiting.

P405
Store locked up.

P501
Dispose of contents/container in accordance with local/regional/national/international regulations.
```

Other hazards None

3 Composition/information on ingredients

Chemical characterization: Mixtures

Description:

Mixture of the substances listed below with nonhazardous additions. HC-oils, mixture of saturated hydrocarbons with additives.

(Contd. on page 2)

Edition number 1



Reviewed on 08/21/2020

Issued on 08/21/2020 Trade name: Rinse Oil

(Contd. of page 1)
>50-<80%
>25-<50%

Additional information:

The specific chemical identity and/or exact percentage concentration of proprietary components is withheld as a trade secret.

4 First-aid measures

Description of first aid measures

After inhalation: Not applicable, as the concentrate is not volatile.

After skin contact: Generally the product does not irritate the skin.

After eye contact: Rinse opened eye for several minutes under running water.

After swallowing:

Do not induce vomiting; immediately call for medical help.

A person vomiting while lying on their back should be turned onto their side.

Information for doctor:

Most important symptoms and effects, both acute and delayed Nausea / vomiting

Indication of any immediate medical attention and special treatment needed

If swallowed or in case of vomiting, danger of entering the lungs.

Medical supervision for at least 48 hours.

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents: CO₂, extinguishing powder or water spray. Fight larger fires with water spray. For safety reasons unsuitable extinguishing agents: Water with full jet Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

Advice for firefighters

Protective equipment:

Do not enter into the fire area without protective clothing including autonomous respiratory protection (SCBA). Additional information Cool endangered receptacles with water spray.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep away from ignition sources

Wear protective clothing.

Environmental precautions: Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

Handling:

Precautions for safe handling

Use only in well ventilated areas.

The product has been classified and marked in accordance with directives on hazardous materials.

Edition number 1



Reviewed on 08/21/2020

Issued on 08/21/2020

Trade name: Rinse Oil

(Contd. of page 2) Observe the general safety regulations when handling chemicals. Information about protection against explosions and fires: No special measures required. Conditions for safe storage, including any incompatibilities Storage: Requirements to be met by storerooms and receptacles: Store only in the original receptacle. Information about storage in one common storage facility: Store away from oxidizing agents. Further information about storage conditions:

Protect from heat and direct sunlight.

Optimal storage temperature between -4°F and +104°F

Minimum shelf life: In closed, original container, at least 24 months.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems: No further data; see item 7.

Control parameters

Components with limit values at the workplace:

NIOSH Recommended exposure limit for Metalworking fluids: 0.5 mg/m3 (particulate)

64742-46-7 Hydrocarbons C_{15} - C_{20} , N-alkanes, iso alkanes

ACGIH TLV (US) Long-term value: 5 mg/m³ OSHA PEL (US) Long-term value: 5 mg/m³

Additional information: The lists that were valid during the creation were used as basis.

Exposure controls

Personal protective equipment:

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Respiratory Protection: Not required.

Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation **Material of gloves (recommended):** Suitable protective gloves: Nitrile gloves, minimum thickness of 0.3 mm. **Breakthrough time of glove material:**

The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed. **Eye protection (recommended):**

Eye protector with side protection (framed eyeglasses) ANSI Z87.1 - 2010

Use of tight fitting goggles

Body protection (recommended): Protective work clothing

9 Physical and chemical properties

Information on basic physic General Information Appearance:	al and chemical properties	
Form:	Fluid	
Color:	Clear	
Odor:	neutral	
Odor threshold:	Not determined.	
pH-value:	Not applicable.	
		(Contd. on page 4)

(Contd. on page 4)



Reviewed on 08/21/2020

Issued on 08/21/2020

Edition number 1

Trade name: Rinse Oil

	(Contd. of pag
Change in condition: Melting point/Melting range: Boiling point/Boiling range:	Undetermined. >250 °C (>482 °F) (DIN 51751 / ASTM D86)
Flash point: Evaporation rate	>150 °C (>302 °F) (ISO 2592 / ASTM D92) Not determined.
Flammability (solid, gaseous):	Not applicable.
Explosion limits (@1013 mbar): Lower: Upper: Oxidizing properties Relative density Vapor density	general values for mineral oil, therefore not product specific Not determined. Not determined. Not applicable. 0.80 @ 68°F (20°C) (DIN 51757 / ASTM D1217) Not applicable. Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with Water:	Insoluble.
Partition coefficient (n-octanol/water) Auto-ignition temperature: Decomposition temperature:	: Not determined. Product is not selfigniting. Not determined.
Viscosity Dynamic: Kinematic at 40 °C (104 °F):	Not determined. 6 mm²/s (ISO 3104 / ASTM D445)
VOC content:	78 g/l (ASTM E1868-10)
Other information:	none No further relevant information available.

10 Stability and reactivity

Reactivity None known if used as directed.

Chemical stability Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

Possibility of hazardous reactions Reacts with strong oxidizing agents.

Conditions to avoid No further relevant information available.

Incompatible materials: No further relevant information available.

Hazardous decomposition products

(in case of fire or oxidation):

Carbon monoxide and carbon dioxide

11 Toxicological information

Information on toxicological effects

Acute toxicity:

LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Dermal LD50 >5,745 mg/kg (rabbit)

64742-46-7 Hydrocarbons C₁₅ - C₂₀, N-alkanes, iso alkanes

Oral LD50 >5,000 mg/kg (rat) (OECD 401)

Dermal LD50 >3,160 mg/kg (rabbit) (OECD 402)

Inhalative LD50 >5,266 mg/L (rat) (OECD 403)

(Contd. on page 5)

Edition number 1



Reviewed on 08/21/2020

(Contd. of page 4)

Issued on 08/21/2020

Trade name: Rinse Oil

Primary irritant effect:

on the skin: Contact may degrease the skin and cause skin inflammation (dermatitis). on the eye: No irritating effect.

Sensitization: No sensitizing effects known.

Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

IARC (International Agency for Research on Cancer)

None of the ingredients is listed in groups 1, 2A, or 2B.

NTP (National Toxicology Program)

None of the ingredients are listed.

12 Ecological information

Toxicity

reality				
Aquatic toxicity:				
64742-46-7 Hydrocarbons C₁₅ - C₂₀, N-alkanes, iso alkanes				
EC50/96h	>10,000 mg/L (Algae) (ISO 10253)			
	>1,028 mg/L (Brachydanio rerio) (OECD 203)			
EC50/48h	>3,193 mg/L (Daphnia magna) (ISO 14669)			
Persistence and degradability Easily biodegradable				
Behavior in environmental systems:				
Bioaccumulative potential No further relevant information available.				
Mobility in soil No further relevant information available.				
Additional ecological information:				
General notes: Do not allow product to reach ground water, water course or sewage system.				
Results of PBT and vPvB assessment				
PBT: Not applicable.				
vPvB: Not	vPvB: Not applicable.			
Other adv	Other adverse effects No further relevant information available.			

13 Disposal considerations

Waste treatment methods

Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Used containers

Recommendation: Disposal must be made according to official regulations.

UN-Number		
DOT, IMDG, IATA	Not regulated	
DOT, IMDG, IATA	Not regulated	
DOT, IMDG, IATA		
Hazard Classification:	Not regulated	
DOT, IMDG, IATA	Not regulated	
Environmental hazards		
Marine pollutant (according to IM	DG): No	
Special precautions for user	Not applicable.	

- USA



Reviewed on 08/21/2020

Issued on 08/21/2020

Edition number 1

Trade name: Rinse Oil

	(Contd. of page 5)
Transport/Additional information:	Not hazardous according to the above specifications.
ΙΑΤΑ	IATA Dangerous Goods Regulation (DGR): latest edition
UN "Model Regulation":	Not regulated

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture:

SARA (Superfund Amendments and Reauthorization)

Section 355 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

This product does not contain a chemical that are listed in Section 313.

TSCA (Toxic Substances Control Act):

All ingredients are listed on the U.S. TSCA inventory or exempt from premanufacture notice requirements.

California Proposition 65

This product contains one or more chemicals listed under California Proposition 65. Such chemicals are not used as raw materials in the product formulation but rather are typical impurities.

Carcinogenic categories:

EPA (Environmental Protection Agency)

None of the ingredients are listed.

NIOSH-Carcinogen list

None of the ingredients are listed.

California SCAQMD Rule 1144:

Category: Metalworking Fluid-Metal Removal-Precision. Recordkeeping requirement: reportable; contains 78 g/l VOC per test method ASTM E1868-10. **GHS label elements** GHS label elements are issued under section 2.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

H.R.2420 (RoHS):

This product fulfill the H.R.2420 requirements in that the EDEE Act regulated materials are absent or their concentrations are significantly below regulatory thresholds.

IP346:

The mineral oil used in this product passes IP346 for DMSO extractable PAH's (Polycyclic aromatic hydrocarbons).

BSE/TSE:

Materials and/or synthetically modified materials which are of animal origin from bovine, ovine, goats, cats, dogs, deer, elk and/or mink, are NOT included in this product.

NFPA ratings (scale 0-4)



Health = 1 Fire = 1 Reactivity = 0

Department issuing SDS: Product Stewardship

Editor's notice:

The above mentioned data correspond to our present state of knowledge and experience. The safety data sheet serves as description of the products in regard to necessary safety measures. The indications have not the meaning of guarantees on properties.

Page 7/7

Safety Data Sheet acc. to 29 CFR 1910.1200 (OSHA Hazcom 2012)



Edition number 1

Issued on 08/21/2020

(Contd. of page 6)

Reviewed on 08/21/2020

Trade name: Rinse Oil

Abbreviations and acronyms: ICAO: International Civil Aviation Organisation RoHS: Restriction of Hazardous Substances ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals ACGIH: American Conference of Governmental Industrial Hygienists CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) ISO: International Organisation for Standardisation LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent DMSO: Dimethyl sulphoxide extract IP 346: Institute of Petroleum and related for testing methods for petroleum and fuel products. PBT: Persistent, Bioaccumulative and Toxic chemicals vPvB: very Persistent and very Bioaccumulative chemicals NIOSH: National Institute for Occupational Safety and Health OSHA: Occupational Safety and Health Administration ATE: Acute Toxicity Estimate Asp. Tox. 1: Aspiration hazard - Category 1 * Data compared to the previous version altered. The asterisk (*) on the left side indicate the respective changes from the previous version. USA