SAFETY DATA SHEET



B-Cool 755

Section 1. Identification

GHS product identifier : B-Cool 755 Article No. : US 11755-41 **Product type** : Liquid. Relevant identified uses of the substance or mixture and uses advised against **Identified uses** Industrial use only. Metal working fluids **Uses advised against** Consumer use. Manufactured/supplied : Blaser Swisslube Inc. 31 Hatfield Lane Goshen, NY 10924 Tel:+1 845 294 32 00 Mail: mailboxusa@blaser.com e-mail address of person : reach@blaser.com responsible for this SDS : +1 866 928 0789 (Toll free) **Emergency telephone** number (with hours of operation) Section 2. Hazards identification **OSHA/HCS** status : This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). **Classification of the** : SKIN IRRITATION - Category 2 **EYE IRRITATION - Category 2A** substance or mixture **TOXIC TO REPRODUCTION - Category 2 GHS** label elements **Hazard pictograms** Signal word : Warning **Hazard statements** : H315 - Causes skin irritation. H319 - Causes serious eye irritation. H361 - Suspected of damaging fertility or the unborn child. **Precautionary statements Prevention** : P201 - Obtain special instructions before use. P202 - Do not handle until all safety precautions have been read and understood. P280 - Wear protective gloves, protective clothing and eye or face protection. P264 - Wash thoroughly after handling.

1/14



Section 2. Hazards identification

| Response | P308 + P313 - IF exposed or concerned: Get medical advice or attention. P302 + P352 - IF ON SKIN: Wash with plenty of water. P332 + P313 - If skin irritation occurs: Get medical advice or attention. P362 + P364 - Take off contaminated clothing and wash it before reuse. P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical advice or attention. |
|----------------------------------|--|
| Storage | : P405 - Store locked up. |
| Disposal | : P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations. |
| Hazards not otherwise classified | : None known. |

Section 3. Composition/information on ingredients

Substance/mixture

: Mixture

| Ingredient name | % | Identifiers |
|---|-----|-----------------|
| 1-aminopropan-2-ol | ≤10 | CAS: 78-96-6 |
| Phosphoric acid, isotridecyl ester | ≤5 | CAS: 52933-07-0 |
| 5(or 6)-carboxy-4-hexylcyclohex-2-ene-1-octanoic acid | ≤5 | CAS: 53980-88-4 |
| benzotriazole | ≤3 | CAS: 95-14-7 |
| dicyclohexylamine | ≤3 | CAS: 101-83-7 |

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

Additional information :

Neutralisation product: Equilibrium of Ionic Pairs according to REACH Annex V, 4.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and would require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

| Eye contact | : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Continue to rinse for at least 10 minutes. Check for and remove any contact lenses. Get medical attention. |
|--------------|---|
| Inhalation | : Avoid breathing vapor or mist. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. Remove victim to fresh air and keep at rest in a position comfortable for breathing. |
| Skin contact | : Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse. |



Section 4. First aid measures

| Ingestion | : Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. |
|-----------------------------|---|
| Most important symptoms/ | |
| Potential acute health effe | <u>cts</u> |
| Eye contact | : Causes serious eye irritation. |
| Inhalation | : No known significant effects or critical hazards. |
| Skin contact | : Causes skin irritation. |
| Ingestion | : No known significant effects or critical hazards. |
| Over-exposure signs/sym | <u>ptoms</u> |
| Eye contact | : Adverse symptoms may include the following: pain or irritation watering redness |
| Inhalation | : Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations |
| Skin contact | : Adverse symptoms may include the following: irritation redness reduced fetal weight increase in fetal deaths skeletal malformations |
| Ingestion | : Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations |
| Indication of immediate me | dical attention and special treatment needed, if necessary |
| Notes to physician | : In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. |
| Specific treatments | : No specific treatment. |
| Protection of first-aiders | : No action shall be taken involving any personal risk or without suitable training. It may |

See toxicological information (Section 11)

Section 5. Fire-fighting measures

| Extinguishing media | |
|--|---|
| Suitable extinguishing media | : Use an extinguishing agent suitable for the surrounding fire. |
| Unsuitable extinguishing media | : None known. |
| Specific hazards arising from the chemical | : In a fire or if heated, a pressure increase will occur and the container may burst. |

be dangerous to the person providing aid to give mouth-to-mouth resuscitation.



| Hazardous thermal decomposition products | : Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides phosphorus oxides |
|--|---|
| Special protective actions for fire-fighters | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| Special protective equipment for fire-fighters | : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |

Blaser. SWISSLUBE

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

| For non-emergency personnel | : | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. |
|--------------------------------|---|--|
| For emergency responders | : | If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| Environmental precautions | : | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |

Methods and materials for containment and cleaning up

| Spill | : Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. |
|-------|---|
|-------|---|

Section 7. Handling and storage

Precautions for safe handling

| Protective measures | : Put on appropriate personal protective equipment (see Section 8). Avoid exposure - obtain special instructions before use. Avoid exposure during pregnancy. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container. |
|--|---|
| Advice on general occupational hygiene | : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |



Section 7. Handling and storage

| Conditions for safe storage, | 1 | Store between the following temperatures: 0 to 40°C (32 to 104°F). Shelf life: 18 |
|------------------------------|---|--|
| including any | | months. Store in accordance with local regulations. Store in original container |
| incompatibilities | | protected from direct sunlight in a dry, cool and well-ventilated area, away from |
| | | incompatible materials (see Section 10) and food and drink. Store locked up. Keep |
| | | container tightly closed and sealed until ready for use. Containers that have been |
| | | opened must be carefully resealed and kept upright to prevent leakage. Do not store in |
| | | unlabeled containers. Use appropriate containment to avoid environmental |
| | | contamination. See Section 10 for incompatible materials before handling or use. |

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

NIOSH Recommended exposure limit for Metalworking fluids: 0.5 mg/m3 (particulate)

| Ingredient name | Exposure limits | |
|---|-----------------|--|
| 1-aminopropan-2-ol | None. | |
| Phosphoric acid, isotridecyl ester | None. | |
| 5(or 6)-carboxy-4-hexylcyclohex-2-ene-1-octanoic acid | None. | |
| benzotriazole | None. | |
| dicyclohexylamine | None. | |

Biological exposure indices

No exposure indices known.

Appropriate engineering controls
 If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.
 Environmental exposure
 Emissions from ventilation or work process equipment should be checked to ensure

controls comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

| Individual protection measures | |
|--------------------------------|---|
| Hygiene measures : | Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. |
| Eye/face protection : | Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles. |
| Skin protection | |
| Hand protection : | Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. Wear suitable gloves tested to EN374. Nitrile gloves. thickness 0.3 mm (minimum). |
| Body protection : | Personal protective equipment for the body should be selected based on the task being performed and the risks involved before handling this product. |
| Other skin protection : | Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved before handling this product. |

Date of issue/Date of revision

Date of previous issue

ue : No



Section 8. Exposure controls/personal protection

```
Respiratory protection
```

: A respirator is not needed under normal and intended conditions of product use. If workers are exposed to concentrations above the exposure limit, they must use appropriate, certified respirators.

Section 9. Physical and chemical properties and safety characteristics

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

| Appearance | | |
|------------------------------|---|--------------------------------|
| Physical state | 1 | Liquid. |
| Color | : | Yellowish. |
| Odor | 1 | Characteristic. |
| Odor threshold | 1 | Not available. |
| рН | 1 | 9.5 to 9.5 [Conc. (% w/w): 5%] |
| Melting point/freezing point | 1 | Not available. |
| Pour point | : | <32°F |
| Boiling point or initial | 1 | Not available. |
| boiling point and boiling | | |
| range | | |
| Flash point | 4 | Not available. |
| Evaporation rate | 4 | Not available. |
| Flammability | 1 | Not available. |
| Lower and upper explosion | 1 | Not available. |
| limit/flammability limit | | |
| Vapor pressure | 1 | Not available. |
| Relative vapor density | 1 | Not available. |
| Relative density | 1 | Not available. |
| Density | 1 | 0.952 g/cm³ [68°F (20°C)] |
| Solubility(ies) | 1 | |

| | Media | | Result |
|----|---|---|--|
| | cold water hot water | | Dispersible Dispersible |
| | artition coefficient: n- ctanol/water | : | Not applicable. |
| A | uto-ignition temperature | 1 | Not available. |
| D | ecomposition temperature | 4 | Not available. |
| Vi | scosity | : | Dynamic (room temperature): Not available. Kinematic (room temperature): Not available. Kinematic (104°F (40°C)): Not available. |
| V | OC content | 1 | 65 g/I (ASTM E1868-10); Concentrate in the packaging as sold. |
| | | | 9.8 g/l (ASTM E1868-10); @ Maximum concentration |
| | article characteristics ledian particle size | : | Not applicable. |



| Hazardous decomposition products | : Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
|------------------------------------|--|
| Incompatible materials | : No specific data. |
| Conditions to avoid | : No specific data. |
| Possibility of hazardous reactions | : Under normal conditions of storage and use, hazardous reactions will not occur. |
| Chemical stability | : Shelf life: 18 months. |
| Reactivity | : No specific test data related to reactivity available for this product or its ingredients. |

Blaser.

Section 11. Toxicological information

| Information on toxicological effects | |
|--|--|
| Acute toxicity | |
| Product/ingredient name | Result |
| 1-aminopropan-2-ol | Rabbit - Dermal - LD50 1851 mg/kg |
| | Rat - Oral - LD50 |
| | 2098 mg/kg |
| Phosphoric acid, isotridecyl ester | Rat - Oral - LD50 |
| | >2000 mg/kg |
| | Rat - Dermal - LD50 |
| | >2000 mg/kg |
| 5(or 6)-carboxy-4-hexylcyclohex-2-ene- | Rat - Oral - LD50 |
| 1-octanoic acid | 6176 mg/kg |
| | <u>Toxic effects</u> : Lung, Thorax, or Respiration - Dyspnea Gastrointestinal - Gastritis Gastrointestinal - Ulceration or |
| | bleeding from small intestine |
| benzotriazole | Rat - Oral - LD50 |
| benzonazoie | 560 mg/kg |
| | Rabbit - Dermal - LD50 |
| | >2000 mg/kg |
| dicyclohexylamine | Rat - Oral - ĽD50 |
| | 373 mg/kg |
| | Rabbit - Dermal - LD50 |
| | 200 to 316 mg/kg |
| Conclusion/Summary [Product] : Not | available. |
| | |
| Skin corrosion/irritation | |
| Product/ingredient name | Result |
| 1-aminopropan-2-ol | Rabbit - Skin - Mild irritant |
| | Duration of treatment/exposure: 24 hours |
| | Amount/concentration applied: 500 mg |
| | Rabbit - Skin - Moderate irritant |
| | Amount/concentration applied: 485 mg |
| dicyclohexylamine | Rabbit - Skin - Severe irritant Duration of treatment/exposure: 24 hours |
| | <u>Amount/concentration applied</u> : 2 mg |
| | <u>Amount of the applied</u> . 2 mg |
| Conclusion/Summary [Product] : pH | value - Used for classification |
| | |

| Date of issue/Date of revision | : 5/1/2025 | Date of previous issue | : No previous | Version | : 1 | 7/14 | US |
|--------------------------------|------------|------------------------|---------------|---------|-----|------|----|
| | | | validation | | | | |



Section 11. Toxicological information

| Product/ingredient name | Result |
|---|--|
| 1-aminopropan-2-ol | Rabbit - Eyes - Severe irritant |
| | <u>Duration of treatment/exposure</u> : 24 hours <u>Amount/concentration applied</u> : 250 ug |
| | Rabbit - Eyes - Severe irritant |
| | Amount/concentration applied: 970 ug |
| dicyclohexylamine | Rabbit - Eyes - Severe irritant Duration of treatment/exposure: 24 hours |
| | Amount/concentration applied: 750 ug |
| Conclusion/Summary [Product] | : pH value - Used for classification |
| Respiratory corrosion/irritation | |
| Not available. | |
| Conclusion/Summary [Product] | : Not available. |
| Respiratory or skin sensitization | |
| Not available. | |
| Not available. | |
| Skin | |
| Conclusion/Summary [Product] | : Not available. |
| Respiratory | |
| Conclusion/Summary [Product] | : Not available. |
| Germ cell mutagenicity | |
| Not available. | |
| Conclusion/Summary [Product] | : Not available. |
| Carcinogenicity | |
| Not available. | |
| Conclusion/Summary [Product] | : Not available. |
| Poproductive toxicity | |
| <u>Reproductive toxicity</u> Product/ingredient name | Result |
| 1-aminopropan-2-ol | Mammal - species unspecified - Unreporte |
| r anniopropan-z-or | Fertility effects: Equivocal |
| Conclusion/Summary [Product] | : Not available. |
| Specific target organ toxicity (single | exposure) |
| Not available. | |

8/14



Section 11. Toxicological information

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on the likely routes of exposure

Not available.

| Potential acute health effects |
|--------------------------------|
|--------------------------------|

| Eye contact | : Causes serious eye irritation. |
|--------------|---|
| Inhalation | : No known significant effects or critical hazards. |
| Skin contact | : Causes skin irritation. |
| Ingestion | : No known significant effects or critical hazards. |

Symptoms related to the physical, chemical and toxicological characteristics

| Eye contact | Adverse symptoms may include the following: pain or irritation watering redness |
|--------------|--|
| Inhalation | : Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations |
| Skin contact | : Adverse symptoms may include the following: irritation redness reduced fetal weight increase in fetal deaths skeletal malformations |
| Ingestion | : Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations |

| Short term exposure | |
|--------------------------------|------------------|
| Potential immediate effects | : Not available. |
| Potential delayed effects | : Not available. |
| Long term exposure | |
| Potential immediate effects | : Not available. |
| Potential delayed effects | : Not available. |

Potential chronic health effects

Not available.

Conclusion/Summary [Product]

: Not available.

| General : No known significant effects or critical hazards. | |
|---|--|
|---|--|

Carcinogenicity : No known significant effects or critical hazards.



US

Section 11. Toxicological information

- **Mutagenicity**
- Reproductive toxicity

No known significant effects or critical hazards.Suspected of damaging fertility or the unborn child.

Numerical measures of toxicity

Acute toxicity estimates

| Product/ingredient name | Oral (mg/ kg) | Dermal (mg/kg) | Inhalation (gases) (ppm) | Inhalation (vapors) (mg/l) | Inhalation (dusts and mists) (mg/l) |
|---|------------------|-------------------|--------------------------------|----------------------------------|--|
| B-Cool 755 | >2000 | >2000 | N/A | N/A | N/A |
| 1-aminopropan-2-ol | 2098 | 1851 | N/A | N/A | N/A |
| Phosphoric acid, isotridecyl ester | 2500 | 2500 | N/A | N/A | N/A |
| 5(or 6)-carboxy-4-hexylcyclohex-2-ene-1-octanoic acid | 6176 | N/A | N/A | N/A | N/A |
| benzotriazole | 560 | 2500 | N/A | N/A | N/A |
| dicyclohexylamine | 100 | 300 | N/A | N/A | N/A |

Section 12. Ecological information

| 5 | |
|---|--|
| Toxicity | |
| Product/ingredient name | Result |
| dicyclohexylamine | Acute - LC50 Fish 12 mg/l [96 hours] Acute - EC50 Daphnia 8 mg/l [48 hours] Acute - NOEC Daphnia 0.016 mg/l [21 days] LC50 Algae 0.38 mg/l [72 hours] NOEC Algae 0.013 mg/l [72 hours] |
| Conclusion/Summary [Product] | : Not available. |
| Persistence and degradability Not available. | |
| Conclusion/Summary [Product] | : Not available. |
| Bioaccumulative potential | |

| Product/ingredient name | LogPow | BCF | Potential |
|-------------------------------------|---------------|-----------|------------|
| 1-aminopropan-2-ol benzotriazole | -0.96 1.44 | 0.11 - | Low Low |
| dicyclohexylamine | 2.724 | - | Low |

Mobility in soil

Soil/Water partition : Not available. coefficient



Section 12. Ecological information

Other adverse effects

No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

| | DOT Classification | TDG Classification | Mexico Classification | IMDG | ΙΑΤΑ | |
|--|-----------------------|---|---|---|---|--|
| UN number | Not regulated. | UN3082 | UN3082 | UN3082 | UN3082 | |
| UN proper shipping name | - | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (2,2',2"- nitrilotriethanol, Phosphoric acid, isotridecyl ester) | |
| Transport hazard class(es) | - | 9 | | | | |
| Packing group | - | Ш | Ш | 111 | Ш | |
| Environmental hazards | No. | Yes. | Yes. | Yes. | Yes. | |
| Additional inform | ation | | | | | |
| TDG Classification : Product classified as per the following sections of the Transportation of Dangerous Goods Regulations: 2.43-2.45 (Class 9), 2.7 (Marine pollutant mark). Non-bulk packages of this product are not regulated as dangerous goods when transported by road or rail. | | | | | | |
| Mexico Classifio | | environmentally hazardous substance mark is not required when transported in $f \leq 5$ L or ≤ 5 kg. | | | | |
| IMDG | ≤5 k | product is not regulat g, provided the packa .4 to 4.1.1.8. | | | | |
| IATA : This product is not regulated as a dangerous good when transported in sizes of ≤5 L of | | | | | d in sizes of ≤5 L or | |

 This product is not regulated as a dangerous good when transported in sizes of ≤5 L or ≤5 kg, provided the packagings meet the general provisions of 5.0.2.4.1, 5.0.2.6.1.1 and 5.0.2.8.

: 1



Section 14. Transport information

| Special precautions for user | : | Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage. |
|--|---|---|
| Transport in bulk according to IMO instruments | : | Not available. |

Section 15. Regulatory information

| U.S. Federal regulations | : TSCA 8(a) CDR Exempt/Partial exemption: Not determined |
|---|--|
| | Commerce control list precursor: 2,2',2"-nitrilotriethanol |
| | Clean Water Act (CWA) 311: potassium hydroxide |
| TSCA 12(b) - Chemical exp | ort notification |
| Not applicable. | |
| Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs) | : Not listed |
| Clean Air Act Section 602 Class I Substances | : Not listed |
| Clean Air Act Section 602 Class II Substances | : Not listed |
| DEA List I Chemicals (Precursor Chemicals) | : Not listed |
| DEA List II Chemicals (Essential Chemicals) | : Not listed |
| SARA 302/304 | |
| Composition/information | on ingredients |
| No products were found. | |
| SARA 304 RQ | : Not applicable. |
| SARA 311/312 | |
| Classification | : SKIN IRRITATION - Category 2 EYE IRRITATION - Category 2A TOXIC TO REPRODUCTION - Category 2 |
| Composition/information | on ingredients |

| Composition/information on ingredients |
|--|
|--|

| Name | % | Classification | | |
|---|-------------|---|--|--|
| 1-aminopropan-2-ol | ≤10 | FLAMMABLE LIQUIDS - Category 4 ACUTE TOXICITY (dermal) - Category 4 SKIN CORROSION - Category 1B SERIOUS EYE DAMAGE - Category 1 TOXIC TO REPRODUCTION - Category 2 | | |
| Phosphoric acid, isotridecyl ester | ≤5 | SKIN IRRITATION - Category 2 SERIOUS EYE DAMAGE - Category 1 | | |
| 5(or 6)-carboxy-4-hexylcyclohex-2-ene-1-octanoic acid | ≤5 | SKIN IRRITATION - Category 2 SERIOUS EYE DAMAGE - Category 1 | | |
| benzotriazole | ≤3 | COMBUSTIBLE DUSTS ACUTE TOXICITY (oral) - Category 4 EYE IRRITATION - Category 2A | | |
| dicyclohexylamine | ≤3 | ACUTE TOXICITY (oral) - Category 3 ACUTE TOXICITY (dermal) - Category 3 SKIN CORROSION - Category 1B | | |
| e of issue/Date of revision : 5/1/2025 Date of prev | rious issue | : No previous Version : 1 12/14 US validation | | |



EYE IRRITATION - Category 2A

Riase

SLUBE

California Prop. 65

This product contains one or more chemicals listed under California Proposition 65. Such chemicals are not used as raw materials in the product formulation but rather are typical impurities.

California SCAQMD Rule 1144:

Category: Metalworking Fluid – Metal Removal – General. Recordkeeping requirement: Super Compliant. (< 50 g/L VOC @ max. use concentration)

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals Not listed.

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Inventory list

| Canada | : Not determined. |
|---------------|-------------------|
| United States | : Not determined. |

Section 16. Other information

Procedure used to derive the classification

| Classification | Justification |
|------------------------------|--|
| EYE IRRITATION - Category 2A | Expert judgment Expert judgment Calculation method |

<u>IP346:</u>

The contained refined mineral oils are exempt of labelling. The content of polycyclic aromatic hydrocarbons (PCA) according to IP346 is < 3% (DMSO-extract).

| <u>History</u> | |
|--------------------------------|--|
| Date of printing | : 5/1/2025 |
| Date of issue/Date of revision | : 5/1/2025 |
| Date of previous issue | : No previous validation |
| Version | : 1 |
| Prepared by | : Product Stewardship Blaser Swisslube AG |
| Key to abbreviations | : ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) |

| Ľ | ate of issue/Date of revision | : 5/1/2025 | Date of previous issue | : No previous validation | Version | : 1 | 13/14 | US |
|---|-------------------------------|------------|------------------------|-----------------------------|---------|-----|-------|----|
| | | | | vanuation | | | | |



Section 16. Other information

N/A = Not available SGG = Segregation Group UN = United Nations : Not available.

References

Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.