

1 Identification

Product identifier**Trade name:** Blasoprotect MV 27**Article number:** 00127-02**Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

Application of the substance / the preparation:

For industrial use only

Anticorrosion agent or additive

Details of the supplier of the safety data sheet**Manufacturer / Supplier:**

BLASER SWISSLUBE AG

Winterseistrasse 22

CH-3415 Hasle-Rüegsau

Switzerland

Tel.: +41 (0)34 460 01 01

E-mail: blaser@blaser.com

BLASER SWISSLUBE, Inc.

31 Hatfield Lane

Goshen, NY 10924

USA

Phone: +1 (0) 845 294 32 00

Fax : +1 (0) 845 294 31 02

Mailto: mailboxusa@blaser.com

Information department:

Product Safety Department

E-mail: sds@blaser.com

Emergency telephone number:

For advice on chemical emergencies, spillages, fires or exposures: +1 866 928 0789 (Toll free).

2 Hazard(s) identification

OSHA/HCS status

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Classification of the substance or mixture

Flammable liquid and vapor.

May cause drowsiness or dizziness.

May be fatal if swallowed and enters airways.

Label elements**GHS label elements** The product is classified and labeled according to 29 CFR 1910.1200 (OSHA Hazcom 2012).**Hazard pictograms****Signal word** Danger**Hazard-determining components of labeling:**

Hydrotreated heavy naphtha (petroleum)

Hazard statements

H226 Flammable liquid and vapor.

H336 May cause drowsiness or dizziness.

H304 May be fatal if swallowed and enters airways.

Precautionary statements

P210

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P241

Use explosion-proof electrical/ventilating/lighting/equipment.

(Contd. on page 2)

USA

Safety Data Sheet

acc. to 29 CFR 1910.1200 (OSHA Hazcom 2012)

Blaser.
 SWISSLUBE

Issued on 07/22/2021

Edition number 6

Reviewed on 07/22/2021

Trade name: Blasoprotect MV 27

(Contd. of page 1)

P280 Wear protective gloves/protective clothing/eye protection/face protection.
 P301+P310 If swallowed: Immediately call a poison center/doctor.
 P331 Do NOT induce vomiting.
 P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
 P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 P405 Store locked up.
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards None

3 Composition/information on ingredients

Chemical characterization: Mixtures
Description: Mixture of the substances listed below with nonhazardous additions.

Declarable components:
CAS no.

64742-48-9	Hydrotreated heavy naphtha (petroleum)	>80-<99%
	Reaction products of benzenesulfonic acid, mono-C20-24 (even)-sec-alkyl derivs. para-, calcium salts	<1%

Additional information:

The specific chemical identity and/or exact percentage concentration of proprietary components is withheld as a trade secret.

4 First-aid measures

Description of first aid measures
General information: Immediately remove any clothing soiled by the product.

After inhalation: Not applicable, as the concentrate is not volatile.

After skin contact: Immediately rinse with water.

After eye contact: Rinse opened eye for several minutes under running water.

After swallowing: Do not induce vomiting; immediately call for medical help.

Information for doctor:
Most important symptoms and effects, both acute and delayed No further relevant information available.

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

Extinguishing media
Suitable extinguishing agents: CO₂, extinguishing powder or water spray. Fight larger fires with water spray.

For safety reasons unsuitable extinguishing agents: Water with full jet

Special hazards arising from the substance or mixture No further relevant information available.

Advice for firefighters
Protective equipment: No special measures required.

Additional information Cool endangered receptacles with water spray.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Environmental precautions: Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

(Contd. on page 3)

USA

Trade name: Blasoprotect MV 27

(Contd. of page 2)

Reference to other sections

See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

Handling:

Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
The product has been classified and marked in accordance with directives on hazardous materials.
Observe the general safety regulations when handling chemicals.

Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.

Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: Store only in the original receptacle.

Information about storage in one common storage facility: Store away from oxidizing agents.

Further information about storage conditions:

Protect from heat and direct sunlight.
Keep receptacle tightly sealed.
Optimal storage temperature between 5°F and 104°F
Duration of storage: In original container, at least 3 years.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems: No further data; see item 7.

Control parameters

Components with limit values at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information: The lists that were valid during the creation were used as basis.

Exposure controls

Personal protective equipment:

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.

Respiratory Protection: Not required.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves (recommended): Suitable protective gloves: Nitrile gloves, minimum thickness of 0.3 mm.

Breakthrough time of glove material:

The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)

Trade name: Blasoprotect MV 27

(Contd. of page 3)

Eye protection (recommended):

Eye protector with side protection (framed eyeglasses) ANSI Z87.1 – 2010
Use of tight fitting goggles

Body protection (recommended): Protective work clothing

9 Physical and chemical properties

Information on basic physical and chemical properties

General Information

Appearance:

Form:	Liquid
Color:	Yellow
Odor:	Specific type
Odor threshold:	Not determined.

pH-value: Not applicable.

Change in condition:

Melting point/Melting range:	Not applicable
Boiling point/Boiling range:	>160 °C (>320 °F) (DIN 51751 / ASTM D86)

Flash point: 40 °C (104 °F) (ISO 2592 / ASTM D92)

Evaporation rate: Not determined.

Flammability (solid, gaseous): Not applicable.

Explosion limits (@1013 mbar):

Lower:	0.6 Vol %
Upper:	6 Vol %

Oxidizing properties: Not applicable.

Relative density: 0.8 @ 68°F (20°C) (DIN 51757 / ASTM D1217)

Vapor density: Not applicable.

Evaporation rate: Not determined.

Solubility in / Miscibility with

Water:	Insoluble.
--------	------------

Partition coefficient (n-octanol/water): Not determined.

Auto-ignition temperature: Product is not selfigniting.

Decomposition temperature: Not determined.

Viscosity

Kinematic at 40 °C (104 °F):	1.3 mm ² /s
------------------------------	------------------------

VOC content: Not determined.

Other information:

none
No further relevant information available.

10 Stability and reactivity

Reactivity None known if used as directed.

Chemical stability Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

Possibility of hazardous reactions Reacts with strong oxidizing agents.

Conditions to avoid No further relevant information available.

Incompatible materials: No further relevant information available.

(Contd. on page 5)

USA

Issued on 07/22/2021

Edition number 6

Reviewed on 07/22/2021

Trade name: Blasoprotect MV 27

(Contd. of page 4)

Hazardous decomposition products
(in case of fire or oxidation):
Carbon monoxide and carbon dioxide

11 Toxicological information

Information on toxicological effects

Acute toxicity:

LD/LC50 values that are relevant for classification:

64742-48-9 Hydrotreated heavy naphtha (petroleum)

Oral LD50 >5,000 mg/kg (rat)

Dermal LD50 >5,000 mg/kg (rab)

Primary irritant effect:

on the skin: No irritant effect.

on the eye: No irritating effect.

Sensitization: No sensitizing effects known.

Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

IARC (International Agency for Research on Cancer)

None of the ingredients is listed in groups 1, 2A, or 2B.

NTP (National Toxicology Program)

None of the ingredients are listed.

Aspiration hazard May be fatal if swallowed and enters airways.

12 Ecological information

Toxicity

Aquatic toxicity:

64742-48-9 Hydrotreated heavy naphtha (petroleum)

EC50/96h >1,000 mg/L (Oncorhynchus mykiss) (OECD 203)

EC50/48h 1,000 mg/L (Daphnia magna) (OECD 202)

EC50/72h >1,000 mg/L (Algae) (OECD 201)

Persistence and degradability The product is highly volatile, therefore the biodegradability can not be determined.

Behavior in environmental systems:

Bioaccumulative potential No further relevant information available.**Mobility in soil** No further relevant information available.

Additional ecological information:

General notes: Do not allow product to reach ground water, water course or sewage system.

Results of PBT and vPvB assessment

PBT: Not applicable.**vPvB:** Not applicable.**Other adverse effects** No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 6)

USA

Issued on 07/22/2021

Edition number 6

Reviewed on 07/22/2021

Trade name: Blasoprotect MV 27

(Contd. of page 5)

Used containers**Recommendation:** Disposal must be made according to official regulations.**14 Transport information****UN-Number****DOT, IMDG, IATA**

UN1993

DOT

Flammable liquids, n.o.s. (Hydrotreated heavy naphtha (petroleum))

IMDG, IATA

FLAMMABLE LIQUID, N.O.S. (Hydrotreated heavy naphtha (petroleum))

DOT**Hazard Classification:**

3 Flammable liquids

Label

3

IMDG, IATA**Hazard Classification:**

3 Flammable liquids

Label

3

DOT, IMDG, IATA

III

Environmental hazards**Marine pollutant (according to IMDG):** No**Special precautions for user**

Warning: Flammable liquids

EMS Number:

F-E, S-E

Stowage Category

A

Transport/Additional information:**DOT****Quantity limitations**

On passenger aircraft/rail: 60 L

On cargo aircraft only: 220 L

Remarks:

Contains: Hydrocarbons

Excepted quantities (EQ)

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

IMDG**Limited quantities (LQ)**

5L

Excepted quantities (EQ)

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

IATA

IATA Dangerous Goods Regulation (DGR): latest edition

UN "Model Regulation":

UN 1993 FLAMMABLE LIQUID, N.O.S. (HYDROTREATED HEAVY NAPHTHA (PETROLEUM)), 3, III

USA

(Contd. on page 7)

Trade name: Blasoprotect MV 27

(Contd. of page 6)

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture:

SARA (Superfund Amendments and Reauthorization)

Section 355 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

This product does not contain a chemical that are listed in Section 313.

TSCA (Toxic Substances Control Act):

All ingredients are listed on the U.S. TSCA inventory or exempt from premanufacture notice requirements.

California Proposition 65

This product contains one or more chemicals listed under California Proposition 65. Such chemicals are not used as raw materials in the product formulation but rather are typical impurities.

Carcinogenic categories:

EPA (Environmental Protection Agency)

None of the ingredients are listed.

NIOSH-Carcinogen list

None of the ingredients are listed.

California SCAQMD Rule 1144: Not applicable.

GHS label elements GHS label elements are issued under section 2.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

H.R.2420 (RoHS):

This product fulfill the H.R.2420 requirements in that the EDEE Act regulated materials are absent or their concentrations are significantly below regulatory thresholds.

IP346:

The mineral oil used in this product passes IP346 for DMSO extractable PAH's (Polycyclic aromatic hydrocarbons).

BSE/TSE:

Materials and/or synthetically modified materials which are of animal origin from bovine, ovine, goats, cats, dogs, deer, elk and/or mink, are NOT included in this product.

NFPA ratings (scale 0-4)



Health = 1
Fire = 2
Reactivity = 0

Department issuing SDS: Product Stewardship

Editor's notice:

The above mentioned data correspond to our present state of knowledge and experience. The safety data sheet serves as description of the products in regard to necessary safety measures. The indications have not the meaning of guarantees on properties.

Abbreviations and acronyms:

ICAO: International Civil Aviation Organisation

RoHS: Restriction of Hazardous Substances

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

(Contd. on page 8)

Safety Data Sheet
acc. to 29 CFR 1910.1200 (OSHA Hazcom 2012)

Blaser.
SWISSLUBE

Issued on 07/22/2021

Edition number 6

Reviewed on 07/22/2021

Trade name: Blasoprotect MV 27

(Contd. of page 7)

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

ISO: International Organisation for Standardisation

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

DMSO: Dimethyl sulphoxide extract

IP 346: Institute of Petroleum and related for testing methods for petroleum and fuel products.

PBT: Persistent, Bioaccumulative and Toxic chemicals

vPvB: very Persistent and very Bioaccumulative chemicals

NIOSH: National Institute for Occupational Safety and Health

OSHA: Occupational Safety and Health Administration

ATE: Acute Toxicity Estimate

Flam. Liq. 3: Flammable liquids – Category 3

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Asp. Tox. 1: Aspiration hazard – Category 1

*** Data compared to the previous version altered.**

The asterisk (*) on the left side indicate the respective changes from the previous version.

USA