

Reviewed on 09/08/2021

Issued on 09/08/2021

Edition number 1

1 Identification

Product identifier

Trade name: Blaser TP 307

Article number: 40307-02 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. Application of the substance / the preparation: For industrial use only Metalworking fluid concentrate

Details of the supplier of the safety data sheet

Manufacturer / Supplier: BLASER SWISSLUBE AG Winterseistrasse 22 CH-3415 Hasle-Rüegsau Switzerland Tel.: +41 (0)34 460 01 01 E-mail: blaser@blaser.com

BLASER SWISSLUBE, Inc. 31 Hatfield Lane Goshen, NY 10924 USA Phone: +1 (0) 845 294 32 00 Fax .: +1 (0) 845 294 31 02 Mailto: mailboxusa@blaser.com

Information department:

Product Safety Department E-mail: sds@blaser.com

Emergency telephone number: Switzerland: Abbreviated dialing 145 (or: ++41 (0)44/ 251 51 51) Toxicological Info-Centre CH-Zurich

2 Hazard(s) identification

OSHA/HCS status

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). Classification of the substance or mixture

Causes serious eye irritation.

Label elements

GHS label elements The product is classified and labeled according to 29 CFR 1910.1200 (OSHA Hazcom 2012). **Hazard pictograms**



 Signal word Warning

 Hazard statements

 H319 Causes serious eye irritation.

 Precautionary statements

 P264
 Wash thoroughly after handling.

 P280
 Wear eye protection / face protection.

 P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

 P337+P313
 If eye irritation persists: Get medical advice/attention.

Other hazards None

USA

Edition number 1



Reviewed on 09/08/2021

Issued on 09/08/2021

Trade name: Blaser TP 307

(Contd. of page 1)

3 Compositi	ion/information on ingredients	
	haracterization: Mixtures i: Mixture of the substances listed below with nonhazardous additions.	
Declarable CAS no.	components:	
64742-52-5	Mineral oil, severely hydrotreated, naphthenic	>25-<50%
102-71-6	Triethanolamine	>1-4.9%
68608-26-4	Sodium petroleum sulfonate	>1-4.9%
	Phosphoric acid, isoalkyl ester*	>1-4.9%
	Alkanolamine*	>1-2.9%
	Benzotriazole*	<2%
Additional i	information:	I

* Neutralization product: equilibrium of ion pairs.

The specific chemical identity and/or exact percentage concentration of proprietary components is withheld as a trade secret.

4 First-aid measures

Description of first aid measures

After inhalation: Not applicable, as the concentrate is not volatile.

After skin contact: Generally the product does not irritate the skin.

After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. After swallowing: If symptoms persist consult doctor.

Information for doctor:

Most important symptoms and effects, both acute and delayed No further relevant information available. Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents: CO₂, extinguishing powder or water spray. Fight larger fires with water spray. For safety reasons unsuitable extinguishing agents: Water with full jet

Special hazards arising from the substance or mixture No further relevant information available.

Advice for firefighters

Protective equipment: No special measures required.

Additional information Cool endangered receptacles with water spray.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Not required. Environmental precautions: Do not allow to enter sewers/ surface or ground water. Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

(Contd. on page 3)

USA

Edition number 1



Reviewed on 09/08/2021

(Contd. of page 2)

Issued on 09/08/2021

Trade name: Blaser TP 307

7 Handling and storage

Handling:

Precautions for safe handling

The product has been classified and marked in accordance with directives on hazardous materials. Observe the general safety regulations when handling chemicals.

Information about protection against explosions and fires: No special measures required.

Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: Store only in the original receptacle. **Information about storage in one common storage facility:**

Do not store together with oxidizing and acidic materials.

Further information about storage conditions:

Protect from heat and direct sunlight.

Protect from frost.

Optimal storage temperature between 32°F and 104°F

Minimum shelf life: In closed, original container, at least 18 months.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems: No further data; see item 7.

Control parameters

Components with limit values at the workplace:

NIOSH Recommended exposure limit for Metalworking fluids: 0.5 mg/m3 (particulate)

64742-52-5 Mineral oil, severely hydrotreated, naphthenic

ACGIH TLV (US) Long-term value: 5 mg/m³

OSHA PEL (US) Long-term value: 5 mg/m³

102-71-6 Triethanolamine

TLV (US)	Long-term value: 5 mg/m ³
EL (Canada)	Long-term value: 5 mg/m ³
EV (Canada)	Long-term value: 3.1 mg/m ³ , 0.5 ppm
TLV (USA)	Long-term value: 5 mg/m ³

Additional information: The lists that were valid during the creation were used as basis.

Exposure controls

Personal protective equipment:

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. **Respiratory Protection:** Not required. **Protection of hands:**

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation **Material of gloves (recommended):** Suitable protective gloves: Nitrile gloves, minimum thickness of 0.3 mm.

(Contd. on page 4)



Reviewed on 09/08/2021

Issued on 09/08/2021

Edition number 1

Trade name: Blaser TP 307

(Contd. of page 3)

Breakthrough time of glove material:

The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed. **Eye protection (recommended):**

Eye protector with side protection (framed eyeglasses) ANSI Z87.1 - 2010

Use of tight fitting goggles

Body protection (recommended): Protective work clothing

9 Physical and chemical properties

Information on basic physical and cho General Information	emical properties
Appearance: Form: Color: Odor: Odor threshold:	Fluid Brown Amine-like Not determined.
pH-value:	8.8 - 9.6 @ 5% in H₂O (DIN 51369 / ASTM D1287)
Change in condition: Melting point/Melting range: Boiling point/Boiling range:	Undetermined. >200 °C (>392 °F) (DIN 51751 / ASTM D86)
Flash point: Evaporation rate	146 °C (294.8 °F) (ISO 2592 / ASTM D92) Not determined.
Flammability (solid, gaseous):	Not applicable.
Explosion limits (@1013 mbar): Lower: Upper: Oxidizing properties Relative density Vapor density Evaporation rate	general values for mineral oil, therefore not product specific Not determined. Not determined. Not applicable. 0.955 @ 68°F (20°C) (DIN 51757 / ASTM D1217) Not applicable. Not determined. Not determined.
Solubility in / Miscibility with Water:	Emulsifiable.
Partition coefficient (n-octanol/water) Auto-ignition temperature: Decomposition temperature:	Not determined. Product is not selfigniting. Not determined.
Viscosity Kinematic at 40 °C (104 °F):	169 mm²/s
VOC content:	56 g/l (ASTM E1868-10); Concentrate in the packaging as sold. 8.4 g/l (ASTM E1868-10) @ Maximum concentration 15%
Other information:	none No further relevant information available.

10 Stability and reactivity

Reactivity None known if used as directed.

Chemical stability Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications. Possibility of hazardous reactions Reacts with strong acids and oxidizing agents. Conditions to avoid No further relevant information available.

(Contd. on page 5)



Reviewed on 09/08/2021

Issued on 09/08/2021

Edition number 1

Trade name: Blaser TP 307

Incompatible materials: No further relevant information available. Hazardous decomposition products (in case of fire or oxidation): Carbon monoxide and carbon dioxide Nitrogen oxides (NOx) Sulfur oxides (SOx)

11 Toxicological information

Information on toxicological effects

Acute toxicity:

LD/LC50 values that are relevant for classification: * pure substance

ATE (Acute Toxicity Estimate)

Oral LD50 50,000 mg/kg

Phosphoric acid, isoalkyl ester*

Oral LD50 >2,000 mg/kg (rat) Primary irritant effect:

on the skin: No irritant effect.

on the eye: Irritating effect.

Sensitization: No sensitizing effects known.

Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

IARC (International Agency for Research on Cancer)

None of the ingredients is listed in groups 1, 2A, or 2B.

NTP (National Toxicology Program)

None of the ingredients are listed.

12 Ecological information

Toxicity Aquatic to: * pure subs		
Phosphori	ic acid, isoalkyl ester*	
LC50/96h	24 mg/l (Oncorhynchus mykiss) (OECD 203)	
EC50/48h	6.3 mg/L (Daphnia magna) (OECD 202)	
EC50/72h	150 mg/L (Pseudokirchneriella subcapitata) (OECD 201)	
Benzotriaz	zole*	
LC50/96h	180 mg/l (Brachydanio rerio)	
NOEC/21d	I 0.97 mg/I (Daphnia galeata)	
NOEC/10d	I 3.94 mg/l (Lemna minor)	
EC50/48h	63-91 mg/L (Daphnia magna)	
Behavior in Bioaccum Mobility in Additional General no Do not allow	w product to reach ground water, water course or sewage system. drinking water if even small quantities leak into the ground.	on page 6)

(Contd. of page 4)

Edition number 1



Reviewed on 09/08/2021

(Contd. of page 5)

Issued on 09/08/2021

Trade name: Blaser TP 307

Results of PBT and vPvB assessment PBT: Not applicable.

vPvB: Not applicable.

Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Used containers

Recommendation: Disposal must be made according to official regulations.

UN-Number		
DOT, IMDG, IATA	Not regulated	
DOT, IMDG, IATA	Not regulated	
DOT, IMDG, IATA		
Hazard Classification:	Not regulated	
DOT, IMDG, IATA	Not regulated	
Environmental hazards	Not applicable.	
Special precautions for user	Not applicable.	
Transport/Additional informatio	n: Not hazardous according to the above specifications.	
ΙΑΤΑ	IATA Dangerous Goods Regulation (DGR): latest edition	
UN "Model Regulation":	Not regulated	

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture:

SARA (Superfund Amendments and Reauthorization)

Section 355 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

TSCA (Toxic Substances Control Act):

All of the ingredients are listed.

California Proposition 65

This product contains one or more chemicals listed under California Proposition 65. Such chemicals are not used as raw materials in the product formulation but rather are typical impurities.

Carcinogenic categories:

EPA (Environmental Protection Agency)

None of the ingredients are listed.

NIOSH-Carcinogen list

None of the ingredients are listed.

California SCAQMD Rule 1144:

Category: Metalworking Fluid – Metal Removal – General. Recordkeeping requirement: Super Compliant.

(Contd. on page 7)

Edition number 1



Reviewed on 09/08/2021

Issued on 09/08/2021

Trade name: Blaser TP 307

(< 50 g/L VOC @ max. use concentration)

GHS label elements GHS label elements are issued under section 2.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

H.R.2420 (RoHS):

This product fulfill the H.R.2420 requirements in that the EDEE Act regulated materials are absent or their concentrations are significantly below regulatory thresholds.

NFPA ratings (scale 0-4)



Health = 1 Fire = 1 Reactivity = 0

Hazards of the dilution with water (its intended use):

For the product diluted to 15 % concentration into water (maximum recommended concentration) the following GHS pictograms, signal words, precautionary and hazard statements apply: None

Department issuing SDS: Product Stewardship

Editor's notice:

The above mentioned data correspond to our present state of knowledge and experience. The safety data sheet serves as description of the products in regard to necessary safety measures. The indications have not the meaning of guarantees on properties.

Abbreviations and acronyms:

RoHS: Restriction of Hazardous Substances ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) ISO: International Organisation for Standardisation LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic chemicals vPvB: very Persistent and very Bioaccumulative chemicals NIOSH: National Institute for Occupational Safety and Health OSHA: Occupational Safety and Health Administration ATE: Acute Toxicity Estimate Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A * Data compared to the previous version altered.

The asterisk (*) on the left side indicate the respective changes from the previous version.

USA -

(Contd. of page 6)