SAFETY DATA SHEET



Vasco 6000

| Section 1. Identif | ication |
|--|---|
| GHS product identifier | : Vasco 6000 |
| Article No. | : US 02860-03 |
| Product type | : Liquid. |
| Relevant identified uses of | the substance or mixture and uses advised against |
| Identified uses | |
| Industrial use only. Metal working fluids | |
| Uses advised against | |
| Consumer use. | |
| Manufactured/supplied | : Blaser Swisslube Inc. 31 Hatfield Lane Goshen, NY 10924 Tel:+1 845 294 32 00 Mail: mailboxusa@blaser.com |
| e-mail address of person responsible for this SDS | : reach@blaser.com |
| Emergency telephone number (with hours of operation) | : +1 866 928 0789 (Toll free) |
| Section 2. Hazard | Is identification |
| OSHA/HCS status | : This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). |
| Classification of the substance or mixture | : EYE IRRITATION - Category 2A |
| GHS label elements | |
| Hazard pictograms | |
| Signal word | : Warning |
| Hazard statements | : H319 - Causes serious eye irritation. |
| Precautionary statements | |
| Prevention | : P280 - Wear eye or face protection. P264 - Wash thoroughly after handling. |
| Response | P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical advice or attention. |
| Hazards not otherwise | : None known. |



Substance/mixture

: Mixture

| Ingredient name | % | Identifiers |
|---|-----|-----------------|
| 2-amino-2-methylpropanol | ≤10 | CAS: 124-68-5 |
| Phosphoric acid, isotridecyl ester | ≤5 | CAS: 52933-07-0 |
| 2,2'-butyliminodiethanol | ≤5 | CAS: 102-79-4 |
| 2-aminobutan-1-ol | ≤3 | CAS: 96-20-8 |
| dodecanedioic acid | ≤3 | CAS: 693-23-2 |
| Poly(oxy-1,2-ethanediyl), α-(carboxymethyl)-ω-[(9Z)-9-octadecen-1-yloxy]- | ≤3 | CAS: 57635-48-0 |

SSLUBE

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

Additional information :

Neutralisation product: Equilibrium of Ionic Pairs according to REACH Annex V, 4.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and would require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

| Description of necessary firs | aid measures |
|-------------------------------|---|
| Eye contact | : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention. |
| Inhalation | : Avoid breathing vapor or mist. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. |
| Skin contact | : Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse. |
| Ingestion | : Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. |

Most important symptoms/effects, acute and delayed

| Potential acute health | <u>1 effects</u> |
|------------------------|---|
| Eye contact | : Causes serious eye irritation. |
| Inhalation | : No known significant effects or critical hazards. |
| Skin contact | : No known significant effects or critical hazards. |
| Ingestion | : No known significant effects or critical hazards. |
| Over-exposure signs | /symptoms |



| Eye contact | : Adverse symptoms may include the following: pain or irritation watering redness |
|----------------------------|--|
| Inhalation | : No specific data. |
| Skin contact | : No specific data. |
| Ingestion | : No specific data. |
| Indication of immediate me | dical attention and special treatment needed, if necessary |
| Notes to physician | In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. |
| Specific treatments | : No specific treatment. |
| Protection of first-aiders | : No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. |

Blaser.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

| Extinguishing media | |
|---|---|
| Suitable extinguishing media | : Use an extinguishing agent suitable for the surrounding fire. |
| Unsuitable extinguishing media | : None known. |
| Specific hazards arising from the chemical | : In a fire or if heated, a pressure increase will occur and the container may burst. |
| Hazardous thermal decomposition products | : Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides phosphorus oxides |
| Special protective actions for fire-fighters | : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| Special protective equipment for fire-fighters | : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |

Section 6. Accidental release measures

| Personal precautions, protec | tiv | e equipment and emergency procedures |
|--------------------------------|-----|--|
| For non-emergency personnel | : | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. |
| For emergency responders | : | If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| Environmental precautions | : | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |

Methods and materials for containment and cleaning up

| Date of issue/Date of revision | : 11/26/2024 | Date of previous issue | : 11/15/2024 | Version | : 1.01 | 3/11 | US |
|--------------------------------|--------------|------------------------|--------------|---------|--------|------|----|
|--------------------------------|--------------|------------------------|--------------|---------|--------|------|----|



Section 6. Accidental release measures

Spill

: Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Section 7. Handling and storage

| Precautions for safe handling | L | |
|--|---|--|
| Protective measures | : | Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container. |
| Advice on general occupational hygiene | : | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
| Conditions for safe storage, including any incompatibilities | : | Store between the following temperatures: 0 to 40°C (32 to 104°F). Shelf life: 24 months. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. |

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

NIOSH Recommended exposure limit for Metalworking fluids: 0.5 mg/m3 (particulate)

| Ingredient name | Exposure limits | |
|---|-----------------|--|
| 2-amino-2-methylpropanol | None. | |
| Phosphoric acid, isotridecyl ester | None. | |
| 2,2'-butyliminodiethanol | None. | |
| 2-aminobutan-1-ol | None. | |
| dodecanedioic acid | None. | |
| Poly(oxy-1,2-ethanediyl), α-(carboxymethyl)-ω-[(9Z)-9-octadecen- 1-yloxy]- | None. | |

Biological exposure indices

No exposure indices known.

| Appropriate engineering controls | 1 | Good general ventilation should be sufficient to control worker exposure to airborne contaminants. |
|----------------------------------|---|---|
| Environmental exposure controls | : | Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels. |

Individual protection measures



Section 8. Exposure controls/personal protection

| chemical products, before |
|---|
| working period. ally contaminated clothing. eyewash stations and safety |
| uld be used when a risk to liquid splashes, mists, tion should be worn, unless hemical splash goggles. |
| |
| approved standard should be a assessment indicates this is love manufacturer, check e properties. It should be noted e different for different glove ral substances, the protection suitable gloves tested to |
| ected based on the task being luct. |
| easures should be selected before handling this product. |
| ditions of product use. If e limit, they must use |
| |

Section 9. Physical and chemical properties and safety characteristics


The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

Appearance

| <u>Appearance</u> | | | | | |
|--|---|--------------------------------|--|--|--|
| Physical state | : | Liquid. | | | |
| Color | : | Brown. | | | |
| Odor | 1 | Characteristic. | | | |
| Odor threshold | 1 | Not available. | | | |
| рН | : | 8.9 to 9.5 [Conc. (% w/w): 5%] | | | |
| Melting point/freezing point | : | Not available. | | | |
| Boiling point or initial boiling point and boiling range | : | Not available. | | | |
| Flash point | 1 | Open cup: Not applicable. | | | |
| Flammability | 4 | Not available. | | | |
| Lower and upper explosion limit/flammability limit | : | Not available. | | | |
| Vapor pressure | : | Not available. | | | |
| Relative vapor density | 1 | Not available. | | | |
| Relative density | 1 | Not available. | | | |
| Density | 4 | 0.978 g/cm³ [68°F (20°C)] | | | |
| Solubility(ies) | 4 | | | | |
| Media | | Result | | | |
| cold water hot water | | Dispersible Dispersible | | | |
| Partition coefficient: n- octanol/water | : | Not applicable. | | | |

Date of issue/Date of revision

5/11



| Auto-ignition temperature | 12 | Not available. |
|--|----|---|
| Decomposition temperature | 4 | Not available. |
| Viscosity | : | Dynamic (room temperature): Not available. Kinematic (room temperature): Not available. Kinematic (104°F (40°C)): 82 mm²/s (82 cSt) |
| VOC content | : | 82 g/l (ASTM E1868-10); Concentrate in the packaging as sold. 12.3 g/l (ASTM E1868-10); @ Maximum concentration |
| Particle characteristics Median particle size | : | Not applicable. |

Section 10. Stability and reactivity

| : No specific test data related to reactivity available for this product or its ingredients. |
|--|
| : Shelf life: 24 months. |
| : Under normal conditions of storage and use, hazardous reactions will not occur. |
| : No specific data. |
| : No specific data. |
| : Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
| |

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

| Product/ingredient name | Result | Species | Dose | Exposure |
|---|-------------|---------|-------------|----------|
| 2-amino-2-methylpropanol | LD50 Dermal | Rabbit | >2000 mg/kg | - |
| Phosphoric acid, isotridecyl | LD50 Dermal | Rat | >2000 mg/kg | - |
| ester | | | | |
| | LD50 Oral | Rat | >2000 mg/kg | - |
| 2,2'-butyliminodiethanol | LD50 Dermal | Rabbit | >2000 mg/kg | - |
| | LD50 Oral | Rat | 4800 mg/kg | - |
| Poly(oxy-1,2-ethanediyl), α- (carboxymethyl)-ω-[(9Z) -9-octadecen-1-yloxy]- | LD50 Oral | Rat | >2000 mg/kg | - |

Irritation/Corrosion

Not available.

Respiratory or skin sensitization

Not available.

Mutagenicity

Not available.

Carcinogenicity

Not available.

Classification IARC/OSHA/NTP

Not applicable.

6/11

Blaser.



Section 11. Toxicological information

| | | J |
|--|------------|--|
| Reproductive toxicity Not available. | | |
| Teratogenicity Not available. | | |
| Specific target organ toxicit Not available. | <u>y (</u> | <u>single exposure)</u> |
| Specific target organ toxicit Not available. | <u>y (</u> | repeated exposure) |
| Aspiration hazard Not available. | | |
| Information on the likely routes of exposure | : | Not available. |
| Potential acute health effects | 2 | |
| Eye contact | 1 | Causes serious eye irritation. |
| Inhalation | 1 | No known significant effects or critical hazards. |
| Skin contact | 4 | No known significant effects or critical hazards. |
| Ingestion | 4 | No known significant effects or critical hazards. |
| | | |
| | | al, chemical and toxicological characteristics |
| Eye contact | : | Adverse symptoms may include the following: pain or irritation watering redness |
| Inhalation | : | No specific data. |
| Skin contact | : | No specific data. |
| Ingestion | 1 | No specific data. |
| Delayed and immediate effec Short term exposure | ts | and also chronic effects from short and long term exposure |
| Potential immediate effects | : | Not available. |
| Potential delayed effects | : | Not available. |
| Long term exposure | | |
| Potential immediate effects | : | Not available. |
| Potential delayed effects | 4 | Not available. |
| Potential chronic health effe | ect | <u>s</u> |
| Not available. | | |
| General | : | No known significant effects or critical hazards. |
| Carcinogenicity | : | No known significant effects or critical hazards. |
| Mutagenicity | : | No known significant effects or critical hazards. |
| Reproductive toxicity | : | No known significant effects or critical hazards. |
| Numerical measures of toxic | <u>ity</u> | |

Acute toxicity estimates



| Product/ingredient name | Oral (mg/ kg) | Dermal (mg/kg) | Inhalation (gases) (ppm) | Inhalation (vapors) (mg/l) | Inhalation (dusts and mists) (mg/ I) |
|---|------------------|-------------------|--------------------------------|----------------------------------|---|
| Vasco 6000 | >2000 | >2000 | N/A | N/A | N/A |
| 2-amino-2-methylpropanol | N/A | 2500 | N/A | N/A | N/A |
| Phosphoric acid, isotridecyl ester | 2500 | 2500 | N/A | N/A | N/A |
| 2,2'-butyliminodiethanol | 4800 | 2500 | N/A | N/A | N/A |
| 2-aminobutan-1-ol | 500 | N/A | N/A | N/A | N/A |
| Poly(oxy-1,2-ethanediyl), α-(carboxymethyl)-ω-[(9Z) -9-octadecen-1-yloxy]- | 2500 | N/A | N/A | N/A | N/A |

Blaser.

Section 12. Ecological information

Toxicity

| Product/ingredient name | Result | Species | Exposure |
|--------------------------|---------------|---------|----------|
| 2-amino-2-methylpropanol | LC50 193 mg/l | Daphnia | 48 hours |

Persistence and degradability

Not available.

Bioaccumulative potential

| Product/ingredient name | LogPow | BCF | Potential |
|--------------------------|--------|-------|-----------|
| 2-amino-2-methylpropanol | -0.63 | - | Low |
| 2-aminobutan-1-ol | -0.45 | - | Low |
| dodecanedioic acid | 3.2 | 3.162 | Low |

Mobility in soil

Soil/water partition : Not available. coefficient (Koc)

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

| Disposal methods | : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains |
|------------------|--|
| | and sewers. |

Section 14. Transport information

| | DOT Classification | TDG Classification | Mexico Classification | IMDG | IATA |
|-------------------------------|-----------------------|-----------------------|--------------------------|----------------|----------------|
| UN number | Not regulated. | Not regulated. | Not regulated. | Not regulated. | Not regulated. |
| UN proper shipping name | - | - | - | - | - |
| Transport hazard class(es) | - | - | - | - | - |
| Packing group | - | - | - | - | - |
| Environmental hazards | No. | No. | No. | No. | No. |

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Blaser.

Transport in bulk according : Not available. to IMO instruments

Section 15. Regulatory information

| U.S. Federal regulations | : TSCA 8(a) PAIR: octamethylcyclotetrasiloxane; decamethylcyclopentasiloxane; dodecamethylcyclohexasiloxane |
|---|---|
| | TSCA 8(a) CDR Exempt/Partial exemption: Not determined |
| TSCA 12(b) - Chemical exp Not applicable. | ort notification |
| Not applicable. | |
| Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs) | : Not listed |
| Clean Air Act Section 602 Class I Substances | : Not listed |
| Clean Air Act Section 602 Class II Substances | : Not listed |
| DEA List I Chemicals (Precursor Chemicals) | : Not listed |
| DEA List II Chemicals (Essential Chemicals) | : Not listed |
| <u>SARA 302/304</u> | |
| Composition/information | on ingredients |
| No products were found. | |
| SARA 304 RQ | : Not applicable. |
| <u>SARA 311/312</u> | |
| Classification | : EYE IRRITATION - Category 2A |
| Composition/information | on ingredients |
| | |



Section 15. Regulatory information

| Name | % | Classification |
|---|-----|--|
| 2-amino-2-methylpropanol | ≤10 | SKIN IRRITATION - Category 2 EYE IRRITATION - Category 2A |
| Phosphoric acid, isotridecyl ester | ≤5 | SKIN IRRITATION - Category 2 SERIOUS EYE DAMAGE - Category 1 |
| 2,2'-butyliminodiethanol | ≤5 | SERIOUS EYE DAMAGE - Category 1 |
| 2-aminobutan-1-ol | ≤3 | ACUTE TOXICITY (oral) - Category 4 SKIN CORROSION - Category 1 SERIOUS EYE DAMAGE - Category 1 |
| dodecanedioic acid | ≤3 | EYE IRRITATION - Category 2A |
| Poly(oxy-1,2-ethanediyl), α-(carboxymethyl)-ω-[(9Z) -9-octadecen-1-yloxy]- | ≤3 | SKIN IRRITATION - Category 2 SERIOUS EYE DAMAGE - Category 1 |

California Prop. 65

This product contains one or more chemicals listed under California Proposition 65. Such chemicals are not used as raw materials in the product formulation but rather are typical impurities.

California SCAQMD Rule 1144:

Category: Metalworking Fluid – Metal Removal – General. Recordkeeping requirement: Super Compliant. (< 50 g/L VOC @ max. use concentration)

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Inventory list

Canada: At least one component is not listed.United States: All components are active or exempted.

United States : All components are acti

Section 16. Other information

Procedure used to derive the classification

| Classification | Justification | |
|------------------------------|-----------------|--|
| EYE IRRITATION - Category 2A | Expert judgment | |

| н | is | to | rv | |
|---|----|----|----|--|
| _ | - | - | _ | |

| Date of issue/Date of revision | : 11/26/2024 | Date of previous issue | : 11/15/2024 | Version | : 1.01 | 10/11 | US |
|--------------------------------|--------------|-------------------------|--------------|---------|--------|-------|----|
| Prepared by | : Product | Stewardship Blaser Swis | slube AG | | | | |
| Version | : 1.01 | | | | | | |
| Date of previous issue | : 11/15/20 | 024 | | | | | |
| Date of issue/Date of revision | : 11/26/20 | 024 | | | | | |
| Date of printing | : 11/26/20 | 024 | | | | | |
| motory | | | | | | | |

Section 16. Other information

| Key to abbreviations | : ATE = Acute Toxicity Estimate |
|----------------------|---|
| | BCF = Bioconcentration Factor |
| | GHS = Globally Harmonized System of Classification and Labelling of Chemicals |
| | IATA = International Air Transport Association |
| | IBC = Intermediate Bulk Container |
| | IMDG = International Maritime Dangerous Goods |
| | LogPow = logarithm of the octanol/water partition coefficient |
| | MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) |
| | N/A = Not available |
| | SGG = Segregation Group |
| | UN = United Nations |
| References | Not available. |
| Relefences | |

Blaser.

Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.