Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2020/878 - Saudi Arabia

SAFETY DATA SHEET



Blasoprotect OV 31

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

- **Product name** UFI Article No.
 - : Blasoprotect OV 31
 - : MV85-K14S-N00D-NQK3
 - : 00131-02

1.2 Relevant identified uses of the substance or mixture and uses advised against

| | Identified uses | |
|----------------------------------------------|----------------------|--|
| Industrial use only. Corrosion inhibitor. | | |
| | Uses advised against | |
| Consumer use. | | |

1.3 Details of the supplier of the safety data sheet

| Manufacturer | : | BLASER SWISSLUBE AG Winterseistrasse 22 CH-3415 Hasle-Rüegsau Switzerland Tel:+41 (0)34 460 01 01 E-Mail: contact@blaser.com |
|---------------------------------------------------|---|---------------------------------------------------------------------------------------------------------------------------------------------|
| Supplier's details | : | TISENG Arabia Co Street 86 2nd Industrial Area Dammam Eastern province Tel:+966-3-8175362 E-Mail: info@tiseng.com |
| e-mail address of person responsible for this SDS | : | reach@blaser.com |

1.4 Emergency telephone number

National advisory body/Poison Centre

Supplier

Telephone number : +44 1235 239671 (24h/7d)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Product definition : Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

STOT RE 2, H373 Asp. Tox. 1, H304 Aquatic Chronic 3, H412

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

1/13

Blasoprotect OV 31

SECTION 2: Hazards identification

2.2 Label elements Hazard pictograms Signal word : Danger H304 - May be fatal if swallowed and enters airways. **Hazard statements** ŝ, H373 - May cause damage to organs through prolonged or repeated exposure. H412 - Harmful to aquatic life with long lasting effects. **Precautionary statements Prevention** : P273 - Avoid release to the environment. P260 - Do not breathe vapour. : P301 + P310 + P331 - IF SWALLOWED: Immediately call a POISON CENTER or Response doctor. Do NOT induce vomiting. **Disposal** : P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations. **Supplemental label** : Not applicable. elements **Annex XVII - Restrictions** : Not applicable. on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles 2.3 Other hazards Product meets the criteria : This mixture does not contain any substances that are assessed to be a PBT or a for PBT or vPvB according vPvB. to Regulation (EC) No. 1907/2006, Annex XIII Other hazards which do : None known. not result in classification

SECTION 3: Composition/information on ingredients

| 3.2 Mixtures | : Mixture | | | | |
|-------------------------------------------------------------------------------|--------------------------------------------------------------------|---------------|-----------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------|------|
| Product/ingredient name | Identifiers | % | Classification | Specific Conc. Limits, M-factors and ATEs | Туре |
| Distillates (petroleum), hydrotreated middle | REACH #: 01-2119827000-58 EC: 934-956-3 CAS: 1335203-17-2 | ≥90 | Asp. Tox. 1, H304 | - | [1] |
| (Z)-N- 9-octadecenylpropane- 1,3-diamine | REACH #: 01-2119487002-46 EC: 230-528-9 CAS: 7173-62-8 | ≤2 | Acute Tox. 4, H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT RE 1, H372 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 | ATE [Oral] = 500 mg/kg M [Acute] = 10 M [Chronic] = 1 | [1] |
| Phosphoric acid, mono- and di-C11-14 (linear and branched) alkyl esters | REACH #: 01-2119976356-25 EC: 800-484-0 CAS: 154518-38-4 | ≤1.5 | Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 2, H411 | - | [1] |
| Date of issue/Date of revision | : 20. Dec. 2023 | Date of previ | ous issue : 20. Dec. 2 | 2023 Version : 3 | 2/ |



| SECTION 3: Composition/information on ingredients | | | | |
|---------------------------------------------------|--|-------------------------------------------------------------------------------|--|--|
| | | See Section 16 for the full text of the H statements declared above. | | |

Additional information :

Blasoprotect OV 31

Neutralisation product: Equilibrium of Ionic Pairs according to REACH Annex V, 4.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

<u>Type</u>

[1] Substance classified with a health or environmental hazard

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

| 4.1 C | Descri | ption | of | first | aid | measures |
|-------|--------|-------|----|-------|-----|----------|
|-------|--------|-------|----|-------|-----|----------|

| Eye contact | : | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention following exposure or if feeling unwell. |
|----------------------------|------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Inhalation | : | Avoid breathing vapour or mist. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention following exposure or if feeling unwell. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. |
| Skin contact | : | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention following exposure or if feeling unwell. Wash clothing before reuse. Clean shoes thoroughly before reuse. |
| Ingestion | : | Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Aspiration hazard if swallowed. Can enter lungs and cause damage. Do not induce vomiting. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. |
| Protection of first-aiders | : | No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. |
| 4.2 Most important symptom | ns a | nd effects, both acute and delayed |
| Over-exposure signs/symp | ton | <u>15</u> |
| Eye contact | | No specific data. |
| Inhalation | - 3 | No specific data. |

- Skin contact : No specific data.
- Ingestion : Adverse symptoms may include the following: nausea or vomiting

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician: In case of inhalation of decomposition products in a fire, symptoms may be delayed.
The exposed person may need to be kept under medical surveillance for 48 hours.

Specific treatments : No specific treatment.

Date of issue/Date of revision

SECTION 5: Firefighting measures

| 5.1 Extinguishing media | | |
|---------------------------------------------------|------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Suitable extinguishing media | : | Use an extinguishing agent suitable for the surrounding fire. |
| Unsuitable extinguishing media | : | None known. |
| 5.2 Special hazards arising f | from | the substance or mixture |
| Hazards from the substance or mixture | : | In a fire or if heated, a pressure increase will occur and the container may burst. This material is harmful to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain. |
| Hazardous combustion products | : | Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides |
| 5.3 Advice for firefighters | | |
| Special protective actions for fire-fighters | : | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| Special protective equipment for fire-fighters | | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents. |

SECTION 6: Accidental release measures

| 6.1 Personal precautions, pro | ective equipment and emergency procedures |
|--------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| For non-emergency personnel | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. |
| For emergency responders | If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| 6.2 Environmental precautions | : Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities. |
| 6.3 Methods and material for | ontainment and cleaning up |
| Small spill | : Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
| Large spill | Stop leak if without risk. Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilt product. |

SECTION 6: Accidental release measures

5

6.4 Reference to other sections

See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

| Protective measures | : Put on appropriate personal protective equipment (see Section 8). Do not breathe vapour or mist. Do not swallow. Avoid contact with eyes, skin and clothing. Avoid release to the environment. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container. |
|----------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Advice on general occupational hygiene | : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |

7.2 Conditions for safe storage, including any incompatibilities

Store between the following temperatures: 0 to 40°C (32 to 104°F). Shelf life: 36 months. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

7.3 Specific end use(s) **Recommendations**

: Not available.

Industrial sector specific

: Not available.

solutions

SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

8.1 Control parameters

Occupational exposure limits

No exposure limit value known.

Biological exposure indices

No exposure indices known.

Recommended monitoring τ. procedures

Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

DNELs/DMELs

No DNELs/DMELs available.

PNECs

Date of issue/Date of revision

Blaser.

SECTION 8: Exposure controls/personal protection

No PNECs available

Blasoprotect OV 31

| 8.2 Exposure controls | | |
|----------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|
| Appropriate engineering controls | If user operations generate dust, fumes, gas, vapour or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep w exposure to airborne contaminants below any recommended or statutory lim | |
| Individual protection meas | <u>S</u> | |
| Hygiene measures | Wash hands, forearms and face thoroughly after handling chemical products before eating, smoking and using the lavatory and at the end of the working Appropriate techniques should be used to remove potentially contaminated of Wash contaminated clothing before reusing. Ensure that eyewash stations a safety showers are close to the workstation location. | period. clothing. |
| Eye/face protection | Safety eyewear complying with an approved standard should be used when assessment indicates this is necessary to avoid exposure to liquid splashes, gases or dusts. If contact is possible, the following protection should be wor unless the assessment indicates a higher degree of protection: safety glass side-shields. | mists, 'n, |
| Skin protection | | |
| Hand protection | Chemical-resistant, impervious gloves complying with an approved standard be worn at all times when handling chemical products if a risk assessment in this is necessary. Considering the parameters specified by the glove manufact check during use that the gloves are still retaining their protective properties, should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting several substances, the protection time of the gloves cannot be accurately estimated. Wear suitable gloves tested to EN374. Nitrile gloves, thickness 0 (minimum). | ndicates acturer, . It g of |
| Body protection | Personal protective equipment for the body should be selected based on the being performed and the risks involved before handling this product. | task |
| Other skin protection | Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved before hat this product. | |
| Respiratory protection | A respirator is not needed under normal and intended conditions of product workers are exposed to concentrations above the exposure limit, they must appropriate, certified respirators. | |
| Environmental exposure controls | Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legisla In some cases, fume scrubbers, filters or engineering modifications to the pr equipment will be necessary to reduce emissions to acceptable levels. | ation. |
| | | |

SECTION 9: Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

9.1 Information on basic physical and chemical properties

| <u>Appearance</u> | |
|----------------------------------------------|------------------|
| Physical state | : Liquid. |
| Colour | : Yellow. |
| Odour | : Menthol-like. |
| Odour threshold | : Not available. |
| Melting point/freezing point | : Not available. |
| Initial boiling point and boiling range | : Not available. |
| Flammability (solid, gas) | : Not available. |
| Upper/lower flammability or explosive limits | : Not available. |

Date of issue/Date of revision

6/13

SECTION 9: Physical and chemical properties

| Flash point | : | Open cup: 105°C | | | |
|----------------------------------------------------------|---|------------------------------------------|--|--|--|
| Auto-ignition temperature | : | Not available. | | | |
| Decomposition temperature | : | Not available. | | | |
| рН | 1 | Not applicable. | | | |
| Viscosity | : | Kinematic (40°C): 3.6 mm ² /s | | | |
| Solubility in water | ; | No. | | | |
| Partition coefficient: n-octanol/ water | : | Not applicable. | | | |
| Vapour pressure | : | Not available. | | | |
| Relative density | ; | Not available. | | | |
| Density | 1 | 0.824 g/cm³ [20°C] | | | |
| Vapour density | : | Not available. | | | |
| Particle characteristics | | | | | |
| Median particle size | ; | Not applicable. | | | |
| 9.2.1 Information with regard to physical hazard classes | | | | | |
| Explosive properties | 1 | Not available. | | | |
| Oxidising properties | 1 | Not available. | | | |
| | | | | | |

| Oxidising properties : | Not a | V |
|------------------------------------|-------|---|
| 9.2.2 Other safety characteristics | | |
| Miscible with water : | No. | |

SECTION 10: Stability and reactivity

| 10.1 Reactivity | 1 | No specific test data related to reactivity available for this product or its ingredients. |
|------------------------------------------|---|------------------------------------------------------------------------------------------------------|
| 10.2 Chemical stability | : | Shelf life: 36 months. |
| 10.3 Possibility of hazardous reactions | : | Under normal conditions of storage and use, hazardous reactions will not occur. |
| 10.4 Conditions to avoid | : | No specific data. |
| 10.5 Incompatible materials | : | No specific data. |
| 10.6 Hazardous decomposition products | : | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

| Product/ingredient name | Resul | t | Species | Dose | Exposure |
|-----------------------------------------------------------------------------------------------------------------------|-----------------|-----------------|----------|-----------------|-----------------|
| Distillates (petroleum), hydrotreated middle | LD50 Dermal | | Rabbit | >3160 mg/kg | - |
| - | LD50 Oral | | Rat | >5000 mg/kg | - |
| (Z)-N- | LD50 Oral | | Rat | 500 mg/kg | - |
| 9-octadecenylpropane- 1,3-diamine Phosphoric acid, mono- and di-C11-14 (linear and branched) alkyl esters | LD50 Dermal | | Rat | >2000 mg/kg | - |
| , , | LD50 Oral | | Rat | >2000 mg/kg | - |
| Conclusion/Summary | Not available. | | | | |
| te of issue/Date of revision | : 20. Dec. 2023 | Date of previou | ıs issue | : 20. Dec. 2023 | Version : 3 7/1 |

SECTION 11: Toxicological information

Acute toxicity estimates

| Product/ingredient name | Oral (mg/ kg) | Dermal (mg/kg) | Inhalation (gases) (ppm) | Inhalation (vapours) (mg/l) | Inhalation (dusts and mists) (mg/l) |
|----------------------------------------|------------------|-------------------|--------------------------------|-----------------------------------|----------------------------------------------|
| Blasoprotect OV 31 | >2000 | N/A | N/A | N/A | N/A |
| (Z)-N-9-octadecenylpropane-1,3-diamine | 500 | N/A | N/A | N/A | N/A |

Irritation/Corrosion

| Conclusion/Summary | |
|---------------------------|--------------------------------------|
| Skin | : pH value - Used for classification |
| Eyes | : pH value - Used for classification |
| Sensitisation | |
| Conclusion/Summary | : Not available. |
| Mutagenicity | |
| Conclusion/Summary | : Not available. |
| Carcinogenicity | |
| Conclusion/Summary | : Not available. |
| Reproductive toxicity | |
| Conclusion/Summary | : Not available. |
| Teratogenicity | |
| Conclusion/Summary | : Not available. |
| Specific target organ tox | <u>kicity (single exposure)</u> |
| Not available. | |
| | |

Specific target organ toxicity (repeated exposure)

| Product/ingredient name | Category | Route of exposure | Target organs |
|----------------------------------------|------------|-------------------|---------------|
| (Z)-N-9-octadecenylpropane-1,3-diamine | Category 1 | - | - |

Aspiration hazard

| Product/ingredient name | Result | | |
|----------------------------------------------|--------------------------------|--|--|
| Distillates (petroleum), hydrotreated middle | ASPIRATION HAZARD - Category 1 | | |

Information on likely routes : Not available. of exposure

Potential acute health effects

| : No known significant effects or critical hazards. |
|-----------------------------------------------------|
| : No known significant effects or critical hazards. |
| : No known significant effects or critical hazards. |
| : May be fatal if swallowed and enters airways. |
| |

| Symptoms related to | Symptoms related to the physical, chemical and toxicological characteristics | | | | |
|---------------------|------------------------------------------------------------------------------|--|--|--|--|
| Eye contact | : No specific data. | | | | |
| Inhalation | : No specific data. | | | | |
| Skin contact | : No specific data. | | | | |
| Ingestion | : Adverse symptoms may include the following: nausea or vomiting | | | | |

<u>Delayed and immediate effects as well as chronic effects from short and long-term exposure</u> <u>Short term exposure</u>

Date of issue/Date of revision

Blaser.

SECTION 11: Toxicological information

| Potential immediate effects | : Not available. |
|-------------------------------|----------------------------------------------------------------------|
| Potential delayed effects | : Not available. |
| Long term exposure | |
| Potential immediate effects | : Not available. |
| Potential delayed effects | : Not available. |
| Potential chronic health effe | ects |
| Not available. | |
| Conclusion/Summary | : Not available. |
| General | : May cause damage to organs through prolonged or repeated exposure. |
| Carcinogenicity | : No known significant effects or critical hazards. |
| Mutagenicity | : No known significant effects or critical hazards. |
| Reproductive toxicity | : No known significant effects or critical hazards. |

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties

Not available.

11.2.2 Other information

Not available.

SECTION 12: Ecological information

12.1 Toxicity

| Product/ingredient name | Result | Species | Exposure |
|--------------------------------------------|-----------------------|---------|----------|
| (Z)-N-9-octadecenylpropane- 1,3-diamine | Acute EC50 0.148 mg/l | Fish | 96 hours |

Conclusion/Summary : Not available.

12.2 Persistence and degradability

| Product/ingredient name | Test | Result | | Dose | Inoculum |
|-----------------------------------------------------------------------------------------------|-------------------|----------------|----------------|------|--------------------|
| Distillates (petroleum), hydrotreated middle | OECD 306 | 74 % - 28 days | | - | - |
| Conclusion/Summary | : Not available. | • | | • | · |
| Product/ingredient name | Aquatic half-life | | Photolysis | 5 | Biodegradability |
| Distillates (petroleum), hydrotreated middle (Z)-N-9-octadecenylpropane- 1,3-diamine | - | | - 66%; < 28 | | Readily Readily |

12.3 Bioaccumulative potential

| Product/ingredient name | LogP _{ow} | BCF | Potential |
|--------------------------------------------|--------------------|-----|-----------|
| (Z)-N-9-octadecenylpropane- 1,3-diamine | 0.03 | - | Low |

12.4 Mobility in soil

Soil/water partition
coefficient (Koc): Not available.Mobility: Not available.

Date of issue/Date of revision

9/13

Blaser.

Blasoprotect OV 31

SECTION 12: Ecological information

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

12.6 Endocrine disrupting properties

Not available.

12.7 Other adverse effects

No known significant effects or critical hazards.

SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1 Waste treatment methods

| Product | |
|---------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Methods of disposal | : The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. |
| Hazardous waste | : Yes. |

Hazardous waste : Yes European waste catalogue (EWC)

| Waste code | Waste designation | |
|-----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| 13 02 05* 04 02 99 | mineral-based non-chlorinated engine, gear and lubricating oils wastes not otherwise specified | |
| Packaging | | |
| Methods of disposal | The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. | |
| Special precautions | : This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. | |

SECTION 14: Transport information

| | ADR/RID | ADN | IMDG | IATA |
|------------------------------------|----------------|--------------------------------------------------------------|-----------------|----------------|
| 14.1 UN number or ID number | Not regulated. | 9006 | Not regulated. | Not regulated. |
| 14.2 UN proper shipping name | - | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. | - | - |
| 14.3 Transport hazard class(es) | - | 9 | - | - |
| 14.4 Packing group | - | - | - | - |
| Date of issue/Date of re | vicion : 20. D | ec. 2023 Date of previous iss | ; 20. Dec. 2023 | Version : 3 |



SECTION 14: Transport information No. 14.5 Yes. No. No. **Environmental** hazards **Additional information ADN** The product is only regulated as a dangerous good when transported in tank 2 vessels. 14.6 Special precautions for : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in user the event of an accident or spillage. 14.7 Maritime transport in : Not available. bulk according to IMO instruments SECTION 15: Regulatory information 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU Regulation (EC) No. 1907/2006 (REACH) Annex XIV - List of substances subject to authorisation **Annex XIV** None of the components are listed. Substances of very high concern None of the components are listed. **Annex XVII - Restrictions** : Not applicable. on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles **Other EU regulations** Industrial emissions : Not listed (integrated pollution prevention and control) -Air Industrial emissions : Not listed (integrated pollution prevention and control) -Water Ozone depleting substances (1005/2009/EU) Not listed Prior Informed Consent (PIC) (649/2012/EU) Not listed. **Persistent Organic Pollutants** Not listed. **Seveso Directive** This product is not controlled under the Seveso Directive. **National regulations** International regulations Chemical Weapon Convention List Schedules I, II & III Chemicals Not listed.

SECTION 15: Regulatory information

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

| 15.2 | Chemi | cal sa | afety | |
|------|-------|--------|-------|--|
| | | 4 | | |

: No Chemical Safety Assessment has been carried out.

Blaser.

12/13

assessment

SECTION 16: Other information

| Indicates information | on that has changed from previously issued version. |
|-------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Abbreviations and acronyms | ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EUH statement = CLP-specific Hazard statement N/A = Not available PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RRN = REACH Registration Number SGG = Segregation Group vPvB = Very Persistent and Very Bioaccumulative |
| | |

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

| Classification | Justification |
|-------------------|----------------------------------------------------------------|
| Asp. Tox. 1, H304 | Calculation method Calculation method Calculation method |

Full text of abbreviated H statements

| H302 | Harmful if swallowed. |
|------|--------------------------------------------------------------------|
| H304 | May be fatal if swallowed and enters airways. |
| H314 | Causes severe skin burns and eye damage. |
| H315 | Causes skin irritation. |
| H318 | Causes serious eye damage. |
| H372 | Causes damage to organs through prolonged or repeated exposure. |
| H373 | May cause damage to organs through prolonged or repeated exposure. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H411 | Toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |

Full text of classifications [CLP/GHS]

| Acute Tox. 4 | ACUTE TOXICITY - Category 4 | |
|-------------------|-----------------------------------------------------------------|--|
| Aquatic Acute 1 | SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 1 | |
| Aquatic Chronic 1 | LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 1 | |
| Aquatic Chronic 2 | LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 2 | |
| Aquatic Chronic 3 | LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 3 | |
| Asp. Tox. 1 | ASPIRATION HAZARD - Category 1 | |
| Eye Dam. 1 | SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1 | |
| Skin Corr. 1B | SKIN CORROSION/IRRITATION - Category 1B | |
| Skin Irrit. 2 | SKIN CORROSION/IRRITATION - Category 2 | |
| STOT RE 1 | SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE - Category 1 | |
| | | |

Blasoprotect OV 31

SECTION 16: Other information

STOT RE 2

SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE - Category 2

<u>IP346:</u>

The contained refined mineral oils are exempt of labelling. The content of polycyclic aromatic hydrocarbons (PCA) according to IP346 is < 3% (DMSO-extract).

| Date of printing | : 20. Dec. 2023 |
|---------------------------------|-------------------------------------------|
| Date of issue/ Date of revision | : 20. Dec. 2023 |
| Date of previous issue | : 20. Dec. 2023 |
| Version | : 3 |
| Responsible name | : Product Stewardship Blaser Swisslube AG |

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.