SAFETY DATA SHEET

according to UN-GHS (rev. 7)

Blaser.

٦

Blahydrol BT 150

Section 1. Identifie	cation
Product identifier	: Blahydrol BT 150
Article No.	: 00161-05
Relevant identified uses of th	he substance or mixture and uses advised against
Identified uses	
Industrial use only.	
Hydraulic fluids Lubricants, greases, release p	products
Uses advised against	
Consumer use.	
Manufacturer	: BLASER SWISSLUBE AG
	Winterseistrasse 22
	CH-3415 Hasle-Rüegsau Switzerland
	Tel:+41 (0)34 460 01 01
	E-Mail: contact@blaser.com
Supplier's details	: Hi-Tech Machine Tools (Pty) Ltd 16 Nguni Drive ,Longmeadow West
	Modderfontein,1609
	South Africa
	Tel:+27 (0) 11 608 0088 E-Mail: info@hitech.co.za
e-mail address of person responsible for this SDS	: reach@blaser.com
Emergency telephone	: +27 21 300 2732 (24h/7d)
number (with hours of operation)	
Section 2. Hazard	identification
Classification of the	: SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 3
substance or mixture	
GHS label elements	
Signal word	: No signal word.
Hazard statements	: H402 - Harmful to aquatic life.
Precautionary statements	
General	: Not applicable.
Prevention	: P273 - Avoid release to the environment.
Response	: Not applicable.
Storage	: Not applicable.
Disposal	: P501 - Dispose of contents and container in accordance with all local, regional,
	national and international regulations.
Other hazards which do not result in classification	: None known.

 Date of issue/Date of revision
 : 20. Dec.
 Date of previous issue
 : 16. Dec. 2022
 Version
 : 2
 1/10
 ZA

 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023</t



Section 3. Composition/information on ingredients

Substance/mixture

: Mixture

Ingredient name Distillates (petroleum), solvent-refined heavy paraffinic	<mark>%</mark> ≥30 - ≤35	CAS number 64741-88-4
Residual oils (petroleum), hydrotreated	≥25 - ≤30	64742-57-0
Reaction Products of Diphosphorus Pentaoxide with Alcohols, C14-18 even, salted with Amines, C12-14, Tert-alkyl	<1	-

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	: Avoid breathing vapour or mist. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	: Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel.

Most important symptoms/	effects, acute and delayed
Potential acute health effe	<u>cts</u>
Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
Over-exposure signs/sym	<u>ptoms</u>
Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.
Indication of immediate me	dical attention and special treatment needed, if necessary
Notes to physician	 Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

Date of issue/Date of revision	: 20. Dec.	Date of previous issue	: 16. Dec. 2022	Version : 2	2/10 ZA
	2023				



Section 5. Firefighting measures

Extinguishing media		
Suitable extinguishing media	:	Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	:	None known.
Specific hazards arising from the chemical	:	In a fire or if heated, a pressure increase will occur and the container may burst. This material is harmful to aquatic life. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
Hazardous thermal decomposition products	:	No specific data.
Special protective actions for fire-fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protect	ive equipment and emergency procedures
For non-emergency personnel	: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
For emergency responders	: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.
Methods and material for con	ainment and cleaning up
Small spill	: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a

Large spill : Stop leak if without risk. Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilt product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.



Section 7. Handling and storage

Precautions for safe handling	
Protective measures	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapour or mist. Avoid release to the environment. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	Store between the following temperatures: -10 to 40°C (14 to 104°F). Shelf life: 36 months. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

None.

Biological exposure indices

No exposure indices known.

Appropriate engineering controls	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measu	re	<u>2</u>
Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection		



Section 8. Exposure controls/personal protection

	• •
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. Wear suitable gloves tested to EN374. Nitrile gloves. thickness 0.3 mm (minimum).
Body protection	 Personal protective equipment for the body should be selected based on the task being performed and the risks involved before handling this product.
Other skin protection	 Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved before handling this product.
Respiratory protection	: A respirator is not needed under normal and intended conditions of product use. If workers are exposed to concentrations above the exposure limit, they must use appropriate, certified respirators.

Section 9. Physical and chemical properties and safety characteristics

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

Date of issue/Date of revision		: 20. Dec.	Date of previous issue	: 16. Dec. 2022	Version : 2	5/10 ZA
Viscosity	- :	Kinematic (4	40°C (104°F)): 150 mm	¹² /s (150 cSt)		
Decomposition temperature	:	Not available	е.			
Auto-ignition temperature		Not available				
Partition coefficient: n- octanol/water	:	Not applicat	ole.			
Miscible with water	:	No.				
Solubility in water	:	Not available	e.			
Density	:	0.89 g/cm ³ [[20°C (68°F)]			
Relative density	:	Not available	e.			
Relative vapour density	:	Not available	e.			
Vapour pressure	:	Not available	e.			
Lower and upper explosion limit/ flammability limit	:	Not available	e.			
Flammability	1	Not available	e.			
Evaporation rate	:	Not available	e.			
Flash point	:	Open cup: 2	253°C (487.4°F)			
Boiling point, initial boiling point, and boiling range	:	Not available	e.			
Pour point		-18°C (-0.4°	,			
Melting point/freezing point	:	Not available	е.			
рН	:	Not applicat	ole.			
Odour threshold	1	Not available	e.			
Odour	:	Characterist	tic.			
Colour	1	Orange.				
Physical state	1	Liquid.				
Appearance						



Section 9. Physical and chemical properties and safety characteristics

Particle characteristics

Median particle size

: Not applicable.

Section 10. Stability and reactivity		
Reactivity	: No specific test data related to reactivity available for this product or its ingredients.	
Chemical stability	: Shelf life: 36 months.	
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.	
Conditions to avoid	: No specific data.	
Incompatible materials	: No specific data.	
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.	

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Distillates (petroleum), solvent-refined heavy paraffinic	LD50 Dermal	Rat	5000 mg/kg	-
	LD50 Oral	Rat	5000 mg/kg	-
Residual oils (petroleum), hydrotreated	LD50 Dermal	Rat	>2000 mg/kg	-
	LD50 Oral	Rat	>5000 mg/kg	-

Irritation/Corrosion

Not available.

Sensitisation

Not available.

Mutagenicity

Not available.

Carcinogenicity

Not available.

Reproductive toxicity

Not available.

Teratogenicity

Not available.

Specific target organ toxicity (single exposure)

Not available.



Section 11. Toxicological information

Specific target organ toxicity (repeated exposure) Not available.

Aspiration hazard

Not available.

Information on likely routes of exposure	:	Not available.		
Potential acute health effects				
Eye contact		No known significant effects or critical hazards.		
Inhalation		No known significant effects or critical hazards.		
Skin contact		No known significant effects or critical hazards.		
Ingestion		No known significant effects or critical hazards.		
Symptoms related to the phy	<u>/sic</u>	al, chemical and toxicological characteristics		
Eye contact	:	No specific data.		
Inhalation	1	No specific data.		
Skin contact	:	No specific data.		
Ingestion	1	No specific data.		
Delayed and immediate effect	<u>ts</u>	as well as chronic effects from short and long-term exposure		
<u>Short term exposure</u>				
Potential immediate effects	1	Not available.		
Potential delayed effects	1	Not available.		
<u>Long term exposure</u>				
Potential immediate effects	:	Not available.		
Potential delayed effects	:	Not available.		
Potential chronic health effects				
Not available.				
General	:	No known significant effects or critical hazards.		
Carcinogenicity	:	No known significant effects or critical hazards.		
Mutagenicity	:	No known significant effects or critical hazards.		
Reproductive toxicity	:	No known significant effects or critical hazards.		
Numerical management of tanks				

Numerical measures of toxicity

Acute toxicity estimates

Product/ingredient name	Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapours) (mg/l)	Inhalation (dusts and mists) (mg/l)
Blahydrol BT 150	>5000	>5000	N/A	N/A	N/A
Distillates (petroleum), solvent-refined heavy paraffinic	5000	5000	N/A	N/A	N/A
Residual oils (petroleum), hydrotreated	N/A	2500	N/A	N/A	N/A



Section 11. Toxicological information

Section 12. Ecological information

Toxicity

Not available.

Persistence and degradability

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
Residual oils (petroleum), hydrotreated	-	<60%; < 28 day(s)	Inherent

Bioaccumulative potential

Not available.

<u>Mobility in soil</u>

Soil/water partition: Not available.coefficient (Koc)

Other adverse effects

: No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

	UN	IMDG	ΙΑΤΑ
UN number	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-
Transport hazard class(es)	-	-	-
Packing group	-	-	-
Environmental hazards	No.	No.	No.



Section 14. Transport information

Special precautions for user	1	Transport within user's premises: always transport in closed containers that are
		upright and secure. Ensure that persons transporting the product know what to do in
		the event of an accident or spillage.

Transport in bulk according : Not available. to IMO instruments

Section 15. Regulatory information

15.1 International regulations

Stockholm Convention on Persistent Organic Pollutants Not listed.

15.2 Other regulations

Chemical safety assessment : No Chemical Safety Assessment has been carried out.

Section 16. Other information

<u>History</u>	
Date of printing	: 20. Dec. 2023
Date of issue/Date of revision	: 20. Dec. 2023
Date of previous issue	: 16. Dec. 2022
Version	: 2
Prepared by	: Product Stewardship Blaser Swisslube AG
Key to abbreviations	: ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor EC50 = Half maximal effective concentration GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IMDG = International Maritime Dangerous Goods LC50 = Median lethal concentration LD50 = Median lethal dose LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) N/A = Not available UN = United Nations

Procedure used to derive the classification

Classification	Justification
SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 3	Calculation method

References

: Not available.

✓ Indicates information that has changed from previously issued version.

IP346:

The contained refined mineral oils are exempt of labelling. The content of polycyclic aromatic hydrocarbons (PCA) according to IP346 is < 3% (DMSO-extract).

Other Regulations:

REACH:

Herewith, we confirm that all our products fulfill all the requirements of REACH regulation. All of the raw materials used in our products are either REACH registered or exempt from registration.

 Date of issue/Date of revision
 : 20. Dec.
 Date of previous issue
 : 16. Dec. 2022
 Version
 : 2
 9/10
 ZA

 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023
 2023



Section 16. Other information

ROHS:

BLASER Swisslube products are fully compliant with Annex II of DIRECTIVE 2015/863/EU (RoHS 3) and do not contain the following substances above their respective limitations:

Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE), Bis(2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP), chromium Cr⁶+-compounds, Heavy metals (Lead or it's compounds, cadmium or it's compounds, mercury or it's compounds).

Herewith we confirm that, with the exceptions of Additive A38 (art.-no. 29182-02), our cutting and grinding fluids do not contain any Substances of Very High Concern (SVHC) above the regulatory cut-off limit of 0.1%.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.