

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 29/06/2020 Revision date: 04/05/2022 Version: 8.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking **1.1. Product identifier** Product form : Mixture : FOAM CLEANER Spray Trade name UFI : G550-8039-D001-3UY2 Vaporizer : Aerosol 1.2. Relevant identified uses of the substance or mixture and uses advised against 1.2.1. Relevant identified uses Main use category : Industrial use, Professional use Industrial/Professional use spec : For professional use only Industrial Use of the substance/mixture : Cleaning/washing agents and additives 1.2.2. Uses advised against No additional information available 1.3. Details of the supplier of the safety data sheet Manufacturer ROCOL a division of ITW Ltd

Rocol a division of HW Ltd Rocol House Wakefield Rd, Swillington GB– LS26 8BS Leeds – West Yorkshire United Kingdom T +44 (0)113 232 2600 customer.service@rocol.com - www.rocol.com

1.4. Emergency telephone number

Emergency number

: +44 (0)113 232 2600

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	Only for healthcare professionals

SECTION 2: Hazards identification	
2.1. Classification of the substance or mixture	
Classification according to Regulation (EC) No. 1272/2008 [CLP] Aerosol, Category 1	H222;H229
Serious eye damage/eye irritation, Category 2	H319
Full text of H- and EUH-statements: see section 16	
Adverse physicochemical, human health and environmental effects No additional information available	
2.2. Label elements	
Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms (CLP)	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

	GHS02 GHS07
Signal word (CLP)	: Danger
Hazard statements (CLP)	: H222 - Extremely flammable aerosol.
	H229 - Pressurised container: May burst if heated.
	H319 - Causes serious eye irritation.
Precautionary statements (CLP)	: P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
	P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.
	No smoking.
	P211 - Do not spray on an open flame or other ignition source.
	P251 - Do not pierce or burn, even after use.
	P271 - Use only outdoors or in a well-ventilated area.
	P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

Component		
HYDROCARBON AEROSOL PROPELLANT (<0.1% 1,3-BUTADIENE)(68476-85-7)	The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %	

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
HYDROCARBON AEROSOL PROPELLANT (<0.1% 1,3-BUTADIENE)	CAS-No.: 68476-85-7 EC-No.: 270-704-2	10 – 15	Flam. Gas 1, H220 Press. Gas (Liq.), H280 Flam. Liq. 1, H224 Muta. Not classified Carc. Not classified
PROPAN-2-OL substance with national workplace exposure limit(s) (GB)	CAS-No.: 67-63-0 EC-No.: 200-661-7 EC Index-No.: 603-117-00-0 REACH-no: 01-2119457558- 25	10 – 15	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
POTASSIUM CARBONATE	CAS-No.: 584-08-7 EC-No.: 209-529-3 REACH-no: 01-2119532646- 36	2.4 – 5	Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335

Product subject to CLP Article 1.1.3.7. The disclosure rules of the components is modified in this case. Full text of H- and EUH-statements: see section 16

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice.
First-aid measures after inhalation First-aid measures after skin contact	 Allow affected person to breathe fresh air. Allow the victim to rest. Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
First-aid measures after eye contact	 Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.
4.2. Most important symptoms and effect	
Symptoms/effects after eye contact	: Causes serious eye irritation.
4.3. Indication of any immediate medical	attention and special treatment needed
No additional information available	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media Unsuitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand. : Do not use a heavy water stream.
5.2. Special hazards arising from the sub	stance or mixture
No additional information available	
5.3. Advice for firefighters	
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release measures	
6.1. Personal precautions, protective equ	ipment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment Emergency procedures	: Equip cleanup crew with proper protection. : Ventilate area.

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for contain	iment and cleaning up
Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage.
6.4. Reference to other sections	

See Section 8. Exposure controls and personal protection.

6.2. Environmental precautions

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.
Hygiene measures	: Wash hands, forearms and face thoroughly after handling.
7.2. Conditions for safe storage, including	g any incompatibilities
Storage conditions	: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container closed when not in use.
Incompatible products	: Strong bases. Strong acids.
Incompatible materials	: Sources of ignition. Direct sunlight.
7.3. Specific end use(s)	

No additional information available

SECTION 8: EX	posure controls/	personal	protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

PROPAN-2-OL (67-63-0)			
United Kingdom - Occupational Exposure Limits			
Local name	Propan-2-ol		
WEL TWA (OEL TWA) [1]	999 mg/m³		
WEL TWA (OEL TWA) [2]	400 ppm		
WEL STEL (OEL STEL)	1250 mg/m ³		
WEL STEL (OEL STEL) [ppm]	500 ppm		
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE		
HYDROCARBON AEROSOL PROPELLANT (<0.1% 1,3-BUTADIENE) (68476-85-7)			
United Kingdom - Occupational Exposure Limits			
Local name	Liquefied petroleum gas		
WEL TWA (OEL TWA) [1]	1750 mg/m³		
WEL TWA (OEL TWA) [2]	1000 ppm		
WEL STEL (OEL STEL)	2180 mg/m ³		
WEL STEL (OEL STEL) [ppm]	L STEL (OEL STEL) [ppm] 1250 ppm		
Remark	Carc (Capable of causing cancer and/or heritable genetic damage (only applies if LPG contains more than 0.1% of buta-1,3-diene))		
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE		

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection: Chemical goggles or safety glasses

8.2.2.2. Skin protection

Hand protection: Wear protective gloves. Nitrile rubber gloves

8.2.2.3. Respiratory protection

Respiratory protection:

In case of inadequate ventilation wear respiratory protection. Wear a respirator conforming to EN140 with Type A filter or better

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

J.I. Information on pasic physical and chemical propertie	physical and chemical properties	9.1. Information on basic pl
--	----------------------------------	------------------------------

Physical state	: Liquid
Colour	: white.
Odour	: Barely perceptible odour.
Odour threshold	: Not available
Melting point	: Not available
Freezing point	: Not available
Boiling point	: <0 °C
Flammability	: Non flammable.
Explosive limits	: Not available
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: <-100 °C
Auto-ignition temperature	: > 200
Decomposition temperature	: Not available
рН	: Not available
Viscosity, kinematic	: Not available
Solubility	: Not available
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50 °C	: Not available
Density	: Not available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Relative density	: <1
Relative vapour density at 20 °C	: Not available
Particle characteristics	: Not applicable
9.2. Other information	
9.2.1. Information with regard to physica	al hazard classes
% of flammable ingredients	: 23.621446
9.2.2. Other safety characteristics	
VOC content	: 219 g/l

SECTION 10: Stability and reactivity				
10.1. Reactivity				
Extremely flammable aerosol.				
10.2. Chemical stability				
Not established.				
10.3. Possibility of hazardous reactions				
Not established.				
10.4. Conditions to avoid				
Direct sunlight. Extremely high or low temperatures.				
10.5. Incompatible materials				
Strong acids. Strong bases.				

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008		
Acute toxicity (dermal)	Not classified Not classified Not classified	
POTASSIUM CARBONATE (584-08-7)		
LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)	
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit, Guideline: other:US EPA Pesticide Assessment Guidelines, Subdivision F, Hazard Evaluation: Human and Domestic Animals, November 1984, Acute Exposure, Dermal Toxicity	
PROPAN-2-OL (67-63-0)		
LD50 oral rat	5840 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)	
LD50 oral	3600 mg/kg	
HYDROCARBON AEROSOL PROPELLANT (<	0.1% 1,3-BUTADIENE) (68476-85-7)	
LC50 Inhalation - Rat (Vapours)	> 20 mg/l/4h	
Additional information :	Not classified Based on available data, the classification criteria are not met Causes serious eye irritation.	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878				
Respiratory or skin sensitisation	:	Not classified		
Additional information	:	Based on available data, the classification criteria are not met		
Germ cell mutagenicity	:	Not classified		
Additional information	:	Based on available data, the classification criteria are not met		
Carcinogenicity	:	Not classified		
Additional information	:	Based on available data, the classification criteria are not met		
PROPAN-2-OL (67-63-0)				
IARC group		3 - Not classifiable		
Reproductive toxicity	:	Not classified		
Additional information	:	Based on available data, the classification criteria are not met		
STOT-single exposure	:	Not classified		
Additional information	:	Based on available data, the classification criteria are not met		
POTASSIUM CARBONATE (584-08-7)				
STOT-single exposure		May cause respiratory irritation.		
PROPAN-2-OL (67-63-0)				
STOT-single exposure		May cause drowsiness or dizziness.		
STOT-repeated exposure	:	Not classified		
Additional information	:	Based on available data, the classification criteria are not met		
Aspiration hazard	:	Not classified		
Additional information	:	Based on available data, the classification criteria are not met		
FOAM CLEANER Spray				
Vaporizer		Aerosol		
11.2. Information on other hazards				
11.2.1. Endocrine disrupting properties				
No additional information available				
11.2.2. Other information				
Potential adverse human health effects and	:	Based on available data, the classification criteria are not met		
symptoms				
SECTION 12: Ecological information				
12.1. Toxicity				
Hazardous to the aquatic environment, short-term	:	Not classified		
(acute) Hazardous to the aquatic environment, long–term		Not classified		
(chronic)	•	NUL GASSIIIEU		
POTASSIUM CARBONATE (584-08-7)				
LC50 - Fish [1]		68 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo		
		gairdheri)		
EC50 - Crustacea [1]		200 mg/l Test organisms (species): Daphnia pulex		

 EC50 - Crustacea [1]
 200 mg/l Test organisms (species): Daphnia pulex

 PROPAN-2-OL (67-63-0)

 LC50 - Fish [1]
 10000 mg/l Test organisms (species): Pimephales promelas

 LC50 - Fish [2]
 9640 mg/l Test organisms (species): Pimephales promelas

12.2. Persistence and degradability FOAM CLEANER Spray Persistence and degradability Not established.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.3. Bioaccumulative potential		
FOAM CLEANER Spray		
Bioaccumulative potential	Not established.	
HYDROCARBON AEROSOL PROPELLANT (<0.1% 1,3-BUTADIENE) (68476-85-7)		
Partition coefficient n-octanol/water (Log Pow) 2.3 – 2.8		
12.4. Mobility in soil		
No additional information available		
12.5. Results of PBT and vPvB assessment		
No additional information available		
12.6. Endocrine disrupting properties		
No additional information available		
12.7. Other adverse effects		
Additional information	: Avoid release to the environment.	
SECTION 13: Disposal considerations		
13.1. Waste treatment methods		

Product/Packaging disposal recommendations: Dispose in a safe manner in accordance with local/national regulations.Ecology - waste materials: Avoid release to the environment.

SECTION 14: Transport information

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number or ID n	umber		1	
UN 1950	UN 1950	UN 1950	UN 1950	UN 1950
14.2. UN proper shipping	g name		1	
AEROSOLS	AEROSOLS	Aerosols, flammable	AEROSOLS	AEROSOLS
Transport document descri	iption		1	
UN 1950 AEROSOLS, 2.1, (D)	UN 1950 AEROSOLS, 2.1	UN 1950 Aerosols, flammable, 2.1	UN 1950 AEROSOLS, 2.1	UN 1950 AEROSOLS, 2.1
14.3. Transport hazard c	lass(es)			
2.1	2.1	2.1	2.1	2.1
		2		
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG		ΙΑΤΑ	ADN	RID
14.5. Environmental haz	14.5. Environmental hazards				
Dangerous for the	Dangerous for the		Dangerous for the	Dangerous for the	Dangerous for the
environment: No	environment: No		environment: No	environment: No	environment: No
Marine pollutant: No					
No supplementary informatic	on available				
14.6. Special precaution	s for user				
Overland transport					
Classification code (ADR)		: 5F	0.007 044 005		
Special provisions (ADR)			0, 327, 344, 625		
Limited quantities (ADR)		: 11			
Excepted quantities (ADR)		: E0			
Packing instructions (ADR)			07, LP200 87, BB6 1 2		
Special packing provisions (A Mixed packing provisions (AD		. PP : MF	87, RR6, L2		
Transport category (ADR)		. IVIF : 2	9		
Special provisions for carriage		. 2 : V1	4		
Special provisions for carriage			4 9, CV12		
and handling (ADR)	c Loading, ambaung		0, 0 V 12		
Special provisions for carriage	e - Operation (ADR)	: S2			
Tunnel restriction code (ADR)	,	: D			
Transport by sea					
Special provisions (IMDG)		: 63	190, 277, 327, 344, 381, 959		
Packing instructions (IMDG)			07, LP200		
Special packing provisions (IN	MDG)		87, L2		
EmS-No. (Fire)	,	: F-C)		
EmS-No. (Spillage)		: S-l	J		
Stowage category (IMDG)		: No	ne		
Stowage and handling (IMDG	i)	: SV	/1, SW22		
Segregation (IMDG)		: SG	69		
Air transport	- • >	50			
PCA Excepted quantities (IAT	,	: E0			
PCA Limited quantities (IATA	,	: Y2			
PCA limited quantity max net			kgG		
PCA packing instructions (IAT	IA)	: 20			
PCA max net quantity (IATA)	τ۸)	: 75 : 20	-		
CAO packing instructions (IA CAO max net quantity (IATA)					
Special provisions (IATA)		: 150 · A1	45, A167, A802		
ERG code (IATA)		: 10			
		. 10	-		
Inland waterway transport					
Classification code (ADN)		: 5F			
Special provisions (ADN)), 327, 344, 625		
Limited quantities (ADN)		: 1L			
Excepted quantities (ADN)		: E0			
Equipment required (ADN)			, EX, A		
Ventilation (ADN)			01, VE04		
Number of blue cones/lights (: 1			
Dell transmit					
Rail transport					
Classification code (RID)		: 5F	1 207 244 605		
Special provisions (RID)			0, 327, 344, 625		
Limited quantities (RID)		: 1L : E0			
Excepted quantities (RID) Packing instructions (RID)			07, LP200		
		. ۲2	01, LI 200		
04/05/2022 (Revision date)			GB - en		9/1-

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Special packing provisions (RID)	:	PP87, RR6, L2
Mixed packing provisions (RID)	:	MP9
Transport category (RID)	:	2
Special provisions for carriage – Packages (RID)	:	W14
Special provisions for carriage - Loading, unloading	:	CW9, CW12
and handling (RID)		
Colis express (express parcels) (RID)	:	CE2
Hazard identification number (RID)	:	23

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

VOC content

: 219 g/l

Contains no substance subject to Regulation (EC) 273/2004 of the European Parliament and of the Council of 11 February 2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances.

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information	
Data sources	REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
Other information	: None.

Full text of H- and EUH-statements:		
Carc. Not classified	Carcinogenicity Not classified	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Gas 1	Flammable gases, Category 1	
Flam. Liq. 1	Flammable liquids, Category 1	
Flam. Liq. 2	Flammable liquids, Category 2	
H220	Extremely flammable gas.	
H222	Extremely flammable aerosol.	
H224	Extremely flammable liquid and vapour.	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
H225	Highly flammable liquid and vapour.	
H229	Pressurised container: May burst if heated.	
H280	Contains gas under pressure; may explode if heated.	
H315	Causes skin irritation.	
H319	Causes serious eye irritation.	
H335	May cause respiratory irritation.	
H336	May cause drowsiness or dizziness.	
Muta. Not classified	Germ cell mutagenicity Not classified	
Press. Gas (Liq.)	Gases under pressure : Liquefied gas	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation	

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.