

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 26/02/2021 Revision date: 13/07/2022 Version: 8.2

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

# 1.1. Product identifier

Product form : Mixture

Trade name : FOODLUBE Protect Spray UFI : RAM0-R0YS-W00Q-763Q

Vaporizer : Aerosol

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

## 1.2.1. Relevant identified uses

Main use category : Industrial use,Professional use Industrial/Professional use spec : For professional use only

Industrial

Use of the substance/mixture : Lubricants, Greases and Release Products

## 1.2.2. Uses advised against

No additional information available

# 1.3. Details of the supplier of the safety data sheet

#### Manufacturer

ROCOL a division of ITW Ltd Rocol House Wakefield Rd, Swillington LS26 8BS Leeds – West Yorkshire United Kingdom T +44 (0)113 232 2600

customer.service@rocol.com - www.rocol.com

#### 1.4. Emergency telephone number

Emergency number : +44 (0)113 232 2600

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	Only for healthcare professionals

H315

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

## Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol, Category 1 H222;H229

Specific target organ toxicity – Single exposure, Category 3, Narcosis H336

Hazardous to the aquatic environment – Chronic Hazard, Category 2 H411

Full text of H- and EUH-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

No additional information available

Skin corrosion/irritation, Category 2

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 2.2. Label elements

## Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)







GHS02

GHS07

GHS09

Signal word (CLP)

: Danger

Contains

: HYDROCARBONS, C7, N-ALKANES, ISOALKANES, CYCLICS

Hazard statements (CLP) : H222 - Extremely flammable aerosol.

H229 - Pressurised container: May burst if heated.

H315 - Causes skin irritation.

H336 - May cause drowsiness or dizziness.

H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P211 - Do not spray on an open flame or other ignition source.

P251 - Do not pierce or burn, even after use. P271 - Use only outdoors or in a well-ventilated area.

P280 - Wear protective clothing, eye protection, face protection.

## 2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

# **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

# 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
HYDROCARBONS, C7, N-ALKANES, ISOALKANES, CYCLICS	CAS-No.: 64742-49-0 EC-No.: 927-510-4 EC Index-No.: 649-328-00-1 REACH-no: 01-2119475515- 33	≥ 70	Flam. Liq. 2, H225 Skin Irrit. 2, H315 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
CALCIUM CARBONATE substance with national workplace exposure limit(s) (GB)	CAS-No.: 1317-65-3 EC-No.: 2151-79-6 REACH-no: Exempt - Annex V	5 – 10	Not classified
CARBON DIOXIDE AEROSOL PROPELLANT substance with national workplace exposure limit(s) (GB); substance with a Community workplace exposure limit	CAS-No.: 124-38-9 EC-No.: 204-696-9 REACH-no: Exempt	2.4 – 5	Press. Gas (Comp.), H280
ZINC OXIDE	CAS-No.: 1314-13-2 EC-No.: 215-222-5	1 – 2.4	STOT RE Not classified Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Product subject to CLP Article 1.1.3.7. The disclosure rules of the components is modified in this case.

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements: see section 16

# **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice.

First-aid measures after inhalation : Allow affected person to breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Wash skin with plenty of water.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

persists.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

## 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

## 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

## 5.2. Special hazards arising from the substance or mixture

No additional information available

## 5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

## **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

## 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

## 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

## 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.

Collect spillage.

# 6.4. Reference to other sections

See Section 8. Exposure controls and personal protection.

13/07/2022 (Revision date) GB - en 3/11

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Provide good ventilation in process area to prevent

formation of vapour.

# 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking. Keep container closed when not in use.

Incompatible products : Strong bases. Strong acids.
Incompatible materials : Sources of ignition. Direct sunlight.

# 7.3. Specific end use(s)

No additional information available

# SECTION 8: Exposure controls/personal protection

# 8.1. Control parameters

## 8.1.1 National occupational exposure and biological limit values

CALCIUM CARBONATE (1317-65-3)		
Jnited Kingdom - Occupational Exposure Limits		
Local name	Calcium carbonate (Limestone, Marble)	
WEL TWA (OEL TWA) [1]	10 mg/m³ total inhalable 4 mg/m³ respirable	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	
CARBON DIOXIDE AEROSOL PROPELLANT (124-38-9)		
EU - Indicative Occupational Exposure Limit (IOEL)		
Local name	Carbon dioxide	
IOEL TWA	9000 mg/m³	
Regulatory reference	COMMISSION DIRECTIVE 2006/15/EC	
United Kingdom - Occupational Exposure Limits		
Local name	Carbon dioxide	
WEL TWA (OEL TWA) [1]	9150 mg/m³	
WEL TWA (OEL TWA) [2]	5000 ppm	
WEL STEL (OEL STEL)	27400 mg/m³	
WEL STEL (OEL STEL) [ppm]	15000 ppm	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	

# 8.1.2. Recommended monitoring procedures

No additional information available

## 8.1.3. Air contaminants formed

No additional information available

# 8.1.4. DNEL and PNEC

No additional information available

# 8.1.5. Control banding

No additional information available

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## 8.2. Exposure controls

## 8.2.1. Appropriate engineering controls

No additional information available

#### 8.2.2. Personal protection equipment

#### Personal protective equipment:

Avoid all unnecessary exposure.

#### Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

#### Eye protection:

Chemical goggles or safety glasses

## 8.2.2.2. Skin protection

#### Hand protection:

Wear protective gloves. Nitrile rubber gloves

## 8.2.2.3. Respiratory protection

#### Respiratory protection:

In case of inadequate ventilation wear respiratory protection. Wear a respirator conforming to EN140 with Type A filter or better

#### 8.2.2.4. Thermal hazards

No additional information available

## 8.2.3. Environmental exposure controls

## Other information:

Do not eat, drink or smoke during use.

## **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour : white.

Odour : Characteristic odour.

Odour threshold : Not available Melting point : Not available Freezing point : Not available : > 40 °C Boiling point : Not available Flammability **Explosive limits**  Not available Lower explosion limit : Not available Upper explosion limit : Not available Flash point : Not applicable Auto-ignition temperature : > 250 °C Decomposition temperature : Not available рΗ : Not available : Not available Viscosity, kinematic Solubility : Not available Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : Not available Vapour pressure at 50 °C : Not available Density : Not available

Relative density : < 1

Relative vapour density at 20 °C : Not available Particle characteristics : Not applicable

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## 9.2. Other information

## 9.2.1. Information with regard to physical hazard classes

% of flammable ingredients : 74.86677

9.2.2. Other safety characteristics

VOC content : 649 g/l

# SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Extremely flammable aerosol.

# 10.2. Chemical stability

Not established.

## 10.3. Possibility of hazardous reactions

Not established.

## 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

## 10.5. Incompatible materials

Strong acids. Strong bases.

## 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

# **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified Acute toxicity (dermal) : Not classified Acute toxicity (inhalation) : Not classified

# CALCIUM CARBONATE (1317-65-3)

LD50 oral rat > 2000 mg/kg

# **ZINC OXIDE (1314-13-2)**

LD50 dermal rat > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)

## HYDROCARBONS, C7, N-ALKANES, ISOALKANES, CYCLICS (64742-49-0)

LD50 dermal rat	2800 – 3100 mg/kg bodyweight Animal: rat
LC50 Inhalation - Rat	> 23.3 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)

Skin corrosion/irritation : Causes skin irritation.

Additional information : Based on available data, the classification criteria are not met

Serious eye damage/irritation : Not classified

Additional information : Based on available data, the classification criteria are not met

Respiratory or skin sensitisation : Not classified

Additional information : Based on available data, the classification criteria are not met

Germ cell mutagenicity : Not classified

Additional information : Based on available data, the classification criteria are not met

Carcinogenicity : Not classified

Additional information : Based on available data, the classification criteria are not met

13/07/2022 (Revision date) GB - en 6/11

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Reproductive toxicity : Not classified

Additional information : Based on available data, the classification criteria are not met

STOT-single exposure : May cause drowsiness or dizziness.

Additional information : Based on available data, the classification criteria are not met

STOT-single exposure May cause drowsiness or dizziness.

STOT-repeated exposure Not classified

Additional information : Based on available data, the classification criteria are not met

ZINC OXIDE	(1314-13-2)
------------	-------------

LOAEL (dermal, rat/rabbit, 90 days)	75 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study)
NOAEL (oral, rat, 90 days)	31.52 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)

# HYDROCARBONS, C7, N-ALKANES, ISOALKANES, CYCLICS (64742-49-0)

LOAEC (inhalation, rat, vapour, 90 days)	16.6 mg/l air Animal: rat, Animal sex: male
NOAEC (inhalation, rat, vapour, 90 days)	3.3 mg/l air Animal: rat, Animal sex: male

Aspiration hazard : Not classified

Additional information : Based on available data, the classification criteria are not met

# **FOODLUBE Protect Spray**

Vaporizer Aerosol

# 11.2. Information on other hazards

# 11.2.1. Endocrine disrupting properties

No additional information available

# 11.2.2. Other information

Potential adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met

# **SECTION 12: Ecological information**

# 12.1. Toxicity

Ecology - water Harmful to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term

Hazardous to the aquatic environment, long-term

: Not classified

: Toxic to aquatic life with long lasting effects.

(chronic)

## **CALCIUM CARBONATE (1317-65-3)**

LC50 - Fish [1]	> 100 g/l
EC50 - Other aquatic organisms [1]	> 100 mg/l

HYDROCARBONS, C7, N-ALKANES, ISOALKANES, CYCLICS (64742-49-0)		
LC50 - Fish [1]	1 – 10 mg/l	
LOEC (chronic)	0.32 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	
NOEC (chronic)	0.17 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	
NOEC chronic fish	< 10 mg/l	
NOEC chronic crustacea	< 1 mg/l	

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

# 12.2. Persistence and degradability

# **FOODLUBE Protect Spray**

Persistence and degradability May cause long-term adverse effects in the environment.

## 12.3. Bioaccumulative potential

# **FOODLUBE Protect Spray**

Bioaccumulative potential Not established.

# 12.4. Mobility in soil

No additional information available

## 12.5. Results of PBT and vPvB assessment

No additional information available

# 12.6. Endocrine disrupting properties

No additional information available

## 12.7. Other adverse effects

Additional information : Avoid release to the environment.

## SECTION 13: Disposal considerations

# 13.1. Waste treatment methods

Product/Packaging disposal recommendations

: Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Ecology - waste materials

: Avoid release to the environment.

## **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID n	umber			
UN 1950	UN 1950	UN 1950	UN 1950	UN 1950
14.2. UN proper shippin	g name			
AEROSOLS	AEROSOLS	Aerosols, flammable	AEROSOLS	AEROSOLS
Transport document descr	iption			
UN 1950 AEROSOLS, 2.1, (D), ENVIRONMENTALLY HAZARDOUS	UN 1950 AEROSOLS, 2.1, MARINE POLLUTANT/ENVIRONME NTALLY HAZARDOUS	UN 1950 Aerosols, flammable, 2.1, ENVIRONMENTALLY HAZARDOUS	UN 1950 AEROSOLS, 2.1, ENVIRONMENTALLY HAZARDOUS	UN 1950 AEROSOLS, 2.1, ENVIRONMENTALLY HAZARDOUS
14.3. Transport hazard	class(es)			
2.1	2.1	2.1	2.1	2.1
22	2	2	¥2	**************************************

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	IATA	ADN	RID
4.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
4.5. Environmental haz	zards			
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes

# 14.6. Special precautions for user

#### **Overland transport**

Classification code (ADR) : 5F

Special provisions (ADR) : 190, 327, 344, 625

Limited quantities (ADR) : 11 Excepted quantities (ADR) : E0

Packing instructions (ADR) : P207, LP200 Special packing provisions (ADR) : PP87, RR6, L2

: MP9 Mixed packing provisions (ADR) Transport category (ADR) : 2 : V14 Special provisions for carriage - Packages (ADR) Special provisions for carriage - Loading, unloading : CV9, CV12

and handling (ADR)

Special provisions for carriage - Operation (ADR) : S2 Tunnel restriction code (ADR) : D

# Transport by sea

Special provisions (IMDG) : 63, 190, 277, 327, 344, 381, 959

Packing instructions (IMDG) : P207, LP200 Special packing provisions (IMDG) : PP87, L2 : F-D EmS-No. (Fire) : S-U EmS-No. (Spillage) Stowage category (IMDG) : None Stowage and handling (IMDG) : SW1. SW22 Segregation (IMDG) : SG69

## Air transport

PCA Excepted quantities (IATA) : E0 PCA Limited quantities (IATA) : Y203 PCA limited quantity max net quantity (IATA) : 30kgG : 203 PCA packing instructions (IATA) PCA max net quantity (IATA) : 75kg CAO packing instructions (IATA) : 203 CAO max net quantity (IATA) : 150kg

: A145, A167, A802 Special provisions (IATA)

ERG code (IATA) : 10L

## Inland waterway transport

Classification code (ADN) : 5F

Special provisions (ADN) : 190, 327, 344, 625

Limited quantities (ADN) : 1L Excepted quantities (ADN) : E0 Equipment required (ADN) : PP, EX, A : VE01, VE04 Ventilation (ADN) : 1

Number of blue cones/lights (ADN)

## Rail transport

: 5F Classification code (RID)

13/07/2022 (Revision date) 9/11 GB - en

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Special provisions (RID) : 190, 327, 344, 625

Limited quantities (RID) : 1L Excepted quantities (RID) : E0

Packing instructions (RID) : P207, LP200 Special packing provisions (RID) : PP87, RR6, L2

Mixed packing provisions (RID) : MP9

Transport category (RID) : 2

Special provisions for carriage – Packages (RID) : W14

Special provisions for carriage - Loading, unloading : CW9, CW12

and handling (RID)

Colis express (express parcels) (RID) : CE2 Hazard identification number (RID) : 23

## 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

VOC content : 649 g/l

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on drug precursors)

# 15.1.2. National regulations

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

# 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

#### **SECTION 16: Other information**

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE

COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and

amending Regulation (EC) No 1907/2006.

Other information : None.

Full text of H- and EUH-statements:	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Asp. Tox. 1	Aspiration hazard, Category 1
Flam. Liq. 2	Flammable liquids, Category 2
H222	Extremely flammable aerosol.

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
H225	Highly flammable liquid and vapour.
H229	Pressurised container: May burst if heated.
H280	Contains gas under pressure; may explode if heated.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
Press. Gas (Comp.)	Gases under pressure : Compressed gas
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT RE Not classified	Specific target organ toxicity (repeated exposure) Not classified
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.