SAFETY DATA SHEET



Synergy 915

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

 \square

| Product name | : Synergy 915 |
|---------------------|--|
| UFI | : 5 6VE-3ETF-8306-RK67 |
| Article No. | : 11915-07 |
| Product description | : Metal working fluids Industrial use only. |

1.2 Relevant identified uses of the substance or mixture and uses advised against

| Identified uses | | |
|--|----------------------|--|
| Metal working fluids Industrial use only. | | |
| | Uses advised against | |
| Consumer use. | | |

1.3 Details of the supplier of the safety data sheet

| Manufacturer | : BLASER SWISSLUBE AG Winterseistrasse 22 CH-3415 Hasle-Rüegsau Switzerland Tel:+41 (0)34 460 01 01 E-Mail: contact@blaser.com |
|--------------------------|---|
| e-mail address of person | : reach@blaser.com |

responsible for this SDS

1.4 Emergency telephone number

National advisory body/Poison Centre

: 145 (from abroad: +41 44 251 51 51) Information: +41 44 251 66 66

Telephone number

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Product definition : Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Chronic 3, H412

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

SECTION 2: Hazards identification

| Hazard pictograms | |
|---|--|
| Signal word | : Warning |
| Hazard statements | H315 - Causes skin irritation. H319 - Causes serious eye irritation. H412 - Harmful to aquatic life with long lasting effects. |
| Precautionary statements | |
| Prevention | P280 - Wear protective gloves. Wear eye or face protection. P273 - Avoid release to the environment. P264 - Wash thoroughly after handling. |
| Response | P302 + P352 - IF ON SKIN: Wash with plenty of water. P362 + P364 - Take off contaminated clothing and wash it before reuse. P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical advice or attention. |
| Disposal | P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations. |
| Supplemental label elements | EUH070 - Toxic by eye contact. EUH208 - Contains pyridine-2-thiol 1-oxide, sodium salt. May produce an allergic reaction. |
| Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles | : Not applicable. |
| 2.3 Other hazards | |
| Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII | : This mixture does not contain any substances that are assessed to be a PBT or a vPvB. |
| Other hazards which do not result in classification | : None known. |

SECTION 3: Composition/information on ingredients

| 3.2 Mixtures | : Mixture | | | | |
|--------------------------------|--|--------------|---|---|------|
| Product/ingredient name | Identifiers | % | Classification | Specific Conc. Limits, M-factors and ATEs | Туре |
| 2,2',2"-nitrilotriethanol | REACH #: 01-2119486482-31 EC: 203-049-8 CAS: 102-71-6 | ≤10 | Not classified. | - | [2] |
| 2-(2-aminoethoxy)ethanol | REACH #: 01-2119520701-52 EC: 213-195-4 CAS: 929-06-6 | ≤10 | Skin Corr. 1B, H314 Eye Dam. 1, H318 | - | [1] |
| neodecanoic acid | REACH #: 01-2119449554-33 EC: 248-093-9 CAS: 26896-20-8 | ≤10 | Acute Tox. 4, H302 | ATE [Oral] = 500 mg/kg | [1] |
| Date of issue/Date of revision | : 8. Nov. 2024 | Date of prev | ious issue : 18. Oct | 2024 Version : 2 | 2/ |



| 2-aminoethanol | REACH #: | <5 | Acute Tox. 4, H302 | ATE [Oral] = 1720 | [1] |
|--|---|-------|---|--|---------|
| | 01-2119486455-28 EC: 205-483-3 CAS: 141-43-5 | | Acute Tox. 4, H312 Acute Tox. 4, H312 Acute Tox. 4, H332 Skin Corr. 1B, H314 STOT SE 3, H335 Aquatic Chronic 3, H412 | mg/kg ATE [Dermal] = 1100 mg/kg ATE [Inhalation (vapours)] = 11 mg/ I STOT SE 3, H335: $C \ge 5\%$ | [.] |
| pyridine-2-thiol 1-oxide, sodium salt | REACH #: Biocide EC: 223-296-5 CAS: 3811-73-2 | ≤0.3 | Acute Tox. 4, H302 Acute Tox. 3, H311 Acute Tox. 3, H311 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 STOT RE 1, H372 (nervous system) Aquatic Acute 1, H400 Aquatic Chronic 2, H411 EUH070 | ATE [Oral] = 500 mg/kg ATE [Dermal] = 790 mg/kg ATE [Inhalation (dusts and mists)] = 0.5 mg/l M [Acute] = 100 | [1] [2] |
| 1,2-Ethanediamine, N1,N1, N2,N2-tetramethyl-, polymer with 1,1'-oxybis [2-chloroethane] | REACH #: Polymer CAS: 31075-24-8 | <0.25 | Acute Tox. 4, H302 Acute Tox. 4, H332 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 | ATE [Oral] = 1951 mg/kg ATE [Inhalation (vapours)] = 11 mg/ I M [Acute] = 10 M [Chronic] = 10 | [1] |
| | | | See Section 16 for the full text of the H statements declared above. | | |

Additional information :

Neutralisation product: Equilibrium of Ionic Pairs according to REACH Annex V, 4.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

<u>Type</u>

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

| 4.1 Description of first a | aid measures |
|----------------------------|---|
| Eye contact | : Get medical attention immediately. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. |
| Inhalation | : Avoid breathing vapour or mist. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. |

3/15

Blaser.

SECTION 4: First aid measures

| Skin contact | : | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse. |
|----------------------------|---|--|
| Ingestion | : | Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. |
| Protection of first-aiders | : | No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. |

4.2 Most important symptoms and effects, both acute and delayed

Over-exposure signs/symptoms

| Eye contact | : Adverse symptoms may include the following: systemic toxicity pain or irritation watering redness |
|--------------|---|
| Inhalation | : No specific data. |
| Skin contact | : Adverse symptoms may include the following: irritation redness |
| Ingestion | : No specific data. |

4.3 Indication of any immediate medical attention and special treatment needed

| Notes to physician | : In case of inhalation of decomposition products in a fire, symptoms may be delayed. |
|---------------------|---|
| | The exposed person may need to be kept under medical surveillance for 48 hours. |
| Specific treatments | : No specific treatment. |

SECTION 5: Firefighting measures

| 5.1 Extinguishing media | |
|---------------------------------------|--|
| Suitable extinguishing media | : Use an extinguishing agent suitable for the surrounding fire. |
| Unsuitable extinguishing media | : None known. |
| 5.2 Special hazards arising f | rom the substance or mixture |
| Hazards from the substance or mixture | : In a fire or if heated, a pressure increase will occur and the container may burst. This material is harmful to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain. |
| Hazardous combustion products | : Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides metal oxide/oxides |

5.3 Advice for firefighters



Synergy 915

Special protective actions for fire-fighters Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Special protective equipment for fire-fighters Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

| 6.1 Personal precautions, pro | ote | ctive equipment and emergency procedures |
|---------------------------------|-----|---|
| For non-emergency personnel | : | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Avoid contact with eyes. Put on appropriate personal protective equipment. |
| For emergency responders | : | If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| 6.2 Environmental precautions | : | Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities. |
| 6.3 Methods and material for | со | ntainment and cleaning up |
| Small spill | : | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
| Large spill | : | Stop leak if without risk. Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilt product. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. |
| 6.4 Reference to other sections | : | See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. |

See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

Synergy 915

SECTION 7: Handling and storage

| Advice on general occupational hygiene | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional |
|--|--|
| | equipment before entering eating areas. See also Section 8 for additional |
| | information on hygiene measures. |

7.2 Conditions for safe storage, including any incompatibilities

Storage temperature: 0 to 40°C (32 to 104°F). Shelf life: 18 months. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

7.3 Specific end use(s)

Recommendations

: Not available.

Industrial sector specific

: Not available.

solutions

SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

8.1 Control parameters

Occupational exposure limits

| Product/ingredient name | Exposure limit values |
|---------------------------------------|--|
| 2,2',2"-nitrilotriethanol | SUVA (Switzerland, 1/2023) |
| | STEL 15 minutes: 5 mg/m ³ . Form: Inhalable fraction. |
| | TWA 8 hours: 5 mg/m ³ . Form: Inhalable fraction. |
| pyridine-2-thiol 1-oxide, sodium salt | SUVA (Switzerland, 1/2023) [Natriumpyrithion] Absorbed |
| | through skin. |
| | TWA 8 hours: 0.2 mg/m ³ . Form: Inhalable fraction. |
| | STEL 15 minutes: 0.4 mg/m ³ . Form: Inhalable fraction. |

Biological exposure indices

No exposure indices known.

Recommended monitoring procedures : Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

DNELs/DMELs

| Туре | Exposure | Value | Population | Effects |
|------|------------------------------|---|---|---|
| DNEL | Long term Dermal | 29 mg/kg bw/day | Workers | Systemic |
| DNEL | Long term Inhalation | 86 mg/m ³ | Workers | Systemic |
| DNEL | Long term Oral | 17.5 mg/ kg bw/dav | General population | Systemic |
| DNEL | Long term Dermal | 17.5 mg/ | General | Systemic |
| DNEL | Long term | 25.79 mg/ | General | Systemic |
| | DNEL DNEL DNEL DNEL | DNELLong term DermalDNELLong term InhalationDNELLong term OralDNELLong term Dermal | DNELLong term Dermal29 mg/kg bw/dayDNELLong term86 mg/m³Inhalation17.5 mg/DNELLong term Oral17.5 mg/Long term Dermal17.5 mg/kg bw/day17.5 mg/kg bw/day17.5 mg/ | DNELLong term Dermal29 mg/kg bw/dayWorkersDNELLong term86 mg/m³WorkersDNELLong term Oral17.5 mg/ kg bw/dayGeneral populationDNELLong term Dermal17.5 mg/ kg bw/dayGeneral population |



| SECTION 8: Exposure controls/personal protection | | | | | |
|--|------------|----|------------|--|--|
| | Inhalation | m³ | population | | |

PNECs

Synergy 915

No PNECs available

8.2 Exposure controls **Appropriate engineering** : Good general ventilation should be sufficient to control worker exposure to airborne controls contaminants. Individual protection measures **Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Safety evewear complying with an approved standard should be used when a risk **Eye/face protection** assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles. **Skin protection** Hand protection : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. Wear suitable gloves tested to EN374. Nitrile gloves. thickness 0.3 mm (minimum). : Personal protective equipment for the body should be selected based on the task **Body protection** being performed and the risks involved before handling this product. : Appropriate footwear and any additional skin protection measures should be Other skin protection selected based on the task being performed and the risks involved before handling this product. **Respiratory protection** : A respirator is not needed under normal and intended conditions of product use. If workers are exposed to concentrations above the exposure limit, they must use appropriate, certified respirators. **Environmental exposure** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. controls In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

9.1 Information on basic physical and chemical properties

| Odour threshold Melting point/freezing point | : Not available : Not available | - | | | |
|---|------------------------------------|------------------------|-----------------|-------------|------|
| Melting point/freezing point Boiling point or initial boiling point and boiling range | : Not available : Not available | - | | | |
| Flammability | : Not available |). | | | |
| Date of issue/Date of revision | : 8. Nov. 2024 | Date of previous issue | : 18. Oct. 2024 | Version : 2 | 7/15 |

| Lower and upper explosion limit | : Not available. |
|---|--|
| Flash point | : Open cup: Not applicable. |
| Auto-ignition temperature | : Not available. |
| Decomposition temperature | : Not available. |
| рН | : 8.9 to 9.4 [Conc. (% w/w): 5%] |
| Viscosity | : Dynamic (room temperature): Not available. Kinematic (room temperature): Not available. Kinematic (40°C): 16 mm²/s |
| Solubility | : |
| Not available. | |
| Solubility in water | : Not available. |
| Desthiller and file best and states it. | Not overlaphi |

Partition coefficient n-octanol/ : Not applicable. water (log Pow)

Dispersibility properties

| Media | | Result |
|--------------------------|-----|----------------------------|
| pold water hot water | | Dispersible Dispersible |
| Vapour pressure | : N | Not available. |
| Relative density | : N | Not available. |
| Density | : 1 | l.069 g/cm³ [20°C] |
| Relative vapour density | : N | Not available. |
| Particle characteristics | | |
| Median particle size | : N | Not applicable. |

9.2.1 Information with regard to physical hazard classes

| J.Z. I Information with regard | a to pi | rysical nazara ciass |
|--------------------------------|---------|----------------------|
| Explosive properties | : | Not available. |
| Oxidising properties | : | Not available. |
| 9.2.2 Other safety characteri | stics | |
| Miscible with water | : | Yes. |

SECTION 10: Stability and reactivity

| 10.1 Reactivity | : No specific test data related to reactivity available for this product or its ingredient | s. |
|--|--|----|
| 10.2 Chemical stability | : Shelf life: 18 months. | |
| 10.3 Possibility of hazardous reactions | : Under normal conditions of storage and use, hazardous reactions will not occur. | |
| 10.4 Conditions to avoid | : No specific data. | |
| 10.5 Incompatible materials | : No specific data. | |
| 10.6 Hazardous decomposition products | : Under normal conditions of storage and use, hazardous decomposition products should not be produced. | |



SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

| Product/ingredient name | Result | Species | Dose | Exposure |
|--|------------------------|--------------|-------------|----------|
| 2-(2-aminoethoxy)ethanol | LD50 Dermal | Rabbit | >3000 mg/kg | - |
| neodecanoic acid | LD50 Dermal | Rat | 3640 mg/kg | - |
| | LD50 Oral | Rat | >2000 mg/kg | - |
| 2-aminoethanol | LD50 Dermal | Rabbit | 2504 mg/kg | - |
| | LD50 Oral | Rat | 1720 mg/kg | - |
| pyridine-2-thiol 1-oxide, sodium salt | LD50 Dermal | Rabbit | 1800 mg/kg | - |
| | LD50 Oral | Rat - Female | 1208 mg/kg | - |
| 1,2-Ethanediamine, N1,N1, N2,N2-tetramethyl-, polymer with 1,1'-oxybis [2-chloroethane] | LC50 Inhalation Vapour | Rat | 5.8 mg/l | 4 hours |
| | LD50 Dermal | Rabbit | >2000 mg/kg | - |
| | LD50 Oral | Rat | 1951 mg/kg | - |

Conclusion/Summary :

: Not available.

Acute toxicity estimates

| Product/ingredient name | Oral (mg/ kg) | Dermal (mg/kg) | Inhalation (gases) (ppm) | Inhalation (vapours) (mg/l) | Inhalation (dusts and mists) (mg/l) |
|---|------------------|-------------------|--------------------------------|-----------------------------------|--|
| Synergy 915 | >2000 | >2000 | N/A | 141.1 | 118.4 |
| neodecanoic acid | 500 | 3640 | N/A | N/A | N/A |
| 2-aminoethanol | 1720 | 1100 | N/A | 11 | N/A |
| pyridine-2-thiol 1-oxide, sodium salt | 500 | 790 | N/A | N/A | 0.5 |
| 1,2-Ethanediamine, N1,N1,N2,N2-tetramethyl-, polymer with 1,1'-oxybis[2-chloroethane] | 1951 | N/A | N/A | 11 | N/A |

Irritation/Corrosion

| Product/ingredient name | Result | Species | Score | Exposure | Observation |
|-------------------------------|--|------------------|-------|------------------|--------------|
| 2-aminoethanol | Eyes - Severe irritant Skin - Moderate irritant | Rabbit Rabbit | - | 250 ug 505 mg | - |
| Conclusion/Summary | | | | | |
| Skin | : pH value - Used for classifi | cation | | | |
| Eyes | : pH value - Used for classified | cation | | | |
| Respiratory or skin sensitiza | <u>ation</u> | | | | |
| Conclusion/Summary | : Not available. | | | | |
| Mutagenicity | | | | | |
| Conclusion/Summary | : Not available. | Not available. | | | |
| Carcinogenicity | | | | | |
| Conclusion/Summary | Not available. | | | | |
| Reproductive toxicity | | | | | |
| Conclusion/Summary | : Not available. | : Not available. | | | |
| Teratogenicity | | | | | |
| Conclusion/Summary | : Not available. | | | | |
| Specific target organ toxicit | <u>y (single exposure)</u> | | | | |
| Product/ingredient name | | Category | | ute of 1 | arget organs |

| Product/ingr | edient name | Category | Route of exposure | Target organs |
|----------------|-------------|------------|-------------------|------------------------------|
| 2-aminoethanol | | Category 3 | - | Respiratory tract irritation |

Date of issue/Date of revision





SECTION 11: Toxicological information

Specific target organ toxicity (repeated exposure)

| Product/ingredient name | Category | Route of exposure | Target organs |
|---------------------------------------|------------|-------------------|----------------|
| pyridine-2-thiol 1-oxide, sodium salt | Category 1 | - | nervous system |

Aspiration hazard

Not available.

Ingestion

| Information on likely routes of exposure | : | Not available. |
|--|---|---|
| Potential acute health effects | | |
| Eye contact | : | Toxic by eye contact. Causes serious eye irritation. |
| Inhalation | : | No known significant effects or critical hazards. |
| Skin contact | : | Causes skin irritation. |
| Ingestion | : | No known significant effects or critical hazards. |
| | | al, chemical and toxicological characteristics |
| Eye contact | • | Adverse symptoms may include the following: systemic toxicity pain or irritation watering redness |
| Inhalation | : | No specific data. |
| Skin contact | : | Adverse symptoms may include the following: irritation |

| Delayed and immedi | ate effects as well as ch | ronic effects from sl | hort and long-term ex | <u>posure</u> |
|--------------------|---------------------------|-----------------------|-----------------------|---------------|
| Short term exposur | æ | | | |

| Potential immediate effects | : Not available. |
|--------------------------------|---|
| Potential delayed effects | : Not available. |
| Long term exposure | |
| Potential immediate effects | : Not available. |
| Potential delayed effects | : Not available. |
| Potential chronic health eff | ects |
| Not available. | |
| Conclusion/Summary | : Not available. |
| General | : No known significant effects or critical hazards. |
| Carcinogenicity | : No known significant effects or critical hazards. |
| Mutagenicity | : No known significant effects or critical hazards. |
| Reproductive toxicity | : No known significant effects or critical hazards. |

redness

: No specific data.

| 11.2 Information on other hazards | |
|--|--|
| 11.2.1 Endocrine disrupting properties | |
| Not available. | |
| 11.2.2 Other information | |
| Not available. | |

Synergy 915

SECTION 12: Ecological information

12.1 Toxicity

| Product/ingredient name | Result | Species | Exposure |
|--|------------------------------------|----------------------------|----------|
| neodecanoic acid | Acute EC50 >100 mg/l | Daphnia | 48 hours |
| | Acute LC50 >100 mg/l | Fish | 96 hours |
| 2-aminoethanol | Acute LC50 329160 µg/l Fresh water | Fish - Lepomis macrochirus | 96 hours |
| | Chronic NOEC 0.85 mg/l | Daphnia | 21 days |
| | Chronic NOEC 1.2 mg/l | Fish | 30 days |
| pyridine-2-thiol 1-oxide, sodium salt | EC50 0.0012 mg/l | Algae | 72 hours |
| | EC50 0.0088 mg/l | Daphnia | 48 hours |
| 1,2-Ethanediamine, N1,N1, N2,N2-tetramethyl-, polymer with 1,1'-oxybis [2-chloroethane] | Acute EC50 0.37 mg/l | Daphnia | 48 hours |
| | Acute LC50 0.047 mg/l Fresh water | Fish | 96 hours |
| | Acute NOEC 0.037 mg/l Fresh water | Fish | 96 hours |

Conclusion/Summary

Not available.

12.2 Persistence and degradability

Conclusion/Summary : Not available.

12.3 Bioaccumulative potential

| Product/ingredient name | LogPow | BCF | Potential |
|--------------------------|--------|------|-----------|
| 2-(2-aminoethoxy)ethanol | -1.89 | - | Low |
| neodecanoic acid | 2.1 | <225 | Low |
| 2-aminoethanol | -1.31 | - | Low |

| 12.4 Mobility in soil | |
|---|------------------|
| Soil/water partition coefficient (K _{oc}) | : Not available. |
| Mobility | : Not available. |

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

12.6 Endocrine disrupting properties

Not available.

12.7 Other adverse effects

No known significant effects or critical hazards.

SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1 Waste treatment methods

Product

SECTION 13: Disposal considerations

| Methods of disposal | : The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. |
|---------------------|---|
| Hazardous waste | : Yes. |

Hazardous waste : Yes

| European waste catalogue (EWC) | | |
|--------------------------------|--|--|
| Waste code | Waste designation | |
| 12 01 10* 12 01 09* | synthetic machining oils machining emulsions and solutions free of halogens | |
| Packaging | | |
| Methods of disposal | : The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. | |
| Special precautions | This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. | |

SECTION 14: Transport information

| | ADR/RID | ADN | IMDG | ΙΑΤΑ |
|------------------------------------|----------------|--|----------------|----------------|
| 14.1 UN number or ID number | Not regulated. | 9006 | Not regulated. | Not regulated. |
| 14.2 UN proper shipping name | - | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. | - | - |
| 14.3 Transport hazard class(es) | - | 9 | - | - |
| 14.4 Packing group | - | - | - | - |
| 14.5 Environmental hazards | No. | Yes. | No. | No. |

Additional information

ADN

: The product is only regulated as a dangerous good when transported in tank vessels.

14.6 Special precautions for user: **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Maritime transport in : Not available. bulk according to IMO instruments

Blaser. SWISSLUBE

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorisation

<u>Annex XIV</u>

None of the components are listed above the relevant limit.

Substances of very high concern

None of the components are listed above the relevant limit.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

| Product/ingredient name | % | Designation [Usage] | |
|--|-----------------------------|--------------------------------|-------------------|
| Synergy 915 | ≥90 | 3 | |
| Labelling : Not applicab | le. | 1 | |
| Other EU regulations | | | |
| Industrial emissions : Not listed (integrated pollution prevention and control) - Air | | | |
| Industrial emissions : Not listed (integrated pollution prevention and control) - Water | | | |
| Explosive precursors : Not applicab | le. | | |
| Ozone depleting substances (1005/2009/E | <u>U)</u> | | |
| Not listed. | | | |
| Prior Informed Consent (PIC) (649/2012/EU Not listed. | (ר | | |
| Persistent Organic Pollutants Not listed. | | | |
| Seveso Directive | | | |
| This product is not controlled under the Seve | so Directive. | | |
| National regulations | | | |
| Storage class (TRGS 510) : 12 | | | |
| VOC content : Exempt. | | | |
| Hazardous liquids for : Class A water | | | |
| International regulations | | | |
| Chemical Weapon Convention List Schedul | <u>es I, II & III (</u> | <u>Chemicals</u> | |
| List name | Ingredien | t name | Status |
| Schedule III | Triethanola | amine | Listed |
| Montreal Protocol Not listed. | | | |
| Stockholm Convention on Persistent Organ | ic Pollutant | S | |
| Not listed. | | - | |
| Rotterdam Convention on Prior Informed Convention Not listed. | onsent (PIC | 1 | |
| UNECE Aarhus Protocol on POPs and Heav | <u>y Metals</u> | | |
| Date of issue/Date of revision : 8. Nov. 202 | 24 Date of | previous issue : 18. Oct. 2024 | Version : 2 13/15 |



SECTION 15: Regulatory information

Not listed.

- **15.2 Chemical safety** assessment
- : This product contains substances for which Chemical Safety Assessments are still required.

SECTION 16: Other information

| Indicates informati | on that has changed from previously issued version. |
|---------------------|---|
| Abbreviations and | : ATE = Acute Toxicity Estimate |
| acronyms | CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. |
| | 1272/2008] |
| | DMEL = Derived Minimal Effect Level |
| | DNEL = Derived No Effect Level |
| | EUH statement = CLP-specific Hazard statement |
| | N/A = Not available |
| | PBT = Persistent, Bioaccumulative and Toxic |
| | PNEC = Predicted No Effect Concentration |
| | RRN = REACH Registration Number |
| | SGG = Segregation Group |
| | vPvB = Very Persistent and Very Bioaccumulative |

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

| Classification | Justification |
|--------------------|--|
| Eye Irrit. 2, H319 | Expert judgment Expert judgment Calculation method |

Full text of abbreviated H statements

| H302 | Harmful if swallowed. |
|--------|---|
| H311 | Toxic in contact with skin. |
| H312 | Harmful in contact with skin. |
| H314 | Causes severe skin burns and eye damage. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H331 | Toxic if inhaled. |
| H332 | Harmful if inhaled. |
| H335 | May cause respiratory irritation. |
| H372 | Causes damage to organs through prolonged or repeated exposure. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H411 | Toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |
| EUH070 | Toxic by eye contact. |

Full text of classifications [CLP/GHS]

| Acute Tox. 3 | ACUTE TOXICITY - Category 3 | |
|-------------------|---|--|
| Acute Tox. 4 | ACUTE TOXICITY - Category 4 | |
| Aquatic Acute 1 | SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 1 | |
| Aquatic Chronic 1 | LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 1 | |
| Aquatic Chronic 2 | LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 2 | |
| Aquatic Chronic 3 | LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 3 | |
| Eye Dam. 1 | SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1 | |
| Eye Irrit. 2 | SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2 | |
| Skin Corr. 1B | SKIN CORROSION/IRRITATION - Category 1B | |
| Skin Irrit. 2 | SKIN CORROSION/IRRITATION - Category 2 | |
| Skin Sens. 1 | SKIN SENSITISATION - Category 1 | |
| STOT RE 1 | SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE - Category 1 | |
| STOT SE 3 | SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE - Category 3 | |
| | | |

Date of printing

: 8. Nov 2024



| S ynergy | 915 | |
|-----------------|-----|--|
| Synergy | 915 | |

| SECTION 16: Other information |
|--------------------------------------|
|--------------------------------------|

| Date of issue/ Date of revision | : 8. Nov. 2024 | |
|---------------------------------|---|--|
| Date of previous issue | : 18. Oct. 2024 | |
| Version | : 2 | |
| Responsible name | : Product Stewardship Blaser Swisslube AG | |

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.